



LAB	CODE	TEST NAME	CPT4 CODE
ACL	UGT1A1	UGT1A1 Genotyping Container :One lavender (EDTA) 6.0 mL Stability :Ambient: 3 Days / Refrigerated: 14 Days / Frozen: Unacceptable	81350
PHC	BUN	Urea Nitrogen (BUN), Plasma or Serum Stability :Room temperature: 3 days Refrigerated: 7 days	84520
PHC	FLUN	Urea Nitrogen, Body Fluid Stability :Room temperature: 3 days Refrigerated: 7 days	84520
ACL	UUNT	Urea Nitrogen, Urine 24 Hour Container :One 24 hour urine Stability :Ambient: Unacceptable / Refrigerated: 3 Days / Frozen: Unacceptable	84540
ACL	UUNR	Urea Nitrogen, Urine Random Container :One random urine Stability :Ambient: Unacceptable / Refrigerated: 3 Days / Frozen: Unacceptable	84540
PHC	URICR	Uric Acid Rasburicase Stability :Ambient: Unacceptable Refrigerated: 4 Hours (if plasma removed from cells), 2 hours in original Li Hep tube Frozen: Unacceptable	84550
PHC	URIC	Uric Acid, Plasma or Serum Stability :Room temperature: 1 days Refrigerated: 3 days	84550
ACL	UURICT	Uric Acid, Urine 24 Hour Container :One 24 hour urine Stability :Ambient: Unacceptable / Refrigerated: 3 Days / Frozen: Unacceptable	84560
ACL	URURCR	Uric Acid, Urine Random Container :One random urine Stability :Ambient: Unacceptable / Refrigerated: 3 Days	84560
PHC	UACNRX	Urinalysis w/ Microscopic Analysis, No Reflex Culture	81001
PHC	UACOM	Urinalysis w/ Microscopic Analysis, Reflex Culture	81001
PHC	UDPMIC	Urinalysis with Reflex Microscopic Analysis	81003
PHC	UDPST	Urinalysis, Dipstick	81003
PHC	MICRO	Urinalysis, Microscopic Stability :Room temperature: 2 hours Refrigerated: 24 hours Frozen: Do Not Freeze	81015
ACL	URC	Urine Culture Container :Urine in a sterile container NOTE: First morning void preferred Stability :Unpreserved Urine: Ambient: 2 Hours / Refrigerated: 24 Hours / Frozen: Unacceptable Urine in Boric Acid Tube: Ambient: 48 Hours / Refrigerated: 48 Hours / Frozen: Unacceptable	87086