



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	17OHL	17-OH Progesterone LCMS LC Place Of Service:LabCorp	
Mission Health	COVID19LC	2019 Novel Coronavirus (COVID-19), NAA LC Place Of Service:LabCorp	
Mission Health	BBURGLC	Abs to B.burgdorferi,ELISA,CSF LC Place Of Service:LabCorp	
Mission Health	CACELC	ACE, CSF LC Place Of Service:LabCorp	
Mission Health	ACETA	Acetaminophen Level Container:4 mL SST or 4 mL PST	80143
Mission Health	ACHBDLC	AChR Binding Abs, Serum LC Place Of Service:LabCorp	
Mission Health	ACHBLLC	AChR Blocking Abs, Serum LC Place Of Service:LabCorp	
Mission Health	AFBBC	Acid Fast Bacilli Blood Culture Container:AFB Blood Culture testing is available for the following specimen types: 5 mL Blood 5 mL Bone Marrow Collect either specimen type in a BACTEC Myco/F Lytic Blood Culture Bottle -RED cap (specialized media for the detection of fungi and mycobacteria from whole blood).	87116
Mission Health	AFBC	Acid Fast Bacilli Culture Container:Choose from the following specimen types in a sterile container: Body Fluid Respiratory Tissue Urine	87116 87015
Mission Health	STIM	ACTH Stimulation (Cortisol Timed) Container:4 mL SST or 4 mL PST Separate specimens should be collected at designated timed intervals.	82533 x3
Mission Health	ACTHLC	ACTH, Plasma LC Place Of Service:LabCorp	
Mission Health	SMABLC	Actin (Smooth Muscle) Antibody LC Place Of Service:LabCorp	
Mission Health	APTT	Activated Partial Thromboplastin Time Container:2.7 mL Light Blue Sodium Citrate Tube	85730
Mission Health	ACYPRLC	Acylcarnitine Profile, Plasma LC Place Of Service:LabCorp	
Mission Health	ADAMLC	ADAMTS13 Activity LC Place Of Service:LabCorp	
Mission Health	ADNPLC	Adenovirus PCR Qual (NP Swab) LC Place Of Service:LabCorp	
Mission Health	SGPT	Alanine Aminotransferase (ALT) Container:4 mL SST or 4 mL PST	84460
Mission Health	BALB	Albumin, Body Fluid Container:1 mL STERILE body fluid	82042
Mission Health	ALB	Albumin, Serum Container:4 mL PST or 4 mL SST	82040
Mission Health	ALDOLC	Aldolase LC Place Of Service:LabCorp	
Mission Health	ALDS	Aldosterone, Serum Container:4 mL SST or 3 mL Lavendar EDTA Tube	82088
Mission Health	ALDREN	Aldosterone/Direct Renin Ratio Container:3 mL Lavender EDTA tube	82088 84244
Mission Health	ALPLC	Alk Phos Isoenzyme LC Place Of Service:LabCorp	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	ALP	Alkaline Phosphatase Container:4 mL SST or 4 mL PST or 4 mL Green Sodium Heparin Tube	84075
Mission Health	ALNUTLC	Allergens (8) Nuts/Seeds LC Place Of Service:LabCorp	
Mission Health	ALIGELC	Allergens w/Total IgE Area 2 LC Place Of Service:LabCorp	
Mission Health	AFPTM	Alpha Fetoprotein - Tumor Marker Container:4 mL SST, 4 mL PST, or 4 mL Green Lithium Heparin Tube	82105
Mission Health	FA1ALC	Alpha-1-Antitrypsin, Fecal, Qn LC Place Of Service:LabCorp	
Mission Health	A1ALC	Alpha-1-Antitrypsin, Serum LC Place Of Service:LabCorp	
Mission Health	AASCS	Amino Acid Screen, Serum Qualitative Container:4 mL SST, or 4 mL Green Lithium Heparin	82128
Mission Health	AASCU	Amino Acids w/Creatinine, Urine Qualitative Container:Random urine in urine cup (no preservatives)	82128
Mission Health	NH4	Ammonia Container:4 mL Green Lithium Heparin Plasma without gel barrier For testing at Transylvania Regional Hospital: Collect 4 mL Lavender EDTA	82140
Mission Health	UAMP	Amphetamine Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	BAMY	Amylase, Body Fluid Container:1 mL of body fluid in STERILE container	82150
Mission Health	AMY	Amylase, Serum Container:4 mL SST or 4 mL PST	82150
Mission Health	UAMY	Amylase, Urine Container:Random Collection: random urine in sterile collection container. Timed 2-Hour Collection: all urine voided in 2-hour period.	82150
Mission Health	SSCPLC	ANA+SCL 70 LC Place Of Service:LabCorp	
Mission Health	ANAC	Anaerobic Culture Temperature:Ambient	87075
Mission Health	ANDRLC	Androstenedione LCMS LC Place Of Service:LabCorp	
Mission Health	ACENLC	Angiotensin-Converting Enzyme LC Place Of Service:LabCorp	
Mission Health	ABSCCR2	Antibody Screen Container:6 mL Tall Lavender K2 EDTA Tube	86886
Mission Health	TITER	Antibody Titer-Immune Red Cell Container:6 mL Tall Lavender K2 EDTA Tube	86886
Mission Health	CRGAMLC	Anticardiolip Ab, IgA/G/M, Qn LC Place Of Service:LabCorp	
Mission Health	CRGMLC	Anticardiolipin Ab, IgG/M, Qn LC Place Of Service:LabCorp	
Mission Health	CRALC	Anticardiolipin Ab,IgA,Qn LC Place Of Service:LabCorp	
Mission Health	ACBABLC	Anti-Centromere B Antibodies LC Place Of Service:LabCorp	
Mission Health	DNSBLC	Anti-DNase B Strep Antibodies LC Place Of Service:LabCorp	
Mission Health	DNADSLC	Anti-dsDNA Antibodies LC Place Of Service:LabCorp	
Mission Health	AGBMABLC	Anti-GBM Antibodies LC Place Of Service:LabCorp	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	ANTIG	Antigen Type - Red Cell Container:6 mL Tall Lavender K2 EDTA Tube	86902
Mission Health	AJ1LC	Anti-Jo-1 LC Place Of Service:LabCorp	
Mission Health	AMPOABLC	Anti-MPO Antibodies LC Place Of Service:LabCorp	
Mission Health	AMHLC	Anti-Mullerian Hormone (AMH) LC Place Of Service:LabCorp	
Mission Health	ANALC	Antinuclear Antibody (ANA) IFA LC Place Of Service:LabCorp	
Mission Health	APICLC	Antipancreatic Islet Cells LC Place Of Service:LabCorp	
Mission Health	PA2LC	Anti-PLA2R LC Place Of Service:LabCorp	
Mission Health	APR3LC	Anti-PR3 Antibodies LC Place Of Service:LabCorp	
Mission Health	SCLERLC	Antiscleroderma-70 Antibodies LC Place Of Service:LabCorp	
Mission Health	ASOLC	Antistreptolysin O Ab LC Place Of Service:LabCorp	
Mission Health	AT3	Antithrombin III Container:2.7 mL Light Blue Sodium Citrate Tube	85300
Mission Health	AXFLC	Anti-Xa-Fondaparinux LC Place Of Service:LabCorp	
Mission Health	0448SP	Apixaban (Eliquis®) Container:3 mL Lavender EDTA Tube	80375 (Alt code G0480)
Mission Health	ARBOCLC	Arbovirus - CFS LC Place Of Service:LabCorp	
Mission Health	ARBOSLC	Arbovirus - Serum LC Place Of Service:LabCorp	
Mission Health	ARTH	Arthritis Panel Container:Blood SST & Lavender Temperature:Refrigerated	
Mission Health	SGOT	Aspartate Aminotransferase (AST) Container:4 mL SST or 4 mL PST	84450
Mission Health	ASPABLC	Aspergillus Ab, Qn, DID LC Place Of Service:LabCorp	
Mission Health	ASPAGLC	Aspergillus Ag, BAL/Serum LC Place Of Service:LabCorp	
Mission Health	BPRTLCL	B pertussis IgG Ab LC Place Of Service:LabCorp	
Mission Health	BPGMLC	B pertussis IgG/IgM Ab LC Place Of Service:LabCorp	
Mission Health	BPERCLC	B pertussis, Nasophar Culture LC Place Of Service:LabCorp	
Mission Health	BPEPALC	B.pertussisB.parapertussis PCR LC Place Of Service:LabCorp	
Mission Health	UBAR	Barbituate Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	BHENLC	Bartonella henselae IgG/M LC Place Of Service:LabCorp	
Mission Health	MPB	Basic Metabolic Panel Container:4 mL SST or 4 mL PST	80048
Mission Health	UBEN	Benzodiazepine Screen, Urine	80307



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Random Collection: random urine in sterile specimen container	
Mission Health	B2MCLC	Beta 2-Microglob. CSF LC Place Of Service:LabCorp	
Mission Health	BOH	Beta Hydroxybutyric Acid Container:4 mL Green Lithium Heparin (NO GEL)	82010
Mission Health	BSCULT	Beta Strep Culture	87081
Mission Health	B2GABLC	Beta-2 Glycoprotein I Ab, IgA LC Place Of Service:LabCorp	
Mission Health	B2GLYLC	Beta-2 Glycoprotein I Ab,G/M LC Place Of Service:LabCorp	
Mission Health	B2MSLC	Beta-2 Microglobulin, Serum LC Place Of Service:LabCorp	
Mission Health	BILEALC	Bile Acids LC Place Of Service:LabCorp	
Mission Health	BILIP	Bilirubin Profile Container:4 mL SST or 4 mL PST or 1 mL Amber Microtainer	82247 82248
Mission Health	BILIN	Bilirubin Profile, Neonatal Container:Amber Microtainer, or 4 mL SST, or 4 mL Green Sodium Heparin Tube	82247 82248
Mission Health	BILID	Bilirubin, Direct Container:4 mL SST or 4 mL PST	82248
Mission Health	BILIT	Bilirubin, Total Container:4 mL SST or 4 mL PST or 1 mL Amber Microtainer	82247
Mission Health	UBIL	Bilirubin, Urine	81003
Mission Health	BKPLC	BK Quant PCR (Plasma/Serum) LC Place Of Service:LabCorp	
Mission Health	BLTAGLC	Blastomyces Antigen LC Place Of Service:LabCorp	
Mission Health	BC	Blood Culture Container:Collect 1 each of the following for ADULT patients: BACTEC™ Plus Aerobic /F(Blue/Silver cap) BACTEC™ Lytic/10 Anaerobic /F (Purple cap) Collect 1 each for PEDIATRIC or DIFFICULT ADULT VENIPUNCTURES: BACTEC™ Peds Plus (Pink cap)	87040
Mission Health	ABO	Blood Type Container:6 mL Tall Lavender K2 EDTA Tube	86900 86901
Mission Health	BUN	Blood Urea Nitrogen Container:4 mL SST or 4 mL PST	84520
Mission Health	UBLD	Blood, Urine	81003
Mission Health	BFC	Body Fluid Culture w/ Gram Stain Container:Most common acceptable specimen types: Most common acceptable specimen types: Specimen Type Volume Container CSF 1 mL CSF Tube Pleural Fluid 1 mL Sterile Container Peritoneal Fluid 1 mL Sterile Container Synovial Fluid 1 mL Sterile Container Thoracentesis Fluid 1 mL Sterile Container	87070 87205
Mission Health	BPPCR	Bordetella pertussis by PCR Container:Collect 1 Nasopharyngeal(NP) Swab and submit in 1 mL or 3 mL Universal Transport Media (UTM)	87798
Mission Health	BBC	Bronchial Brushing Culture w/ Gram Stain Container:Bronchial Brush in Sterile collection container	87070 87205
Mission Health	BLC	Bronchial Lavage Culture w/ Gram Stain	87070 87205

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Bronchial Lavage in Sterile collection container	
Mission Health	BRUCLC	Bruceella Antibody IgG, EIA LC Place Of Service:LabCorp	
Mission Health	BNP	B-Type Natriuretic Peptide Container:3 mL Lavender EDTA Tube	83880
Mission Health	UBUPRE	Buprenorphine Screen, Urine Container:4 mL urine in sterile collection container.	80307
Mission Health	BURLYFISH	Burkitt Lymphoma FISH Container:Please submit ONE of the following: 3 mL Bone Marrow in Sodium Heparin green top tube 3 mL Peripheral Blood in Sodium Heparin green top tube Bone Core Contact the Fullerton Genetics Laboratory for further information at 828-213-1015 Place Of Service:Fullerton Genetics Laboratory	88271 x2 88275
Mission Health	BWSMLC	BWS/RSS Molecular Analysis LC Place Of Service:LabCorp	
Mission Health	C1EINLC	C4+C1 Est+C1 Fun LC Place Of Service:LabCorp	
Mission Health	C3C4LC	C4+C3 LC Place Of Service:LabCorp	
Mission Health	C2729LC	CA 27.29 LC Place Of Service:LabCorp	
Mission Health	CALLC	Calcitonin, Serum LC Place Of Service:LabCorp	
Mission Health	VD125LC	Calcitriol(1,25 di-OH Vit D) LC Place Of Service:LabCorp	
Mission Health	CA	Calcium (Ca), Serum Container:4 mL SST or 4 mL PST	82310
Mission Health	CCA	Calcium, Corrected Container:4 mL SST or 4 mL PST	82040 82310
Mission Health	CAINLC	Calcium, Ionized, Serum LC Place Of Service:LabCorp	
Mission Health	UCA	Calcium, Urine Container:Random Collection: Random urine in sterile collection container 24-Hour Collection: All urine voided in 24-hour period	82340
Mission Health	CALPLC	Calprotectin, Fecal LC Place Of Service:LabCorp	
Mission Health	CA125.	Cancer Antigen 125 Container:4 mL SST or 4 mL PST	86304
Mission Health	CA153	Cancer Antigen 15-3 (Breast) Container:4 mL SST or 4 mL PST	86300
Mission Health	CA199	Cancer Antigen 19-9 (GI) Container:4 mL SST or 4 mL PST	86301
Mission Health	UCANN	Cannabinoid Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	CARBA	Carbamazepine Level Container:4 mL SST or 4 mL PST	80156
Mission Health	CO2	Carbon Dioxide, Total Container:4 mL SST or 4 mL PST	82374
Mission Health	CEA	Carcinoembryonic Antigen Container:4 mL SST or 4 mL PST	82378
Mission Health	CARNLC	Carnitine, Total and Free LC Place Of Service:LabCorp	
Mission Health	BCARLC	Carotene, Beta LC Place Of Service:LabCorp	
Mission Health	PCATLC	Catecholamines, Plasma LC Place Of Service:LabCorp	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	UCATLC	Catecholamines,Ur.,Free,24 Hr LC Place Of Service:LabCorp	
Mission Health	CBCND	CBC no/Diff Container:3 mL Lavender EDTA Tube	85027
Mission Health	CBCD	CBC w/Diff Container:3 mL Lavender EDTA Tube	85025
Mission Health	CD4	CD4 Count, Absolute Container:3 mL Lavender (EDTA) tube at room temperature.	86361
Mission Health	CD4P	CD4 Percent and Absolute Container:3 mL Lavender (EDTA) tube at room temperature	86361
Mission Health	CD4R	CD4 with CD4/CD8 Ratio Container:3 mL Lavender (EDTA) tube at room temperature.	86359 86360
Mission Health	CD48R	CD4, CD8, CD4/8 Ratio Container:6 mL Lavender (EDTA) tube at room temperature	86359 86360
Mission Health	CELABSRLC	Celiac Ab tTG DGP TlgA w/Rflx LC Place Of Service:LabCorp	
Mission Health	BODY	Cell Count w/ Diff, Body Fluid Container:Choose from the following specimen types in a 3 mL Lavender EDTA Tube Pleural Fluid Peritoneal Fluid Synovial Fluid Thoracentesis Fluid	89051
Mission Health	CSF	Cell Count w/ Diff, CSF Container:Choose from the following specimen types: 3 mL CSF in a CSF Tube >3 mL CSF Shunt in Misc/Other	89050
Mission Health	BLCC	Cell Count, Bronchial Lavage Container:1 mL bronchial lavage fluid in Sterile Specimen Container	89050
Mission Health	CERLC	Ceruloplasmin LC Place Of Service:LabCorp	
Mission Health	CGAMD	Chlamydia & Gonorrhea by PCR Container:Urine: First catch urine, 20-50 mL of initial stream transferred to proprietary transport system. Endocervical: Swab from proprietary transport system. Obtain swab from Microbiology. Oropharyngeal: Swab from proprietary transport system. Obtain swab from Microbiology.. Anal: Swab from proprietary transport system. Obtain swab from Microbiology. Alternate Collection Container STERILE specimen collection container	87801
Mission Health	CHLMCLC	Chlamydia trachomatis Culture LC Place Of Service:LabCorp	
Mission Health	CL	Chloride (CL), Serum Container:4 mL SST or 4 mL PST	82435
Mission Health	UCL	Chloride (CL), Urine Container:Random Collection: random urine in sterile specimen container 24-Hour Collection: all urine voided in 24-hour period	82436
Mission Health	CHOL	Cholesterol, Total Container:4 mL SST or 4 mL PST	82465
Mission Health	CHRMSLC	Chromium, Plasma LC Place Of Service:LabCorp	
Mission Health	CGALC	Chromogranin A LC Place Of Service:LabCorp	
Mission Health	CMLMRDFISH	Chronic Myelogenous Leukemia Minimal Residual Disease Container:Please submit ONE of the following: 3 mL Bone Marrow in Sodium Heparin green top tube 3 mL Peripheral Blood in Sodium Heparin green top tube Bone Core Contact the Fullerton Genetics Laboratory for further information at 828-213-1015. Place Of Service:Fullerton Genetics Laboratory	88271 x2 88275
Mission Health	CLOBLC	Clobazam (ONFI) LC Place Of Service:LabCorp	
Mission Health	CLONLC	Clonazepam (Klonopin(R)),Serum LC	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	CDIFFS	Place Of Service:LabCorp Clostridium Difficile Screen with Reflex to PCR Container:1 mL liquid or mushy Stool in Sterile Specimen Container	87449 87324
Mission Health	CLOZALC	Clozapine (Clozaril), Serum LC Place Of Service:LabCorp	
Mission Health	CMVPLC	CMV PCR LC Place Of Service:LabCorp	
Mission Health	CMVDLC	CMV Quant DNA PCR (Plasma) LC Place Of Service:LabCorp	
Mission Health	CSILC	Coag Studies Interp Report LC Place Of Service:LabCorp	
Mission Health	COBLTLC	Cobalt, Plasma LC Place Of Service:LabCorp	
Mission Health	UCOC	Cocaine Screen, Urine Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	COCGMLC	Coccidioides Abs, IgG/IgM, EIA LC Place Of Service:LabCorp	
Mission Health	CLDAGLC	Cold Agglutinin Titer, Quant LC Place Of Service:LabCorp	
Mission Health	DRGUMLC	Comp. Drug Screen, Umbil. Cord LC Place Of Service:LabCorp	
Mission Health	C3LC	Complement C3, Serum LC Place Of Service:LabCorp	
Mission Health	C4LC	Complement C4, Serum LC Place Of Service:LabCorp	
Mission Health	COMTLC	Complement, Total (CH50) LC Place Of Service:LabCorp	
Mission Health	UDRGPNLC	Compliance Drug Analysis, Ur LC Place Of Service:LabCorp	
Mission Health	CULLC	Copper, Liver LC Place Of Service:LabCorp	
Mission Health	CULC	Copper, Serum LC Place Of Service:LabCorp	
Mission Health	CORD	Cord Blood Study (Neonate) Container:6 mL Tall Lavender K2 EDTA Tube	
Mission Health	CORT	Cortisol Level, Serum Container:4 mL SST or 4 mL PST	82533
Mission Health	UCORTLC	Cortisol, Urinary Free LC Place Of Service:LabCorp	
Mission Health	CXBLC	Coxsackie Virus Group B Ab LC Place Of Service:LabCorp	
Mission Health	CPEPLC	C-Peptide, Serum LC Place Of Service:LabCorp	
Mission Health	CRP	C-Reactive Protein, Inflammatory Container:4 mL SST or 4 mL PST	86140
Mission Health	CRPHS	C-Reactive Protein,Cardiac (High Sensitivity) Container:4 mL SST or 4 mL PST	86141
Mission Health	CPK	Creatine Kinase Container:4 mL SST or 4 mL PST	82550
Mission Health	UCC	Creatinine Clearance, Urine Container:24-Hour Collection: All urine voided in 24-hour period PLUS 4 mL SST (preferably drawn within the urine collection time).	82575
Mission Health	UCITLC	Creatinine U+Citric Acid U LC Place Of Service:LabCorp	

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	BCRE	Creatinine, Body Fluid Container: Choose from the following specimen types: Body Fluid Pleural Fluid Peritoneal Fluid Synovial Fluid Thoracentesis Fluid	82570
Mission Health	CRE	Creatinine, Serum Container: 4 mL SST or 4 mL PST or 4 mL Green Lithium or Sodium Heparin Tube	82565
Mission Health	UCRE	Creatinine, Urine Container: Random Collection: Random urine in sterile collection container 24-Hour Collection: All urine voided in 24-hour period. (Please indicate start date and time as well as stop date and time.)	82570
Mission Health	CJDL	Creutzfeldt-Jakob Disease LC Place Of Service: LabCorp	
Mission Health	CRQLTLC	Cryoglobulin, QI, Serum LC Place Of Service: LabCorp	
Mission Health	CRQNTLC	Cryoglobulin, QI, Serum, Rflx LC Place Of Service: LabCorp	
Mission Health	BCRY	Crystals, Body Fluid Container: 1 mL FRESH body fluid in Sterile Specimen Container Synovial fluids should be collected and submitted in 3 mL Lavender EDTA tube.	89060
Mission Health	CII	Culture if Indicated Container: 6 mL or random urine in Sterile specimen container:	
Mission Health	CCPIG	Cyclic Citrulinated Peptide Antibody, IgG Container: 4 mL SST or 4 mL PST Temperature: Refrigerated	86200
Mission Health	CYCLO	Cyclosporine Level Container: 3 mL Lavender EDTA	80158
Mission Health	CYCTLC	Cystatin C LC Place Of Service: LabCorp	
Mission Health	PATHCYTO	Cytology Testing Container: Non-Gynecological Cytology Specimens. Collect fluid samples according to protocol. Respiratory samples: Bronchial washings, lavages and sputum specimens should be collected and placed into a sterile specimen cup. Body Cavity Fluids (pleural, abdominal, pericardial, pelvic washing): Fluids should be collected and placed into a sterile specimen cup. Cerebrospinal Fluid: Fluid should be collected and placed into a tube of CytoLyt if no other testing is needed. If other testing is to be performed, place into a sterile specimen cup. Urine: Fluid should be placed into a tube of CytoLyt if no other testing is needed. If other testing is to be performed, place into a sterile specimen cup. Fine Needle Aspirations: Aspirated fluids should be placed into a tube of CytoLyt. If specimen collected is greater than 10mL, place sample into a specimen cup. Nipple Discharge: Smear extracted material onto a clean glass microscope slide. Submit slide air-dried to the laboratory, do not spray with fixative. 1) Close lid completely to prevent specimen from leaking. 2) Label container with patient name, second identifier and specimen source. 3) Place container into biohazard bag and seal. 4) Complete requisition and place into specimen bag pouch. Gynecological Cytology Specimens 1) Collect sample using a brush, spatula or "cervical broom" (preferred device.) 2) Vigorously rinse collection device into the Thin Prep vial. 3) Close lid completely to prevent specimen from leaking. 4) Label container with patient name, second identifier and specimen source. 5) Place container into biohazard bag and seal. 6) Complete requisition and place into specimen bag pouch.	
Mission Health	CMVG	Cytomegalovirus (CMV) IgG Antibody Container: 4 mL SST	86644
Mission Health	CMVM	Cytomegalovirus (CMV) IgM Antibody Container: 4 mL SST	86645

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	CMVGM	Cytomegalovirus Antibody, IgG, IgM Container:Serum separator tube. Also acceptable: Serum from umbilical cord blood Temperature:Refrigerated	86644 86645
Mission Health	91115	Dabigatran with Reflex to Thrombin Time Container:1 mL frozen plasma collected in a 3.2% sodium citrate (light blue-top) tube Temperature:Frozen Place Of Service:Quest Diagnostics	80299
Mission Health	DDIM	D-Dimer, Quantitative Container:2.7 mL Light Blue Sodium Citrate Tube	85379
Mission Health	DEMEC	Dementia Autoimmune Evaluation, CSF Container:4 mL Spinal Fluid	86255 x13 83519 86341
Mission Health	DEMES	Dementia Autoimmune Evaluation, Serum Container:4 mL SST	86255 x13 83519 x5 86341
Mission Health	DEXLC	Dexamethasone, Serum LC Place Of Service:LabCorp	
Mission Health	DHEAS	DHEA Sulfate Container:4 mL SST or 4 mL PST	82627
Mission Health	DIG	Digoxin Level Container:4 mL SST or 4 mL PST or 4 mL Green Lithium or Sodium Heparin	80162
Mission Health	UDIP	Dipstick, Urine	81002
Mission Health	COOMBS	Direct Coombs/Direct Antiglobulin Container:6 mL Tall Lavender K2 EDTA Tube	86880
Mission Health	DRG10LC	Drug Screen 10 w/Conf, Serum LC Place Of Service:LabCorp	
Mission Health	MCDRGLC	Drug Screen 10 w/Conf,Meconium LC Place Of Service:LabCorp	
Mission Health	UDS	Drug Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	DGDPLTLC	Drug-Dependent Platelet Abs LC Place Of Service:LabCorp	
Mission Health	UAMPCK	Drugs of Abuse Confirmation - Amphetamine Container:Random Collection:random urine in sterile specimen container	80325 (Alt code G0480)
Mission Health	UBARBCK	Drugs of Abuse Confirmation - Barbiturates Container:Random Collection:random urine in sterile specimen container	80345 (Alt code G0480)
Mission Health	UBENCK	Drugs of Abuse Confirmation - Benzodiazepines Container:Random Collection:random urine in sterile specimen container	80346 (Alt code G0480)
Mission Health	UBUPCK	Drugs of Abuse Confirmation - Buprenorphine Container:Random Collection:random urine in sterile specimen container	80348 (Alt code G0480)
Mission Health	UCOCCK	Drugs of Abuse Confirmation - Cocaine Container:Random Collection:random urine in sterile specimen container	80353 (Alt code G0480)
Mission Health	UFENCK	Drugs of Abuse Confirmation - Fentanyl Container:Random Collection:random urine in sterile specimen container	80354 (Alt code G0480)
Mission Health	UHERCK	Drugs of Abuse Confirmation - Heroin Container:Random Collection:random urine in sterile specimen container	80356 (Alt code G0480)
Mission Health	UMETHDCK	Drugs of Abuse Confirmation - Methadone Container:Random Collection:random urine in sterile specimen container	80358 (Alt code G0480)
Mission Health	UMETHCK	Drugs of Abuse Confirmation - Methamphetamine Container:Random Collection:random urine in sterile specimen container	80359 (Alt Code G0480)
Mission Health	UOPICK	Drugs of Abuse Confirmation - Opiates Container:Random Collection:random urine in sterile specimen container	80361 (Alt code G0480)
Mission Health	UOXYCK	Drugs of Abuse Confirmation - Oxycodone Container:Random Collection:random urine in sterile specimen container	80365 (Alt code G0480)
Mission Health	UTRICK	Drugs of Abuse Confirmation - Tricyclic Antidepressants Container:Random Collection:random urine in sterile specimen container	80335 (1 or 2) 80336 (3 to 5) 80336 (6 or >) Alt code G0480



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	DSDCLLC	dsDNA Crithidia luciliae IFA LC Place Of Service:LabCorp	
Mission Health	ECHMELC	E. chaffeensis-HME (Monocytic) LC Place Of Service:LabCorp	
Mission Health	EARC	Ear Culture w/ Gram Stain	87070 87205
Mission Health	EBVABLC	EBV Nuclear Antigen Ab, IgG LC Place Of Service:LabCorp	
Mission Health	LYTES	Electrolytes, Serum Container:4 mL SST or 4 mL PST	80051
Mission Health	ENALC	ENA+SJOGRE LC Place Of Service:LabCorp	
Mission Health	ENCEC	Encephalopathy, Autoimmune Evaluation, CSF Container:4 mL Spinal Fluid	83519 86255 x14 86341
Mission Health	EVPCRLC	Enterovirus RT-PCR LC Place Of Service:LabCorp	
Mission Health	ENVC	Environmental Culture Container:To be determined by Mission Infection Prevention.	87070
Mission Health	BIOTLC	Enzyme Biotinidase Def, Serum LC Place Of Service:LabCorp	
Mission Health	EOSCT	Eosinophil Count Container:3 mL Lavender EDTA Tube	85004
Mission Health	EOSMR	Eosinophil Smear Container:1 Nasal Swab	89190
Mission Health	UEOS	Eosinophil, Urine Container:10 mL FRESH Urine in Sterile Specimen Container	89050
Mission Health	EPIEC	Epilepsy Autoimmune Evaluation, CSF Container:4 mL Spinal Fluid	83519 86255 x14 86341
Mission Health	EPIES	Epilepsy Autoimmune Evaluation, Serum Container:4 mL Blood SST	83519 x5 86255 x14 86341
Mission Health	EBVAB	Epstein Barr Virus Antibodies IgG/IgM Container:4 mL SST	86665 x2
Mission Health	EBVPLC	Epstein-Barr DNA Quant, PCR LC Place Of Service:LabCorp	
Mission Health	ESR	Erythrocyte Sedimentation Rate (Westergren) Container:3 mL Lavender EDTA Tube	85652
Mission Health	MESR	Erythrocyte Sedimentation Rate, Manual Container:3 mL Lavender EDTA Tube	85651
Mission Health	EPOLC	Erythropoietin (EPO), Serum LC Place Of Service:LabCorp	
Mission Health	EST	Estradiol Level Container:4 mL SST or 4 mL PST	82670
Mission Health	ESTLC	Estradiol Level Pediatric LC Place Of Service:LabCorp	
Mission Health	ESTFLC	Estrogens Fractionated, S LC Place Of Service:LabCorp	
Mission Health	ESTRLC	Estrone, LCMS, Endo Sci LC Place Of Service:LabCorp	
Mission Health	ETOH	Ethanol (Alcohol) Level Container:4 mL SST or 4 mL PST	80320 (Alt code G0480)
Mission Health	ETHSLC	Ethosuximide (Zarontin), Serum LC Place Of Service:LabCorp	
Mission Health	ETHG	Ethylene Glycol Container:Plain Red tube (not SST); Place Of Service:Keystone Lab	Alternate: EDTA, Sodium Heparin tube (sprayed)

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	EXPE	Exposure Profile, Exposed Individual Container:4 mL SST	86706 86803 86703
		SST is the only acceptable specimen for confirmatory testing for positive HIV screens.	
Mission Health	EXPS	Exposure Profile, Source Container:4 mL SST	87340 86803 86703
		SST is the only acceptable specimen for confirmatory testing for positive HIV screens.	
Mission Health	EXTEM ROTEM	EXTEM Rotem® Whole Blood Viscoelastic Hemostasis Testing Container:2.7 mL FRESH whole blood in Light Blue Sodium Citrate	85396
Mission Health	EYEC	Eye Culture w/ Gram Stain	87070 87205
Mission Health	ALLPELC	F013-IgE Peanut LC Place Of Service:LabCorp	
Mission Health	ALLCALC	F078-IgG Casein LC Place Of Service:LabCorp	
Mission Health	FAC2LC	Factor II Activity LC Place Of Service:LabCorp	
Mission Health	FAC9	Factor IX (9) Assay Container:2.7 mL Light Blue Sodium Citrate Tube	85250
Mission Health	FAC5	Factor V (5) Assay Container:2.7 mL Light Blue Sodium Citrate Tube AND a Lavender top tube	85220
Mission Health	FAC7	Factor VII (7) Assay Container:2.7 mL Light Blue Sodium Citrate Tube	85230
Mission Health	FAC8	Factor VIII (8) Assay Container:2.7 mL Light Blue Sodium Citrate Tube	85240
Mission Health	FAC10LC	Factor X Activity LC Place Of Service:LabCorp	
Mission Health	FAC11LC	Factor XI Activity LC Place Of Service:LabCorp	
Mission Health	FAC12LC	Factor XII Activity LC Place Of Service:LabCorp	
Mission Health	FAC13	Factor XIII (13) Assay Container:2.7 mL Light Blue Sodium Citrate Tube	85291
Mission Health	FFAT	Fat, Fecal Qualitative Container:1 mL Stool in Sterile collection container	82705
Mission Health	FFATQLC	Fecal Fat, Quantitative LC Place Of Service:LabCorp	
Mission Health	FLEU	Fecal Lactoferrin (Fecal WBC) Container:1 mL stool in a clean, airtight container with NO PRESERVATIVES	83630
Mission Health	UFENT	Fentanyl Screen, Urine Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	FERR	Ferritin Container:4 mL SST or 4 mL PST	82728
Mission Health	AFLM	Fetal Lung Maturity, Amniotic Fluid	
Mission Health	FIB	Fibrinogen Container:2.7 mL Light Blue Sodium Citrate Tube	85384
Mission Health	FTFIB	Fibronectin, Fetal Container:Swab of cervicovaginal secretions	82731

Specimen Collection:

The specimen should be obtained during a sterile speculum examination. The Dacron swab provided in the Specimen Collection Kit should be inserted into the vagina and lightly rotated across the site for approximately 10 seconds to absorb the cervicovaginal secretions.

- 1) For collection in symptomatic women the specimen is be obtained from the posterior fornix of the vagina.
- 2) For collection in asymptomatic women the specimen is obtained from either the posterior fornix of the

LAB	CODE	TEST NAME	CPT4 CODE
		vagina or the ectocervical region of the external cervical os. 3) Patients with suspected or known placental abruption, placenta previa, advanced cervical dilatation (>3cm's), cervical cerclage, or moderate to gross vaginal bleeding should not be tested for fFN. 4) Once the specimen is obtained, carefully remove the swab from the vagina or cervical os and place it into the tube of buffer provided with the Specimen Collection Kit. 5) Break the shaft (at the score) even with the top of the tube. Align the shaft with the hole inside the tube cap and push down tightly over the shaft, sealing the tube. 6) Label the specimen with the appropriate information.	
Mission Health	FIBTEM ROTEM	FIBTEM Rotem® Whole Blood Viscoelastic Hemostasis Testing Container:2.7 mL FRESH whole blood in Light Blue Sodium Citrate	85396
Mission Health	FOL	Folate, Serum Container:4 mL SST or 4 mL PST	82746
Mission Health	FSH	Follicle Stimulating Hormone Container:4 mL SST or 4 mL PST	83001
Mission Health	FRAXLC	Frataxin, Quant, WB LC Place Of Service:LabCorp	
Mission Health	FVALP	Free Valproic Acid (Depakote) Container:4 mL SST	80165
Mission Health	FRULC	Fructosamine LC Place Of Service:LabCorp	
Mission Health	FSHLC	FSH, Serum LC Place Of Service:LabCorp	
Mission Health	BDGLULC	Fungitell, Serum LC Place Of Service:LabCorp	
Mission Health	FUNCBLD	Fungus Blood Culture Container:AFB Blood Culture testing is available for the following specimen types: 5 mL Blood 5 mL Bone Marrow Collect either specimen type in aBACTEC Myco/F Lytic Blood Culture Bottle - RED cap (specialized media for the detection of fungi and mycobacteria from whole blood).	87103
Mission Health	FUNC	Fungus Culture	87102(blood) 001 87103(other) 87102(Hair/skin/nail)
Mission Health	FUNGHAI	Fungus Culture (Hair, Skin, Nails) Container:1 mL of the following Acceptable specimen types in a sterile container: Hair, Nail, Skin	87101
Mission Health	GABALC	Gabapentin (Neurontin) Level, Serum LC Place Of Service:LabCorp	
Mission Health	GADABLC	GAD-65 Autoantibody LC Place Of Service:LabCorp	
Mission Health	G1PULC	Galac-1-Phosphate Uridyltran LC Place Of Service:LabCorp	
Mission Health	GGTP	Gamma-Glutamyl Transferase Container:4 mL SST or 4 mL PST	82977
Mission Health	GASTLC	Gastrin, Serum LC Place Of Service:LabCorp	
Mission Health	GHP	General Health Panel Container:4 mL SST; AND 3 mL Lavender EDTA	80050
Mission Health	HIVGLC	GenoSure(R) MG LC Place Of Service:LabCorp	
Mission Health	GENP	Gentamicin, Peak Container:4 mL SST or 4 mL PST	80170
Mission Health	GENTA	Gentamicin, Random Container:4 mL SST or 4 mL PST	80170
Mission Health	GENT	Gentamicin, Trough Container:4 mL SST or 4 mL PST	80170
Mission Health	GLGALC	Gliadin IgG/IgA Ab Prof, EIA LC Place Of Service:LabCorp	

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	GTT2H	Glucose Tolerance Test, 2 hour Container:4 mL Gray Sodium Fluoride Tube at specified intervals (see above).	82947 82950
Mission Health	GTT3G	Glucose Tolerance Test, Gestational 3 Hour Container:4 mL Gray Sodium Fluoride tube at specified intervals (see above).	82951 82952
Mission Health	OSUL	Glucose Tolerance Test, Gestational Challenge Screen Container:4 mL Gray Sodium Fluoride Tube	82950
Mission Health	GTT21	Glucose Tolerance Test, Gestational One-Step Container:4 mL Gray Sodium Fluoride Tube at specified intervals (see above).	82951
Mission Health	BGLU	Glucose, Body Fluid Container:1 mL of body fluid in STERILE container	82945
Mission Health	CGLU	Glucose, CSF Container:3.0 mL CSF in CSF tube	82945
Mission Health	GLU	Glucose, Serum Container:4 mL SST, 4 mL PST or 4 mL Gray Sodium Fluoride Tube	82947
Mission Health	UGLUC	Glucose, Urine Container:Random Collection: random urine in sterile specimen container 24-Hour Collection: all urine voided in 24-hour period	82945
Mission Health	UGLUDIP	Glucose, Urine Dipstick	81003
Mission Health	G6PD	Glucose-6 Phospho Dehydrogenase Container:3 mL Blood LAV	82960
Mission Health	GCC	Gonococcal (GC) Culture	87081
Mission Health	GS	Gram Stain Container:Choose from the following specimen types and submit specified collection container: Body Fluid: Sterile Cup CSF: CSF Tube Respiratory: Sterile Cup Tissue: Sterile Cup Purulent Drainage: Sterile Cup or Syringe Wound: ESwab	87205
Mission Health	GBSPCR	Group B Streptococcus Screen	87653
Mission Health	GHLC	Growth Hormone, Serum LC Place Of Service:LabCorp	
Mission Health	HPYBLC	H pylori Breath Test LC Place Of Service:LabCorp	
Mission Health	HPYAG	H. Pylori Antigen, Stool Container:Random stool specimen with no preservatives in sterile collection container.	87338
Mission Health	HPT	Haptoglobin Container:4 mL SST or 4 mL PST	83010
Mission Health	HBVPLC	HBV Real-Time PCR, Quant LC Place Of Service:LabCorp	
Mission Health	BHCGTMLC	HCG Tumor Marker LC Place Of Service:LabCorp	
Mission Health	HCG	HCG, Quantitative Container:4 mL SST or 4 mL PST	84702
Mission Health	HMP1LC	Heavy Metals Profile I, Blood LC Place Of Service:LabCorp	
Mission Health	HMP2LC	Heavy Metals Profile II, Blood LC Place Of Service:LabCorp	
Mission Health	UHMSLC	Heavy Metals Profile, Urine LC Place Of Service:LabCorp	
Mission Health	HCT	Hematocrit, Blood Container:3 mL Lavender EDTA Tube	85014
Mission Health	BHCT	Hematocrit, Body Fluid Container:1 mL body fluid - Submit in 3 mL Lavender EDTA Tube	85014



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	A1C	Hemoglobin A1C Container:3 mL Lavender EDTA Tube	83036
Mission Health	HGB	Hemoglobin, Blood Container:3 mL Lavender EDTA Tube	85018
Mission Health	BHGB	Hemoglobin, Body Fluid Container:3 mL body fluid in 3 mL Lavender EDTA Tube	85018
Mission Health	HEMFLC	Hemoglobin, Free, Plasma LC Place Of Service:LabCorp	
Mission Health	HH	Hemoglobin/Hematocrit Container:3 mL Lavender EDTA Tube	85014 85018
Mission Health	UHEM	Hemosiderin, Urine Container:12 mL Random Urine	83070
Mission Health	HBEABLC	Hep Be Ab LC Place Of Service:LabCorp	
Mission Health	HBEAGLC	Hep Be Ag LC Place Of Service:LabCorp	
Mission Health	HCVVLC	Hep C RNA Quantitative by PCR LC Place Of Service:LabCorp	
Mission Health	HALMW	Heparin Anti-Xa LMW Container:2.7 mL Light Blue Sodium Citrate Tube	85520
Mission Health	HEPUF	Heparin Assay, Unfractionated Container:2.7 mL Light Blue Sodium Citrate Tube	85520
Mission Health	HITAB	Heparin Associated Antibody Detection Container:3 mL Plain Red Tube	86022
Mission Health	HIPLTLC	Heparin Induced Platelet LC Place Of Service:LabCorp	
Mission Health	HEPZ	Heparinase Treatment Container:TWO (2)2.7 mL Light Blue Sodium Citrate Tubes	85525
Mission Health	HFP	Hepatic Function Panel Container:4 mL SST or PST	80076
Mission Health	HAIG	Hepatitis A Antibody, IgG Container:4 mL SST	86708
Mission Health	HAIM	Hepatitis A Antibody, IgM Container:4 mL SST or 4 mL PST	86709
Mission Health	HBCIM	Hepatitis B Core Antibody, IgM Container:4 mL SST or 4 mL PST	86705
Mission Health	HBCAB	Hepatitis B Core Antibody, Total Container:4 mL SST or 4 mL PST	86704
Mission Health	HBSAB	Hepatitis B Surface Antibody Container:4 mL SST or 4 mL PST	86706
Mission Health	HBSAG	Hepatitis B Surface Antigen Container:3 mL SST, 3 mL Green Lithium Heparin, or 3 mL Green Sodium Heparin Tube	87340
Mission Health	HCVAB	Hepatitis C Antibody Screen Container:4 mL SST	86803 (Alt code G0472) if reflexed add 87522
Mission Health	HEPA	Hepatitis Profile, Acute Container:4 mL SST	80074
Mission Health	HEPTM ROTEM	HEPTM Rotem® Whole Blood Viscoelastic Hemostasis Testing Container:2.7 mL FRESH whole blood in Light Blue Sodium Citrate	85396
Mission Health	UHER	Heroin Screen, Urine Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	HERPFA	Herpes Direct Specimen FA w/ Reflex to HSV Culture Container:Choose from the following specimen types: Vesicle Aspirate Wipe area with sterile saline. Aspirate fluid from vesicle using a 26-gauge needle attached to a tuberculin syringe. Rinse contents of syringe immediately with 1.0-2.0 mL Universal Transport Media.	87273 87274

LAB	CODE	TEST NAME	CPT4 CODE
		Rinse contents of syringe immediately with 1.0-2.0 mL Universal Transport Media.	
		BodyFluid Collect in sterile container and send to Microbiology Department immediately. Orders must specify SOURCE or TYPE of body fluid.	
		CSF Collect CSF in sterile container and send to Microbiology Department immediately.	
		Lesion Wipe vesicle with saline. Disrupt vesicle and collect fluid with swab. Place swab in Universal Transport Media and send to Microbiology Department immediately.	
		Cervix Remove exocervical mucus with swab, then discard. Insert fresh swab approximately 1cm into cervical canal and rotate for 10 seconds. Place swab in Universal Transport Media and send to Microbiology Department immediately.	
		Urethral Patient should not urinate for at least one hour prior to collection of specimen Express and discard exudate. Insert flexible fine shafted swab 2-4cm into urethra and rotate 2-3 times. Withdraw swab and place in Universal Transport Media. Send to Microbiology Department immediately.	
		Tissue Place tissue in a sterile container or Universal Transport Media. Send to Microbiology Department immediately.	
Mission Health	HERPC	Herpes Simplex Culture Container:Choose from the following specimen types: Vesicle Aspirate Wipe area with sterile saline. Aspirate fluid from vesicle using a 26-gauge needle attached to a tuberculin syringe. Rinse contents of syringe immediately with 1.0-2.0 mL Universal Transport Media. Body Fluid Collect in sterile container and send to Microbiology Department immediately. Orders must specify SOURCE or TYPE of body fluid. CSF Collect CSF in sterile container and send to Microbiology Department immediately. Lesion Wipe vesicle with saline. Disrupt vesicle and collect fluid with swab. Place swab in Universal Transport Media and send to Microbiology Department immediately. Cervix Remove exocervical mucus with swab, then discard. Insert fresh swab approximately 1cm into cervical canal and rotate for 10 seconds. Place swab in Universal Transport Media and send to Microbiology Department immediately. Urethral Patient should not urinate for at least one hour prior to collection of specimen Express and discard exudate. Insert flexible fine shafted swab 2-4cm into urethra and rotate 2-3 times. Withdraw swab and place in Universal Transport Media. Send to Microbiology Department immediately. Tissue Place tissue in a sterile container or Universal Transport Media. Send to Microbiology Department immediately.	87252
Mission Health	CHSVLC	Herpes Simplex Virus (HSV) Types 1/2, Cerebrospinal Fluid (CSF), DNA PCR Place Of Service:LabCorp	
Mission Health	HGBFLC	Hgb Frac w/Reflex to Solubility LC Container:Lavender-Top (EDTA) Tub This test has been inactivated. Order as a Misc test with LCA test number 121690 Temperature:Refrigerate at 2 degrees Celsius to 8 degrees Celsius. Place Of Service:LabCorp	
Mission Health	HHV6LC	HHV-6 Quant DNA PCR LC	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
		Place Of Service:LabCorp	
Mission Health	HISGMLC	Histoplasma Gal'mannan Ag Ser LC Place Of Service:LabCorp	
Mission Health	UHISGLC	Histoplasma Gal'mannan Ag Ur LC Place Of Service:LabCorp	
Mission Health	SHIV	HIV I, II Screen (Medicare Only) Container:4 mL SST or 4 mL PST	G0433
Mission Health	HIV	HIV I/II Ab and p24 Antigen w/reflex to HIV-1/2 Ab Diff, Supplemental Container:4 mL SST or 4 mL PST	86703
Mission Health	HIVVLC	HIV1 RNA Quantitative by PCR LC Place Of Service:LabCorp	
Mission Health	HIVABLC	HIV-1/2 With Reflex LC Place Of Service:LabCorp	
Mission Health	HB27LC	HLA B 27 Disease Association LC Place Of Service:LabCorp	
Mission Health	HB57LC	HLA B5701 Test LC Place Of Service:LabCorp	
Mission Health	HLADRLC	HLA DRB1 (HR) LC Place Of Service:LabCorp	
Mission Health	HLAALC	HLA-A (IR) LC Place Of Service:LabCorp	
Mission Health	HLA15LC	HLA-B*15:02 LC Place Of Service:LabCorp	
Mission Health	HCYS	Homocysteine, Total Container:4 mL SST or 4 mL PST	83090
Mission Health	HPVDIAG	HPV Diagnostic (16/18 if positive) Container:1 ThinPrep (obtain collection container from Lab Pathology)	
Mission Health	HPVSCR	HPV Screen (16/18 if positive) Container:1 each ThinPrep (obtain collection container from Lab Pathology)	
Mission Health	HSVRLC	HSV 1 and 2-Spec Ab, IgG w/Rfx LC Place Of Service:LabCorp	
Mission Health	HSVLC	HSV 1/2 PCR LC Place Of Service:LabCorp	
Mission Health	HE4LC	Human Epididymis Protein 4 LC Place Of Service:LabCorp	
Mission Health	HA	Hyperalimantation Profile Container:4 mL SST or 4 mL PST	84295 84132 82435 82374 84520 82565 82310 84100 82040 82247 82248 84075 84450 84478 83735
Mission Health	HYPRLC	Hypersensitivity Pneumonitis Profile LC Place Of Service:LabCorp	
Mission Health	IBDSGI	IBD sgi Diagnostic Container:5 mL EDTA and 5 mL Serum Temperature:Refrigerated	81479 x4 82397 x4 83520 x6 86140 88346 88350
Mission Health	ALFODLC	IgE + Allergens (11) LC Place Of Service:LabCorp	
Mission Health	IGEPELC	IgE Peanut Component Profile LC Place Of Service:LabCorp	
Mission Health	BP3LC	IGF-BP3 LC Place Of Service:LabCorp	
Mission Health	ALIGGLC	IgG Allergens (11) Foods LC Place Of Service:LabCorp	
Mission Health	IGG4LC	IgG, Subclass 4 LC Place Of Service:LabCorp	

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	IGGLC	IgG, Subclasses(1-4) LC Place Of Service:LabCorp	
Mission Health	IFFE	Immunoelectrophoresis, Serum w/Interpretation Container:4 mL SST	84165 86334 84155 82784 x3
Mission Health	IGA	Immunoglobulin A Container:4 mL SST or 4 mL PST	82784
Mission Health	IGELC	Immunoglobulin E, Total LC Place Of Service:LabCorp	
Mission Health	IGG	Immunoglobulin G Container:4 mL SST or 4 mL PST	82784
Mission Health	IGM	Immunoglobulin M Container:4 mL SST or 4 mL PST	82784
Mission Health	GAM	Immunoglobulins, Quantitative Container:4 mL SST	82784 x3
Mission Health	INFXABL	Infliximab+Ab (Serial Monitor) LC Place Of Service:LabCorp	
Mission Health	FLUPCR	Influenza A/B PCR Container:Collect 1 Nasopharyngeal(NP) Swab and submit in 1 mL or 3 mL Universal Transport Media (UTM)	87502
Mission Health	FLUPRSM	Influenza A/B PCR with reflex to RSV/hMPV Container:Collect 1 Nasopharyngeal(NP) Swab and submit in 1 mL or 3 mL Universal Transport Media (UTM)	87502 if reflexed add 87798 x2
Mission Health	INAULC	Inhibin A, Ultrasensitive LC Place Of Service:LabCorp	
Mission Health	INBLC	Inhibin B LC Place Of Service:LabCorp	
Mission Health	INSCR	Inhibitor Screen Container:THREE (3) 2.7 mL Light Blue Sodium Citrate Tubes	85335
Mission Health	INABLC	Insulin Antibodies LC Place Of Service:LabCorp	
Mission Health	INSUL	Insulin Level Container:4 mL SST or 4 mL PST	83525
Mission Health	IGF1	Insulin-Like Growth Factor 1 Level Container:4 mL SST	84305
Mission Health	INTEM ROTEM	INTEM Rotem® Whole Blood Viscoelastic Hemostasis Testing Container:2.7 mL FRESH whole blood in Light Blue Sodium Citrate	85396
Mission Health	IFABLC	Intrinsic Factor Abs, Serum LC Place Of Service:LabCorp	
Mission Health	IRON	Iron (Fe), Total Container:4 mL SST or 4 mL PST	83540
Mission Health	FELVLC	Iron, Liver LC Place Of Service:LabCorp	
Mission Health	JAK2LC	JAK2 Exons 12-15 LC Place Of Service:LabCorp	
Mission Health	JAK2QLC	JAK2 V617F Qual, Rfx E12-15 LC Place Of Service:LabCorp	
Mission Health	JCVPLC	JC Virus DNA,PCR (Whole Blood) LC Place Of Service:LabCorp	
Mission Health	KAP/LAM F	Kappa/Lambda Light Chains, Serum Container:4 mL SST	83883 x2
Mission Health	UKET	Ketones, Urine	81003
Mission Health	KB	Kleihauer Betke Stain Container:6 mL Tall Lavender K2 EDTA Tube	85460
Mission Health	KOH	KOH (Fungus) Preparation	87210

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Choose from the following specimen types and submit in Sterile Specimen Cup: Corneal Scrapings Tissue Sputum (1 mL) Skin Vaginal Nail Hair	
Mission Health	LACOLC	Lacosamide Level LC Place Of Service:LabCorp	
Mission Health	LA	Lactic Acid Container:4 mL Gray Sodium Flouride Tube	83605
Mission Health	LAMLC	Lamotrigine (Lamictal) Level, Serum LC Place Of Service:LabCorp	
Mission Health	BLD	LDH, Body Fluid Container:Collect 1 mL of body fluid in STERILE container: Pleural Fluid Peritoneal Fluid Synovial Fluid Thoracentesis Fluid	83615
Mission Health	CLD	LDH, CSF Container:1.5 mL CSF	83615
Mission Health	LDH	LDH, Serum Container:4 mL SST or 4 mL PST	83615
Mission Health	LDLDC	LDL Cholesterol (Direct) LC Place Of Service:LabCorp	
Mission Health	LEADLC	Lead, Blood (Adult) LC Place Of Service:LabCorp	
Mission Health	LEADPLC	Lead, Blood (Peds) Capillary LC Place Of Service:LabCorp	
Mission Health	LEADPVLC	Lead, Blood (Peds) Venous LC Place Of Service:LabCorp	
Mission Health	ULGAG	Legionella Antigen, Urine Container:5 mL Urine in STERILE CUP	87449
Mission Health	LPNELC	Legionella pneumophila DFA LC Place Of Service:LabCorp	
Mission Health	LEPSLC	Leptin, Serum LC Place Of Service:LabCorp	
Mission Health	PATHFLOW	Leukemia/Lymphoma Panel Container:Any of the following are acceptable specimen types: 3 mL Whole Blood in a 4 mL Green Sodium Heparin Tube 3 mL Body Fluid Sterile Specimen Container 3 mL Bone Marrow in a 4 mL Green Sodium Heparin Tube Other: Sterile Specimen Container	88184 88185 each additional marker; 88187 or 88188 or 88189
Mission Health	LAP	Leukocyte Alkaline Phosphatase Container:3 mL Green Sodium Heparin Tube	85540
Mission Health	LYSEN	Leukocyte Lysosomal Enzyme Container:5 mL Green Sodium Heparin Tube Temperature:Critical Ambient Place Of Service:Jefferson Neurogenetics	82657
Mission Health	ULEUK	Leukocytes, Urine	81003
Mission Health	KEPLC	Levetiracetam (Keppra) Level, S LC Place Of Service:LabCorp	
Mission Health	LIDO	Lidocaine (Zylocaine) Level Container:4 mL Plain Red	80176
Mission Health	LINEC	Line Tip Culture Container:Approximately 2 inches of tubing from the following types of lines: Broviac CVP	87071

LAB	CODE	TEST NAME	CPT4 CODE
		Arterial Central Lines	
		Submit in STERILE specimen cup.	
Mission Health	LPS	Lipase Container:3 mL SST or 3 mL PST	83690
Mission Health	LIPP	Lipid Panel Container:4 mL SST or 4 mL PST	80061
Mission Health	LIPNLC	Lipoprotein Analysis by NMR LC Place Of Service:LabCorp	
Mission Health	LI	Lithium (Li) Level Container:4 mL SST	80178
Mission Health	LKM1GLC	Liver-Kidney Microsomal Ab LC Place Of Service:LabCorp	
Mission Health	LUPUSRLC	Lupus Anticoagulant Reflex LC Place Of Service:LabCorp	
Mission Health	LH	Luteinizing Hormone Container:4 mL SST or 4 mL PST	83002
Mission Health	LHPLC	Luteinizing Hormone(LH), S Pediatric LC Place Of Service:LabCorp	
Mission Health	LYMERLC	Lyme Disease Serology w/Reflex LC Place Of Service:LabCorp	
Mission Health	LWBLC	Lyme, Western Blot, Serum LC Place Of Service:LabCorp	
Mission Health	UMG	Magnesium (Mg), Urine Container:Random Collection: random urine in sterile specimen container 24-Hour Collection: all urine voided in 24-hour period	83735
Mission Health	MG	Magnesium, Serum Container:4 mL SST or 4 mL PST	83735
Mission Health	MALAR	Malaria Smear Container:3 mL Lavender EDTA Tube	87207
Mission Health	MENP	Meningitis Panel by PCR Container:1 mL of CSF by Lumbar Puncture	87483
Mission Health	MPC	Metabolic Panel Comprehensive Container:4 mL SST or 4 mL PST	80053
Mission Health	METAPLC	Metanephrines, Frac., Pl. Free LC Place Of Service:LabCorp	
Mission Health	UMETLC	Metanephrines, Fract. Urine LC Place Of Service:LabCorp	
Mission Health	MRSAPCR	Methacillin-Resistant Staph Aureus, PCR	
Mission Health	UMETHDQ	Methadone Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	UMETH	Methamphetamine Screen, Urine Container:4 mL urine in sterile collection container.	80305
Mission Health	METOHLC	Methanol Level LC Place Of Service:LabCorp	
Mission Health	MTX	Methotrexate Level Container:4 mL SST	80299
Mission Health	MMACLC	Methylmalonic Acid, Serum LC Place Of Service:LabCorp	
Mission Health	URITCK	Methylphenidate (Ritalin®), Urine Container:Random Collection: random urine in sterile specimen container	80360 (Alt code G0480)
Mission Health	UMCR	Microalbumin Clearance, Urine 24 Hr Container:24-Hour Collection: all urine voided in 24-hour period	82043 82570

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	UMAL	Microalbumin/Creatinine Ratio, Urine Random Container:Random Collection:FRESH random urine in sterile specimen container	82043 82570
Mission Health	MICDRGLC	Min Inhibitory Conc (1 Drug) LC Place Of Service:LabCorp	
Mission Health	MISCC	Miscellaneous Cult. w/ Gram St. Container:Choose from the following specimen types: IUD Shunt Pacemaker Orthopedic Hardware	87070 87205
Mission Health	M2ABLC	Mitochondrial (M2) Antibody LC Place Of Service:LabCorp	
Mission Health	MMR	MMR Immunity Container:(2) 4 mL SST OR (1) 8 mL SST	86762 86735 86765
Mission Health	MPXLC	Monkeypox (Orthopoxvirus), PCR LC Place Of Service:LabCorp	
Mission Health	MONOS	Monospot Container:4 mL SST or 4 mL PST	86308
Mission Health	MPOLC	MPO+PR3 LC Place Of Service:LabCorp	
Mission Health	MRSASC	MRSA Culture	87081
Mission Health	*MRSAORH	MRSA PCR Screen	87641
Mission Health	UMUC	Mucopolysaccharides, Urine (Qualitative) Container:Random Urine, morning specimen preferred. Minimum Volume 10 ml. Temperature:Refrigerate or freeze without preservative. Place Of Service:UCD Biochemical Genetics Laboratory	83866
Mission Health	MSPROFLC	Multiple Sclerosis(MS) Profile	
Mission Health	MUMPG	Mumps Virus Antibody, IgG Container:4 mL SST	86735
Mission Health	MYCOM	Mycoplasma Antibody IgM Container:4 mL SST	86738
Mission Health	MYBPLC	Myelin Basic Protein, CSF LC Place Of Service:LabCorp	
Mission Health	UMYOLC	Myoglobin, Urine LC Place Of Service:LabCorp	
Mission Health	MYOMLC	Myomarker 3 Plus Profile (RDL) Place Of Service:LabCorp	
Mission Health	MYOP3LC	Myositis Panel III LC Place Of Service:LabCorp	
Mission Health	NPC	Nasopharyngeal Culture	87070
Mission Health	NRTMLC	Neurotransmitter Metabolites LC Place Of Service:LabCorp	
Mission Health	NAABSLC	Neutrophil Associated Abs with Reflex LC Place Of Service:LabCorp	
Mission Health	NICOTLC	Nicotine and Metabolite, Quant LC Place Of Service:LabCorp	
Mission Health	UNIT	Nitrite, Urine	81003
Mission Health	NMDALC	N-methyl-D-Aspartate Recpt,CSF LC Place Of Service:LabCorp	
Mission Health	NMOLC	NMO IgG Autoantibodies LC Place Of Service:LabCorp	
Mission Health	NMRLPLC	NMR LipoProfile LC Place Of Service:LabCorp	



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	NCSULC	Nocardia Susceptibility Broth LC Place Of Service:LabCorp	
Mission Health	FNRED	Non-Reducing Substance, Fecal Container:1 gram Stool in Stool Container	84376
Mission Health	NORVLC	Norovirus, RT-PCR LC Place Of Service:LabCorp	
Mission Health	OBP	Obstetric Panel Container:2 each of 4 mL SST, 1- 6 mL Tall Lavender EDTA, and 1 -3 mL Lavender EDTA tubes	80055
Mission Health	SFOBI	Occult Blood Immunassay Screen, Fecal (Medicare Only) Container:1 mL freshly collected stool specimen, clean dry container OR Inoculated Hemosure™ Tube	G0328
Mission Health	FOBI	Occult Blood Immunoassay, Fecal Container:1 mL freshly collected stool specimen, clean dry container OR Inoculated Hemosure™ Tube	82274
Mission Health	GAOB	Occult Blood, Gastric Container:1.0 mL Gastric Aspirate or Imesis in sterile collection cup	82271
Mission Health	UOPI	Opiates Screen, Urine Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	OPIULC	Opiates, Unconjugated Expanded LC Place Of Service:LabCorp	
Mission Health	UORGA	Organic Acids, Urine Container:Urine Urine Cup Temperature:Ambient	83919
Mission Health	ORTHO PNL 2	Orthopedic Panel 2 Container:Whole blood in special collection kit from Orthopedic Analysis Temperature:Critical Ambient Place Of Service:Orthopedic Analysis	86353
Mission Health	OSM	Osmolality, Serum Container:3 mL SST or 3 mL PST	83930
Mission Health	UOSM	Osmolality, Urine Container:Random Collection: random urine in sterile specimen container	83935
Mission Health	OPLC	Ova and Parasite Examination (OPLC) Testing Place Of Service:LabCorp	
Mission Health	OX24ULC	Oxalate, 24Hr Urine/Creatinine LC Place Of Service:LabCorp	
Mission Health	OXCALC	Oxcarbazepine (Trileptal) Level,S LC Place Of Service:LabCorp	
Mission Health	UOXY	Oxycodone Screen, Urine Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	P2Y12	P2Y12 Inhibitor Container:Contact lab for special collection packet.	85576
Mission Health	PNELTLC	Pancreatic Elastase, Fecal LC Place Of Service:LabCorp	
Mission Health	PAPSMEAR	Pap Smear Screen Container:1 each ThinPrep (obtain collection container from Lab Pathology)	88142
Mission Health	PAPSMEARA	Pap Smear, Anal Container:1 each ThinPrep (obtain collection container from Lab Pathology)	88175
Mission Health	PNEOE	Paraneoplastic Evaluation, CSF Container:4.mL Spinal Fluid Temperature:In-House Collection: Ambient Outpatient Collection: Refrgierate Place Of Service:Mayo Medical Laboratories	86255 x9
Mission Health	PAVAL	Paraneoplastic Evaluation, Serum Container:4 mL Blood SST	83519 x5 8352 86255 x9
Mission Health	PARAP	Parasite Panel	87328 87329

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	PTHIO	Parathyroid Hormone, Intraoperative Container:3 mL Lavender EDTA Tube	83970
Mission Health	PTHW	Parathyroid Hormone, Whole Molecule Container:4 mL SST or 4 mL Green Lithium Heparin	83970 82310
Mission Health	PRVLC	Parvovirus B19, Human, IgG/IgM LC Place Of Service:LabCorp	
Mission Health	PATHTISS	Pathology Surgical Pathology Specimens Container:Surgical Pathology Specimens 1) Collect tissue specimen. 2) Place tissue sample into a container of formalin. Tissue to formalin ratio should be 1:10. 3) Close lid completely to prevent specimen and fluid from leaking. 4) Label container with patient name, second identifier and specimen source. 5) Place container into biohazard bag and seal. 6) Complete requisition and place into specimen bag pouch.	
Mission Health	PBGELC	PBG Deaminase, Erythrocytes LC Place Of Service:LabCorp	
Mission Health	BPH	pH, Body Fluid Container:1 mL of body fluid in STERILE container	83986
Mission Health	FPH	pH, Fecal Container:Collect 1 mL of FRESH stool (no preservatives). Transport to the laboratory in a Sterile Specimen Container.	83986
Mission Health	UPH	pH, Urine	81003
Mission Health	PBARB	Phenobarbital Level Container:4 mL SST or 4 mL PST	80184
Mission Health	PHENY	Phenytoin (Dilantin) Level Container:4 mL SST or 4 mL PST	80185
Mission Health	FPHNY	Phenytoin (Dilantin), Free & Total Levels Container:4 mL SST	80185 80186
Mission Health	UPHOS	Phosphorus (PO ₄), Urine Container:Random Collection: Random urine in sterile collection container 24-Hour Collection: All urine voided in 24-hour period	84105
Mission Health	PHOS	Phosphorus, Serum Container:4 mL SST or 4 mL PST	84100
Mission Health	PINWM	Pinworm Prep Container:Rectum: Pinworm Paddles	87172
Mission Health	PLTAG	Platelet Aggregation Container:Eight (8) - 2.7 mL Light Blue Sodium Citrate Tubes AND One (1) 3.0 mL Lavender Tube	85576 x5
Mission Health	PLT	Platelet Count Container:3 mL Lavender EDTA Tube	85049
Mission Health	PLTSC	Platelet Function Screen Container:Two (2) - 2.7 mL Light Blue Sodium Citrate tubes	85576
Mission Health	PNAB23LC	Pneumococcal Ab (23 Serotype) LC Place Of Service:LabCorp	
Mission Health	PCDFALC	Pneumocystis Smear, DFA LC Place Of Service:LabCorp	
Mission Health	K	Potassium (K), Serum Container:4 mL SST or 4 mL PST	84132
Mission Health	UK	Potassium (K), Urine Container:Random Collection: urine voided in routine urine cup 24 Hour Collection: All urine voided in 24-hour period AMBER 24-hour urine collection container)	84133
Mission Health	PALB	Prealbumin Container:4 mL SST	84134
Mission Health	SPREGR	Pregnancy Test, Serum w/Reflex BHCG Container:4 mL SST or 4 mL PST	84703 84702



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	SPREG	Pregnancy Test, Serum, Rapid Container:4 mL SST	84703
Mission Health	UPREG	Pregnancy Test, Urine (Qual), Rapid Container:Random Collection: random urine in sterile specimen container	81025
Mission Health	PRIMLC	Primidone (Mysoline(R)), Serum LC Place Of Service:LabCorp	
Mission Health	ProBNP	Pro-B-Type Natriuretic Peptide Container:For testing at Blue Ridge Regional Hospital, collect one 3 mL Green Lithium Heparin For testing at Transylvania Regional Hospital, collect one 4 mL SST For testing at Angle Medical Center, collect one 5 mL GRN-Lithium Heparin PST	83880
Mission Health	PROCLC	Procainamide, Serum LC Place Of Service:LabCorp	
Mission Health	PCTLC	Procalcitonin Level LC Place Of Service:LabCorp	
Mission Health	PCT.	Procalcitonin Level. Container:4 mL SST or 4 mL PST	84145
Mission Health	PROG	Progesterone Level Container:4 mL SST or 4 mL PST	84144
Mission Health	PROL	Prolactin Level Container:4 mL SST or 4 mL PST	84146
Mission Health	SPSA	Prostate Specific Antigen, Screen Container:4 mL SST	G0103
Mission Health	PAPLC	Prostatic Acid Phos, Serum LC Place Of Service:LabCorp	
Mission Health	PSA	Prostatic Specific Antigen Container:4 mL SST	84153
Mission Health	PCFUNLC	Protein C, Functional LC Place Of Service:LabCorp	
Mission Health	NRSPE	Protein Electrophoresis, Serum No Reflex w/Interpretation Container:4 mL SST	84165 84155
Mission Health	SPE	Protein Electrophoresis, Serum w/ Interpretation Container:4 mL SST	84155 84165 if reflexed add 86334 82784 x3
Mission Health	PSFUNLC	Protein S, Functional LC Place Of Service:LabCorp	
Mission Health	BTP	Protein, Total Body Fluid Container:1 mL of body fluid in STERILE container	84157
Mission Health	CTP	Protein, Total CSF Container:1 mL CSF in CSF Tube or in STERILE specimen container	84157
Mission Health	TP	Protein, Total Serum Container:4 mL SST or 4 mL PST	84155
Mission Health	UP	Protein, Urine Container:Random Collection: Random urine in sterile collection container. Timed Collection: All urine voided in specific time period. (Please indicate start date and time as well as stop date and time.) 24-Hour Collection: All urine voided in 24-hour period. (Please indicate start date and time as well as stop date and time.)	84156
Mission Health	UPRO	Protein, Urine Dipstick	81003
Mission Health	PTP	Prothrombin Time Container:2.7 mL Light Blue Sodium Citrate Tube	85610
Mission Health	PSALC	PSA Total+% Free LC Place Of Service:LabCorp	
Mission Health	PTHRLC	PTHrP (PTH-Related Peptide) LC	

LAB	CODE	TEST NAME	CPT4 CODE
		Place Of Service:LabCorp	
Mission Health	P5PCLC	Pyridoxal 5'-phosphate (CSF) LC Place Of Service:LabCorp	
Mission Health	RPR	Rapid Plasma Reagin Container:4 mL SST	86592 if reflexed add 85670
Mission Health	RUA	Rasburicase Uric Acid, Serum Container:4 mL PST or 4 mL SST (pre-chilled and transported on ice)	84550
Mission Health	RBC	Red Blood Cells Container:3 mL Lavender EDTA Tube	85041
Mission Health	BRBC	Red Blood Count, Body Fluid Container:1 mL body fluid submitted in 3 mL Lavender EDTA Tube	89050
Mission Health	CRBC	Red Blood Count, CSF Container:3 mL CSF submitted in CSF Tube	89050
Mission Health	RFP	Renal Function Panel Container:4 mL SST or 4 mL PST	80069
Mission Health	RENIN	Renin Level Container:3 mL Lavender EDTA Do not collect in refrigerated tubes.	84244
Mission Health	RESPC	Respiratory Culture w/ Gram Stain	87070 87205
Mission Health	RP	Respiratory Panel PCR	87633 87798 87486 87581
Mission Health	RETIC	Reticulocyte Count Container:3 mL Lavender EDTA Tube	85046
Mission Health	RT3LC	Reverse T3, Serum LC Place Of Service:LabCorp	
Mission Health	RHOGAM	Rh Immune Globulin Study Container:6 mL Tall Lavender K2 EDTA Tube	See Individual Components
Mission Health	RF	Rheumatoid Factor Container:SST: Allow specimen to clot for 30 minutes. Separate serum from cells within 2 hours of collection.	86431
Mission Health	4114SP	Rivaroxaban (Xarelto®) Container:3 mL Lavender EDTA Tube	80375 (Alt code G0480)
Mission Health	RNPLC	RNP Antibodies LC Place Of Service:LabCorp	
Mission Health	RMFLC	Rocky Mtn Fever IgG IgM LC Place Of Service:LabCorp	
Mission Health	ROTO	Rotavirus Antigen Screen	87425
Mission Health	RSVHMPV	RSV/hMPV Container:Collect 1 Nasopharyngeal(NP) Swab and submit in 1 mL or 3 mL Universal Transport Media (UTM)	87798
Mission Health	RUBLC	Rub Ab(IgG/M) LC Place Of Service:LabCorp	
Mission Health	RUBE	Rubella Antibody, IgG Container:4 mL SST	86762
Mission Health	RUBEO	Rubeola Antibody, IgG Container:4 mL SST	86765
Mission Health	SALIC	Salicylate Level Container:4 mL SST, 4 mL Green Lithium Heparin, or 4 mL Green Sodium Heparin tube	80179
Mission Health	COV19GLC	SARS-CoV-2 Antibody, IgG LC Place Of Service:LabCorp	
Mission Health	SESLC	Selenium Level, Serum/Plasma LC Place Of Service:LabCorp	
Mission Health	SEPV	Semen Analysis Post-Vasectomy Container:Semen collected in a clean plastic container	89321
Mission Health	SERRLC	Serotonin Release Assay LC	

LAB	CODE	TEST NAME	CPT4 CODE
		Place Of Service:LabCorp	
Mission Health	SERSLC	Serotonin, Serum LC Place Of Service:LabCorp	
Mission Health	SHBG	Sex Hormone Binding Globulin Container:4 mL SST or 4 mL Green Lithium Heparin or 4 mL Green Sodium Heparin Tube	84270
Mission Health	SICKL	Sickle Cell Screen Container:3 mL Lavender EDTA Tube	85660
Mission Health	SINC	Sinus Culture w/ Gram Stain	87070 87205
Mission Health	SIROLLC	Sirolimus (Rapamune)Level LC Place Of Service:LabCorp	
Mission Health	SSALC	Sjogren's Anti-SS-A LC Place Of Service:LabCorp	
Mission Health	SSBLC	Sjogren's Anti-SS-B LC Place Of Service:LabCorp	
Mission Health	SHEVL	Smear Evaluation For Schistocytes Container:3 mL Lavender EDTA Tube	85008
Mission Health	SMITHLC	Smith Antibodies LC Place Of Service:LabCorp	
Mission Health	NA	Sodium, Serum Container:4 mL SST or 4 mL PST	84295
Mission Health	UNA	Sodium, Urine Container:Random Collection: random urine in sterile specimen container 24-Hour Collection: all urine voided in 24-hour period	84300
Mission Health	BSG	Specific Gravity, Body Fluid Container:1 mL body fluid in 3 mL Lavender EDTA Tube	84315
Mission Health	USG	Specific Gravity, Urine	81003
Mission Health	SPRXCLC	Sporothrix Ab, CSF LC Place Of Service:LabCorp	
Mission Health	SAPCR	Staph Aureus, PCR	87640 87641
Mission Health	STONELC	Stone Analysis LC Place Of Service:LabCorp	
Mission Health	STC	Stool Culture Container:Choose from the following specimen types: Colostomy Duodenal Aspirate Stool Collect in Cary-Blair Transport Media.	87045 87449 87046 87427 x2 (if growth is present)
Mission Health	BSCPCR	Strep Complete (β-hemolytic streptococcus groups A, C, G)	87651 87798
Mission Health	SPAG	Strep Pneumo Antigen (CSF reflexes to Culture Container:Choose from the following specimen types: Urine 1 mL in a Sterile Cup CSF 1 mL in a CSF Tube	87449
Mission Health	SSA	Strep Screen Grp A	87880
Mission Health	STRABLC	Strongyloides IgG Antibody LC Place Of Service:LabCorp	
Mission Health	SWCL	Sweat Chloride Container:Other Misc/Other Temperature:Ambient Place Of Service:Mission Childrens	89230 82438
Mission Health	SAT	Syphilis Antibody Testing Container:4 mL SST	86780
Mission Health	FT3LC	T3, Free Place Of Service:LabCorp	
Mission Health	FT4	T4, Free	84439

LAB	CODE	TEST NAME	CPT4 CODE
		Container:4 mL SST or 4 mL PST	
Mission Health	TACR	Tacrolimus Container:3 mL Lavender EDTA tube	80197
Mission Health	TESTFLC	Testosterone Free MS/Dialysis LC Place Of Service:LabCorp	
Mission Health	FTST	Testosterone, Free/Total (Adult Male) Container:3 mL SST or 3 mL Lavender EDTA Tube Place Of Service:Mission Hospital	84403 84270
Mission Health	TEST	Testosterone, Total (Adult Male) Container:4 mL SST or 3 mL Green Sodium Heparin Place Of Service:Mission Hospital	84403
Mission Health	TESTTLC	Testosterone, Total, Women, Children, and Hypogonadal Males, LC/MS-MS LC Place Of Service:LabCorp	
Mission Health	FFTSTLC	TestT+SHBG+TestF LC Place Of Service:LabCorp	
Mission Health	TESTFTLC	TestT+TestF+SHBG LC Place Of Service:LabCorp	
Mission Health	DTLC	Tetanus/Diphtheria Ab LC Place Of Service:LabCorp	
Mission Health	TGABLC	TgAb+Thyroglobulin,IMA or LCMS LC Place Of Service:LabCorp	
Mission Health	THCCNLC	THC, Scr w/Conf, SE LC Place Of Service:LabCorp	
Mission Health	THEO	Theophylline Level Container:4 mL SST or 4 mL PST	80198
Mission Health	THCYLC	Thiocyanate, Serum LC Place Of Service:LabCorp	
Mission Health	THIOPM	Thiopurine Metabolites Container:5 mL EDTA Temperature:Refrigerated Place Of Service:Prometheus Therapeutics & Diagnostics	
Mission Health	THIOPLC	Thiopurine Metabolites LC Place Of Service:LabCorp	
Mission Health	TPMTPLC	Thiopurine Methyltransferase LC Place Of Service:LabCorp	
Mission Health	THC	Throat Culture	87070
Mission Health	TTLC	Thrombin Time LC Place Of Service:LabCorp	
Mission Health	THYGLC	Thyroglobulin Antibody LC Place Of Service:LabCorp	
Mission Health	THYROLC	Thyroglobulin by LCMS LC Place Of Service:LabCorp	
Mission Health	THABSLC	Thyroid Antibodies LC Place Of Service:LabCorp	
Mission Health	TPOABLC	Thyroid Peroxidase (TPO) Ab LC Place Of Service:LabCorp	
Mission Health	TSILC	Thyroid Stim Immunoglobulin LC Place Of Service:LabCorp	
Mission Health	TSH	Thyroid Stimulating Hormone Container:4 mL SST or 4 mL Green Lithium Heparin or 4 mL Green Sodium Heparin Tube	84443
Mission Health	TSHR	Thyroid Stimulating Hormone w/Reflex Free T4 Container:4 mL SST or 4 mL Green Lithium Heparin or 4 mL Sodium Heparin Tube	84443 84439 when FT4 added
Mission Health	THTRLC	Thyrotropin Receptor Ab, Serum LC Place Of Service:LabCorp	

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	T4LC	Thyroxine (T4)	
Mission Health	TIC	Tissue Culture w/ Gram Stain	87070 87176 87205
Mission Health	TOBP	Tobramycin, Peak Container:4 mL SST or 4 mL PST	80200
Mission Health	TOBRA	Tobramycin, Random Container:4 mL SST or 4 mL PST	80200
Mission Health	TOBT	Tobramycin, Trough Container:4 mL SST or 4 mL PST	80200
Mission Health	TOPIRLC	Topiramate (Topamax) Level, Serum LC Place Of Service:LabCorp	
Mission Health	TIBC	Total Iron Binding Capacity Container:4 mL SST or 4 mL PST Temperature:Refrigerated	83540 84466
Mission Health	TOXALC	ToxASSURE Select 13 (MW) LC Place Of Service:LabCorp	
Mission Health	TOXLC	Toxoplasma Abs IgG/IgM LC Place Of Service:LabCorp	
Mission Health	TGONLC	Toxoplasma gondii Ab, IgG, Qn LC Place Of Service:LabCorp	
Mission Health	TXGPLC	Toxoplasma gondii PCR LC Place Of Service:LabCorp	
Mission Health	TPMTGLC	TPMT Genetic Test LC Place Of Service:LabCorp	
Mission Health	UTRAMCK	Tramadol®, Urine Container:Random Collection: random urine in sterile specimen container	80373 (Alt code G0480)
Mission Health	TRANF	Transferrin Container:4 mL SST or 4 mL PST	84466
Mission Health	UTRX	Transfusion Reaction Urine Container:Choose from the following specimen types and submit 12 mL in ;a Sterile specimen container: Cath Urine Clean-Cath Urine Random Urine	
Mission Health	UTRICY	Tricyclics Screen, Urine Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	BTRIG	Triglyceride, Body Fluid Container:1 mL of body fluid in STERILE container	84478
Mission Health	TRIG	Triglyceride, Serum Container:4 mL SST or 4 mL PST	84478
Mission Health	T3LC	Triiodothyronine (T3)	
Mission Health	TRPI	Troponin I Container:4 mL PST or 4 mL SST	84484
		Heparinized plasma (PST) is the PREFERRED specimen.	
Mission Health	TRYPLC	Tryptase LC Place Of Service:LabCorp	
Mission Health	TSPOT	TSPOT TB Screening Container:6 mL Sodium heparin or Lithium heparin Temperature:Must remain ambient temp - no centrifuging	86481
Mission Health	TTGIALC	T-Transglutaminase (tTG) IgA LC Place Of Service:LabCorp	
Mission Health	TTGGLC	t-Transglutaminase (tTG) IgG LC Place Of Service:LabCorp	
Mission Health	UUC	Urea Clearance, Urine Container:24-Hour Collection: All urine voided in 24-hour period.	84545

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	UUN	Urea Nitrogen, Urine Container:Random Collection: 2 mL urine 24-Hour Collection: All urine voided in 24-hour period	84540
Mission Health	UA	Uric Acid, Serum Container:4 mL SST or 4 mL PST	84550
Mission Health	UUA	Uric Acid, Urine Container:Random: 1.0 mL urine in sterile specimen container. 24-Hour Collection: all urine excreted in 24 hour period.	84560
Mission Health	URINE	Urinalysis	81001 (with microscopic); 81003 (without microscopic)
Mission Health	UWM	Urinalysis w/Microscopic	81003
Mission Health	URC	Urine Culture	87086
Mission Health	UEMDK	Urine Drug Screen for Emerging Street Drugs Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	UDSOB	Urine Drug Screen, Obstetric Container:Random Collection:random urine in sterile specimen container	80307
Mission Health	UFLC24	Urine Free Light Chains, 24 Hour Container:24-Hour Collection: All urine voided in 24-hour period	83883 x2
Mission Health	UFLC	Urine Free Light Chains, Random Container:Random urine in sterile specimen container	83883 x2
Mission Health	UPEP	Urine Protein Electrophoresis Container:Random Collection: Random urine in sterile collection container 24-Hour Collection: All urine voided in 24-hour period	84156 84166 if reflexed add 86335
Mission Health	UTOX.	Urine Toxicology Screen. Container:Random Collection: random urine in sterile specimen container	80307
Mission Health	UURO	Urobilinogen, Urine Container:Random Collection: random urine in Sterile specimen container.	81003
Mission Health	UGC	Urogenital Culture	87070
Mission Health	UURSK	Urorisk Profile, Urine Container:4.0 mL Urine Urine Jug Testing requires special collection kit for urine. Request from Mission reference testing department. Temperature:Refrigerated 24 hr Jug	82340 82507 82570 83735 83945 83986 84105 84133 84300 84392 84560
Mission Health	VALPR	Valproic Acid Level Container:4 mL SST or 4 mL PST	80164
Mission Health	VREC	Vancomycin Resistant Enterococcus Screen	87081
Mission Health	VANP	Vancomycin, Peak Container:4 mL SST or 4 mL PST	80202
Mission Health	VAN	Vancomycin, Random Container:4 mL SST or 4 mL PST	80202
Mission Health	VANT	Vancomycin, Trough Container:4 mL SST or 4 mL PST	80202
Mission Health	VZABLC	Varicella Zoster Abs, IgG/IgM LC Place Of Service:LabCorp	
Mission Health	VZVG	Varicella Zoster Antibody, IgG Container:4 mL SST	86787
Mission Health	VDRLLC	VDRL, CSF LC Place Of Service:LabCorp	
Mission Health	VIBRIOC	Vibrio Culture Container:Choose from the following specimen types: Colostomy	87046



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
		Duodenal Aspirate Stool	
		Collect in Cary-Blair Transport Media.	
Mission Health	VIPLC	VIP, Plasma LC Place Of Service:LabCorp	
Mission Health	VIRCRLC	Viral Cult, Rapid, Respiratory LC Place Of Service:LabCorp	
Mission Health	VIRCLC	Viral Culture, General LC Place Of Service:LabCorp	
Mission Health	CMVRLC	Viral Culture, Rapid, CMV LC Place Of Service:LabCorp	
Mission Health	VISCLC	Viscosity, Serum LC Place Of Service:LabCorp	
Mission Health	VITALC	Vitamin A, Serum LC Place Of Service:LabCorp	
Mission Health	VITB1LC	Vitamin B1 (Thiamine), Blood LC Place Of Service:LabCorp	
Mission Health	VB12F	Vitamin B12 and Folate Level Container:4 mL SST	82607 82746
Mission Health	VB12	Vitamin B12 Level Container:4 mL SST or 4 mL PST	82607
Mission Health	VITB6LC	Vitamin B6, Plasma LC Place Of Service:LabCorp	
Mission Health	VITB7LC	Vitamin B7 LC Place Of Service:LabCorp	
Mission Health	VITACL	Vitamin C Level LC Place Of Service:LabCorp	
Mission Health	VD25	Vitamin D, 25 Hydroxy Level Container:SST Place Of Service:Mission Health	82306
Mission Health	VITELC	Vitamin E Level LC Place Of Service:LabCorp	
Mission Health	VITK1LC	Vitamin K1 Level LC Place Of Service:LabCorp	
Mission Health	VWPLC	von Willebrand Profile LC Place Of Service:LabCorp	
Mission Health	VORICLC	Voriconazole Level LC Place Of Service:LabCorp	
Mission Health	CVZVLC	VZV PCR, CSF LC Place Of Service:LabCorp	
Mission Health	VZVLC	VZV Real Time PCR LC Place Of Service:LabCorp	
Mission Health	WP	Wet Prep	87210
Mission Health	BWBCD	White Blood Count w/Diff, Body Fluid Container:Choose from the following specimen types in a 0.5 mL Lavender EDTA Tube Pleural Fluid Peritoneal Fluid Synovial Fluid Thoracentesis Fluid	89051
Mission Health	WBC	White Blood Count, Blood Container:3 mL Lavender EDTA Tube	85048
Mission Health	BWBC	White Blood Count, Body Fluid Container:1 mL body fluid in 3 mL Lavender EDTA Tube	89050
Mission Health	CWBC	White Blood Count, CSF Container:3 mL CSF submitted in CSF Tube	89050

LAB	CODE	TEST NAME	CPT4 CODE
Mission Health	WOCNS	Wound Culture, Nonsurgical w/Gram Stain	87070 87205
Mission Health	WOCS	Wound Culture, Surgical w/Gram Stain	87070 87205
Mission Health	YERSC	Yersinia Culture Container:Choose from the following specimen types: Colostomy Duodenal Aspirate Stool Collect in Cary-Blair Transport Media.	87046
Mission Health	ZINCLC	Zinc, Plasma or Serum LC Place Of Service:LabCorp	
Mission Health	ZONILC	Zonisamide(Zonegran), Serum LC Place Of Service:LabCorp	
LABCORP	071910	071910 7 Drug-Scr Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	074666	074666 9 Drug-Scr Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	500600	1,25-Dihydroxy,Vitamin D by MS Container:Gel-barrier tube, lavender-top (EDTA) tube, or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 544 days Freeze/Thaw cycle = 6	82652
LABCORP	791000	1,3-Dimethylamylamine, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for eight days at room temperature, refrigerated, or frozen.	80307
LABCORP	761490	10+Oxycodone-Scr, Oral Fluid Container:Quantisal(TM) Oral Fluid collection device, contact lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	768561	11+Oxyco+Crt-Bund+1-Confirm Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80346 80307
LABCORP	500171	11-Deoxycortisol: HPLC/MS-MS Container:Gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Freeze	82634
LABCORP	500550	11-Desoxycortisol HPLC/MS-MS Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82634
LABCORP	500560	11-Desoxycortisol, 2 Specs Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82634 x2
LABCORP	504677	11-Hydroxyandrostenedione Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heparin plasma tube Temperature:Freeze Stability: Room temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/thaw: Stable x6	82542
LABCORP	504680	11-Hydroxytestosterone Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heprin Plasma Tube Temperature:Frozen Stability: Room Temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/Thaw: Stable x6	82542
LABCORP	504674	11-Ketotestosterone Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heprin Plasma Tube Temperature:Freeze Stability: Room temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/thaw: Stable x6	82542
LABCORP	504683	11-oxo-Androgens Panel Container:Serum from Red Top Tube, EDTA Plasma tube, or Heprin Plasma tube	82542

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze	
LABCORP	504550	14.3.3 ETA, Rheumatoid Arthritis Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Room temperature up to 3 days Refrigerated up to 3 days Frozen up to 7 days Freeze/thaw cycles: Stable x6	83520
LABCORP	831163	17 Panel Nail Test Container:Foil in secure envelope Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	500163	17-Alpha-Hydroxyprogesterone Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 2 years Freeze/Thaw cycles = 3	83498
LABCORP	806730	17-Hydroxycorticosteroids Container:Plastic urine container Temperature:FREEZE	83491
LABCORP	140715	17-Hydroxypregnenolone, Mass Spectrometry Container:Red-top tube, gel-barrier tube, or lavender top (EDTA) tube Temperature:FREEZE	84143
LABCORP	806813	17-Ketosteroids, Urine Temperature:Refrigerate	83586
LABCORP	500770	17-OH Pregnenolone, Pre- and Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84143 x2
LABCORP	070037	17-OH Progesterone, Serum by LCMS, (2 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x2
LABCORP	070078	17-OH Progesterone, Serum by LCMS, (3 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x3
LABCORP	070083	17-OH Progesterone, Serum by LCMS, (4 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x4
LABCORP	070090	17-OH Progesterone, Serum by LCMS, (5 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x5
LABCORP	070120	17-OH Progesterone, Serum by LCMS, (6 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x6
LABCORP	070132	17-OH Progesterone, Serum by LCMS, (7 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x7
LABCORP	070145	17-OH Progesterone, Serum by LCMS, (8 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x8
LABCORP	070624	17-OH Progesterone, Serum by LCMS, ACTH Stimulation Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x2
LABCORP	070315	17-OH Progesterone/Creatinine Ratio, 24-Hour Urine Container:Plastic urine container with 30 mL 6N HCl preservative. Caution: Strong acid. May cause skin burns. Temperature:Refrigerate	83498 82570
LABCORP	070340	17-OH Progesterone/Creatinine Ratio, Random Urine Container:Use random urine transport tube containing 6N HCl. Container is also known as "urine Monovette(R) with pH stabilizer." Monovette(R) instructions accompany units. Preservative must be added to the container prior to the start of the collection. If collecting without Monovette(R), use plastic urine container and adjust urine pH to <5 with 6N HCl. CAUTION: Strong acid. May cause skin burns. Temperature:Refrigerate	83498 82570
LABCORP	504427	18-Hydroxycorticosterone, 60 Min Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82542

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500778	18-Hydroxycorticosterone, Serum Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82542
LABCORP	510360	1p,19q Oncology FISH Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	140147	2019 Novel Coronavirus (COVID-19) with Influenza A andInfluenza B Container:Anterior Nasal Swab, Nasopharyngeal (NP) Swab or Mid-turbinate Swab in viral/universal transport medium (VTM/UTM) or 0.9% saline. saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated specimens and room temperature specimens (if recieved for testing within 72 hours of collection) are also acceptable.	87636
LABCORP	140140	2019 Novel Coronavirus (COVID-19) with Influenza A,Influenza B and Respiratory Syncytial Virus, NAA Container:Anterior Nasal Swab, Nasopharyngeal (NP) Swab or Mid-turbinate Swab in viral/universal transport medium (VTM/UTM) or 0.9% saline. saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated specimens and room temperature specimens (if recieved for testing within 72 hours of collection) are also acceptable.	87637
LABCORP	140172	2019 Novel Coronavirus (COVID-19) with Respiratory SyncytialVirus, NAA Container:Anterior Nasal Swab, Nasopharyngeal (NP) Swab or Mid-turbinate Swab in viral/universal transport medium (VTM/UTM) or 0.9% saline. saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated specimens and room temperature specimens (if recieved for testing within 72 hours of collection) are also acceptable.	U0003 87634
LABCORP	139945	2019 Novel Coronavirus (COVID-19), NAA using SalivaCollection. Container:Oragene saliva collection tube Temperature:Frozen	U0003
LABCORP	504045	21-Deoxycortisol, LC/MS (Endocrine Sciences) Container:Serum Transfer Tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle: Stable x6	82542
LABCORP	259887	259887 Kidney Stone Container:Urine container(2) Temperature:FREEZE	83735 82570 x2 82131 84560 82340 83945 81003 82507 84156 84392 83935 84105 84300
LABCORP	504115	25-Hydroxy Vitamin D (D2+D3 Fractionated), LC/MS-MS Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 34 months	82306
LABCORP	277392	277392 Kidney Stone Container:Transfer tube(3), urine container(2) and serum gel tube- centrifuge and send unopened Temperature:FREEZE urine and transfer tubes. DO NOT FREEZE serum gel tube.	82310 84392 82330 82575 84105 84300 82435 84132 84100 83735 82570 82040 82131 84560 82340 83945 81003 84550 84295 84155 84520 82507
LABCORP	844219	2N-VWD (VWF-FVIII) Panel Container:Blue-top (sodium citrate) tubes Temperature:FREEZE	0284U 85240 85246
LABCORP	067918	3> <Allergens without IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	831500	3-Methylglutaconic Container:Plastic urine container Temperature:FREEZE	82542
LABCORP	831140	3-Methylglutaconic Plasma/CSF Container:Lavender-top (EDTA) tube, or green-top (heparin) tube Sterile container Temperature:FREEZE	NOCP
LABCORP	620176	3-O-Methyldopa (Plasma) Container:Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature:Remove plasma and freeze at -20 degrees Celsius. Store frozen at -20 degrees Celsius and ship frozen.	82131
LABCORP	001701	5' Nucleotidase	83915

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube for serum; lavender-top (EDTA) tube or green-top (heparin) tube for plasma Temperature:Room temperature	
LABCORP	504510	5-HIAA, Plasma Container:Green-top (heparin) tube or lavender-top (EDTA) tube Temperature:FREEZE	83497
LABCORP	004069	5-Hydroxyindoleacetic Acid (HIAA), Quantitative, 24-HourUrine Container:Plastic urine container, no preservative (NOTE: 1 g/L boric acid may be added as a preservative for other tests without harm to 5-HIAA.) Temperature:Room Temperature	83497
LABCORP	316205	5-Hydroxyindoleacetic Acid (HIAA), Quantitative, RandomUrine (Pediatric) Container:Plastic urine container, no preservative (NOTE: Boric acid may be added as a preservative for other tests without harm to 5-HIAA.) Temperature:Room Temperature	82570 83497
LABCORP	806565	5-Methyltetrahydrofolate Container:Collection kits may be obtained by calling Baylor Institute for Metabolic Disease (214)-820-4533. Temperature:FREEZE	82542
LABCORP	737907	6-Acetylmorphine Conf, MS, UR Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80356
LABCORP	716159	6-Acetylmorphine, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory, Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80356
LABCORP	910242	6-Acetylmorphine,Scr w/Conf,Ur	NOOPT
LABCORP	700609	700609 7+Alc-Scr Temperature:Refrigerate	80307
LABCORP	725302	725302 U6-Scr+SVT Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733504	733504 9+Oxycodone+Alc+Crt-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733513	733513 9+Oxycodone-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733573	733573 6 Drug-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733805	733805 9+Oxyco+Alc+Crt-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735189	735189 U8-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735352	735352 U9-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737368	737368 5+MDMA+Alc-Unb Container:Plastic urine container	80307



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	737465	737465 5+MDMA+Alc-Unb Container:Plastic urine container	80307
LABCORP	737467	737467 7+MDMA-Unb Container:Plastic urine container	80307
LABCORP	737522	737522 9+MDMA-Unb Container:Plastic urine container	80307
LABCORP	737588	737588 9+Oxycodone+Crt-Unbund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	737789	737789 2 Conf, MS, UR Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80359 80324
LABCORP	737921	737921 12+Oxycodone+Crt-Unbund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80346 80307
LABCORP	739176	739176 U6-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	739191	739191 U7-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739197	739197 U10-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739204	739204 U9-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739303	739303 U8-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	739350	739350 U12-Unbund+Alc+SVT Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739380	739380 U12-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739405	739405 U9-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	761456	761456 9+Oxyco+Crt-Scr+1-Unb Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	761584	761584 U12-Scr+SV4 Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	763950	763950 2 Conf, MS, UR Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then	80361 80365

LAB	CODE	TEST NAME	CPT4 CODE
		refrigerate.	
LABCORP	764382	764382 12+Oxycodone+Cr-Urbund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764548	764548 12+Oxycodone+Cr-Bund Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764651	764651 U9-Urbund+Alc+SV3 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	765875	765875 9+MDMA+Oxyco+Cr-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	769111	769111 10+Oxyco+Cr-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770188	770188 12+Oxyco+Alc-Urbund, OF Container:Quantisal-Oral Fluid drug test collection device. Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	770628	770628 7 Drug-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770678	770678 U13-Bund+SV1 Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770679	770679 U13-Urbund+SV3 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307 80346
LABCORP	788763	788763 10 Drug-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788873	788873 9+MDMA+Cr-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	788878	788878 9+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788879	788879 7+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788891	788891 9+MDMA+Cr-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	788933	788933 5+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788934	788934 7+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	788939	788939 9+MDMA+Alc-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	788941	788941 7+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788944	788944 9+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	788955	788955 9+MDMA+Alc-Bund Container:Urine container Temperature:Refrigerate	80307
LABCORP	788962	788962 9+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789113	789113 7 Drug-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789120	789120 10+Alc-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789138	789138 10+Alc+Crt-Bund Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	789167	789167 5+MDMA+Crt-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789179	789179 5+MDMA+Crt-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789192	789192 9+MDMA-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789204	789204 10+MDMA-Bund Container:Urine container Temperature:Refrigerate	80307
LABCORP	789238	789238 9+Oxycodone-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	789260	789260 9 Drug-Bund Container:Urine container Temperature:Refrigerate	80307
LABCORP	789291	789291 9+Oxyco+Alc+Crt-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	792593	792593 13+Oxyco+Crt-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	794256	794256 U8-Bund+Alc Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	794257	794257 U5-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	794662	794662 U10-Unbund+Alc+SVT Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	831552	7-Dehydrocholesterol Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82542
LABCORP	833438	8th addtl IHC Ab per slide	NOCPT
LABCORP	818326	A1A Clearance Stool/Ser Container:Serum/Plasma - Gel-barrier tube, lavender-top (EDTA) tube Stool - Sterile container Temperature:FREEZE	82103
LABCORP	806023	Abalone (Haliotis spp) IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	116004	Abnormal Bleeding Profile Container:Lavender-top (EDTA) tube, and frozen plasma aliquoted from blue-top (sodium citrate) tube (sodium citrate) tube Temperature:Maintain whole blood at room temperature. FREEZE plasma.	85610 85670 85049 85730
LABCORP	503335	Abnormal PT/APTT Reflexive Profile (Esoterix) Container:Blue-top (sodium citrated) tubes Temperature:FREEZE	85610 85613 x2 85670 80503 85730
LABCORP	804389	Acanthamoeba+Naegleria Culture Container:Sterile container Temperature:Maintain specimen at room temperature.	87081
LABCORP	808345	Acetaldehyde Container:Red-top tube, lavender-top (EDTA) tube OR gray-top (sodium fluoride) tube Temperature:FREEZE	80320
LABCORP	810010	Acetaldehyde, Urine Container:Plastic urine container Temperature:Immediately process sample after collection and store at frozen conditions both post-collection and during transport to the lab	82542
LABCORP	910483	Acetaminophen, Scr w/Conf, Ur	80307
LABCORP	811984	Acetazolamide, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	017665	Acetone Container:Gray-top (sodium fluoride) tube (preferred) or red-top tube. Submit original unopened tube. Temperature:Refrigerate	82010
LABCORP	082453	Acetophenazine, Serum/Plasma Container:Red-top tube, lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	791350	Acetyl Fentanyl, Screen and Confirmation, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	165595	Acetylcholine Receptor (AChR) Antibodies Complete Panel with Reflex to MuSK Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519 x3
LABCORP	165605	Acetylcholine Receptor (AChR) Antibodies Complete Profile with Reflex to MuSK Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519 x2 86255
LABCORP	165592	Acetylcholine Receptor (AChR) Binding Antibodies with Reflex to MuSK Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519
LABCORP	505225	Acetylcholine Receptor (AChR)-modulating Antibodies, Flow Cytometry Container:Serum from Red Top Tube; Serum from a Gel Tube Temperature:Room temperature	86255

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	086007	Acetylcholine Receptor Antibodies, Complete Panel Container:Gel-barrier tube or red-top tube Temperature:Refrigerate (Cool Pack)	83519 x2
LABCORP	086020	Acetylcholine Receptor Antibodies, Complete Profile Container:Gel-barrier tube or red-top tube Temperature:Refrigerate (Cool Pack)	83519 x2 86255
LABCORP	844779	Achondroplasia Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81401
LABCORP	008618	Acid Fast Smear Container:Sterile container(1) with tight screw-cap seal, green-top (sodium heparin) or Isolator (TM) for bone marrow; sterile container or a securely sealed slide holder for pre-inoculated microscope slide (bronchial brush ONLY). Note: Please refer to the Microbiology specimen collection chart. Temperature:Refrigerate	87206
LABCORP	829642	Acid Phosphatase, Total Serum Container:Gel-barrier tube or red-top tube Temperature:FREEZE up to 1 month	84060
LABCORP	088161	Acid-Fast (Mycobacteria) Antibiotic Susceptibilities Container:Media slant, tightly sealed, in etiologic agent packaging Temperature:Maintain culture at room temperature.	87190 x4
LABCORP	183770	Acid-fast Organism Identification by DNA Probe and/orSequencing Container:Screw-cap agar slant tube and bacterial swab transport inoculated with isolated colonies from a pure culture packed as an etiologic agent or liquid-based broth tube from BD, bioMerieux, or Trek Temperature:Maintain specimen at room temperature.	87149
LABCORP	183802	Acid-fast Organism Identification by DNA Probe and/orSequencing with Reflex to Susceptibility Testing Container:Screw-cap agar slant tube and bacterial swab transport inoculated with isolated colonies from a pure culture packed as an etiologic agent or liquid-based broth tube from BD, bioMerieux, or Trek Temperature:Maintain specimen at room temperature.	87149
LABCORP	810036	Acrylonitrile, Urine Container:Plastic urine container Temperature:Frozen Stability: Room Temperature: Not stable Refrigerated: Not stable Frozen: 3 months	82570 84430 83921
LABCORP	225250	ACTH, Plasma (2 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x2
LABCORP	038927	ACTH, Plasma (3 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x3
LABCORP	225268	ACTH, Plasma (4 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x4
LABCORP	038919	ACTH, Plasma (5 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x5
LABCORP	225276	ACTH, Plasma (6 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x6
LABCORP	038901	ACTH, Plasma (7 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x7
LABCORP	267708	ACTH, Plasma (8 Specimens) Container:Plastic or siliconized glass lavender-top (EDTA) plasma tube. Temperature:FREEZE immediately.	82024 x8
LABCORP	806393	Actin IgA (F-Actin) Container:Green-top (heparin) tube Temperature:Refrigerate	86015
LABCORP	117762	Activated Protein C Resistance (APCR) Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85307
LABCORP	117810	Activated Protein C Rfx FVDNA Container:Lavender Top (EDTA) Tube, Plasma Transfer Tube	85307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	825497	Acyclovir (Zovirax), Urine Container:Plastic urine container Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year	80375
LABCORP	138370	Acyclovir Resistance HSV (Phenotype) Container:Isolate growing in a permissive cell line (ie. MRC-5 or A549) or primary sample in viral transport media (VTM) Temperature:Maintain isolate at room temperature. Refrigerate viral transport media with swab. Submit as soon as possible, but within 5 days of collection.	87252 87253
LABCORP	202121	Acyclovir, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year	80299
LABCORP	831004	Acylglycines,Quant,Random,Ur. Container:Urine bottle Temperature:Frozen	82542
LABCORP	503890	Adalimumab and Anti-adalimumab Antibody, DoseASSURE(TM) ADL Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or Freeze Stability: Room temperature: up to 7 days Refrigerated: up to 7 days Frozen up to 308 days	80145 82397
LABCORP	117921	ADAMTS13 Activity Reflex Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85397
LABCORP	117915	ADAMTS13 Antibody Container:Blue-top (sodium citrate) tube Temperature:FREEZE	83520
LABCORP	284462	Adeno qPCR Container:Very small (1 mL or pea size) fecal sample placed in 1 to 2 mL sterile saline, M4, or viral transport media in sterile, screw-cap tube. Temperature:FREEZE	87799
LABCORP	830932	Adenosine Deam,Pericardial fl Container:Sterile Container Temperature:Frozen	84311
LABCORP	830899	Adenosine Deaminase CSF Container:Sterile Container	84311
LABCORP	830893	Adenosine Deaminase, PI Fluid Container:Sterile Container Temperature:Frozen	84311
LABCORP	829717	Adenosine Deaminase, RBC Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate	84311
LABCORP	823287	Adenosine Deaminase, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Refrigerate up to 5 days Frozen up to 30 days	84311
LABCORP	830896	Adenosine Deaminase,Peritoneal Container:Sterile Container	84311
LABCORP	185041	Adenovirus (Type 40/41), Direct Detection EIA Container:Sterile screw-cap container Temperature:Refrigerate	87301
LABCORP	187013	Adenovirus (Type 40/41)/Rotavirus, Direct Detection EIA Container:Sterile screw-cap container Temperature:Refrigerate	87301 87425
LABCORP	096065	Adenovirus Group Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86603
LABCORP	815919	Adenovirus PCR Qual(NasalSwab) Temperature:FREEZE	87798
LABCORP	815956	Adenovirus qPCR (BAL) Container:Sterile, screw top container Temperature:FREEZE	87799

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	816467	Adenovirus qPCR (CSF) Container: Sterile container Temperature: FREEZE	87798
LABCORP	815931	Adenovirus qPCR (Plasma) Container: Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature: FREEZE	87799
LABCORP	816687	Adenovirus qPCR (Serum) Container: Red-top tube Temperature: FREEZE	87798
LABCORP	815949	Adenovirus qPCR (Trach Asp.) Temperature: FREEZE	87798
LABCORP	284544	Adenovirus, PCR Quant Container: Lavender-top (EDTA) tube, red-top tube, gel-barrier tube or sterile capped container Temperature: FREEZE	87799
LABCORP	010447	ADH Container: Lavender-top (EDTA) tube Temperature: Freeze	84588
LABCORP	004650	Adiponectin Container: Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature: Refrigerate	83520
LABCORP	821413	ADMA/SDMA Container: Gel-barrier tube Temperature: Refrigerate	82542
LABCORP	504805	Adrenal 21-Hydroxylase Autoantibodies (Endocrine Sciences) Container: Serum from Red Top Tube or Serum from a Gel Tube Temperature: Frozen or cold pack	83516
LABCORP	819270	Adrenocorticotrophic Hormone Container: Plastic urine container Temperature: Freeze	82024
LABCORP	503192	Adult (Late Onset) CAH Grp 1 Container: Gel-barrier tube Temperature: FREEZE Stability: Refrigerated up to 1 day Frozen up to 2 years	82634 82533 83498 82157 82626
LABCORP	503194	Adult (Late Onset) CAH Grp 2 Container: Gel-barrier tube Temperature: FREEZE Stability: Refrigerated up to 1 day Frozen up to 2 years	82157 82626 82533 84143 83498
LABCORP	788890	Adulteration (Dilution), Urine Container: Urine container Temperature: Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	NOOPT
LABCORP	182261	Aerobic Identification and Susceptibility Container: Agar slant in screw-cap container packed as an etiologic agent or a swab transport inoculated with the isolate from a pure culture. Maintain subculture at submitting laboratory. Temperature: Maintain specimen at room temperature.	87077
LABCORP	378409	Aeromonas/Plesiomonas+Stool C. Container: Para Pak-Orange	87427 87046 87081 87045
LABCORP	018044	AFP (Repeat), Serum, for OSB Container: Serum gel tube Temperature: Room temperature	82105
LABCORP	806530	AFP, CSF (Tumor Marker) Container: Sterile container Temperature: Refrigerate	86316
LABCORP	510344	Aggressive B-Cell Lymphoma Profile, FISH Container: Green-top (heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature.	NOOPT
LABCORP	820948	aHUSS/DDD Genetic Evaluation Container: Sterile container OR lavender-top (EDTA) tube Temperature: Room temperature	NOOPT
LABCORP	811137	ALA Dehydratase, RBC Container: Green-top (heparin) tube	82657

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE	
LABCORP	811129	ALA Dehydratase, WB Container:Green-top (heparin) tube OR Lavender top (EDTA) Temperature:Refrigerate	82657
LABCORP	374357	ALA U+PBG UU+Porphy U	84110 84120 82135
LABCORP	140050	Albumin, 24-Hour Urine Container:Plastic urine container Temperature:Room temperature	82043
LABCORP	012229	Albumin, Cerebrospinal Fluid Container:Clean sterile tube Temperature:Room temperature	82042
LABCORP	149997	Albumin, Random Urine Container:Plastic urine container Temperature:Room temperature	82043
LABCORP	140053	Albumin, Timed Urine Container:Plastic urine container Temperature:Refrigerate	82043
LABCORP	802272	Albuterol (Proventil) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	809616	Alcohol Biomarkers Screen with Reflex Confirmation(ETG/ETS), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910530	Alcohol Confirm	NOcpt
LABCORP	910531	Alcohol, Ethyl, WB/S/P	80320
LABCORP	910511	Alcohol, Ethyl,Scr w/Quant,Ur	80307
LABCORP	504888	Aldosterone ES #4 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504890	Aldosterone ES #5 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504892	Aldosterone ES #6 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504894	Aldosterone ES #7 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504896	Aldosterone ES #8 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	500467	Aldosterone LCMS (Endocrine Science) Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	004291	Aldosterone, 24-Hour Urine Container:Plastic urine container with no preservative Temperature:Refrigerate	82088
LABCORP	504424	Aldosterone, 60 Min Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82088
LABCORP	289116	Aldosterone, Random Ur/Creat	82088 82570

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Plastic urine container with no preservative Temperature:Refrigerate	
LABCORP	512136	ALK FISH With Reflex to RET and ROS1 Container:Paraffin block Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	512084	ALK FISH, Non-Small-cell Lung Cancer Container:Paraffin block Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	671934	Allergen Pediatric 3 - 6 Years Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	671932	Allergen Pediatric 6 Yrs Plus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	606995	Allergen Profile with Component Reflexes, Respiratory-Area 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	607025	Allergen Profile with Component Reflexes, Respiratory-Area 10 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	607050	Allergen Profile with Component Reflexes, Respiratory-Area 11 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25
LABCORP	607055	Allergen Profile with Component Reflexes, Respiratory-Area 12 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607075	Allergen Profile with Component Reflexes, Respiratory-Area 13 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x25 82785
LABCORP	607090	Allergen Profile with Component Reflexes, Respiratory-Area 14 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24 82785
LABCORP	607095	Allergen Profile with Component Reflexes, Respiratory-Area 15 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607005	Allergen Profile with Component Reflexes, Respiratory-Area 16 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	606990	Allergen Profile with Component Reflexes, Respiratory-Area 17 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	606980	Allergen Profile with Component Reflexes, Respiratory-Area 18 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	606985	Allergen Profile with Component Reflexes, Respiratory-Area 19 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	607111	Allergen Profile with Component Reflexes, Respiratory-Area 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	607120	Allergen Profile with Component Reflexes, Respiratory-Area 20 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	607100	Allergen Profile with Component Reflexes, Respiratory-Area 3 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607022	Allergen Profile with Component Reflexes, Respiratory-Area 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	607099	Allergen Profile with Component Reflexes, Respiratory-Area 5 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x27
LABCORP	607115	Allergen Profile with Component Reflexes, Respiratory-Area 6 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607125	Allergen Profile with Component Reflexes, Respiratory-Area 7 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	607020	Allergen Profile with Component Reflexes, Respiratory-Area 8 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	607105	Allergen Profile with Component Reflexes, Respiratory-Area 9 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	602627	Allergen Profile with Total IgE, Respiratory-Area 1 States: CT, MA, ME, NH, NJ, NY, PA, RI, and VT Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	602640	Allergen Profile with Total IgE, Respiratory-Area 10 States: OK and TX Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	602641	Allergen Profile with Total IgE, Respiratory-Area 11 States: AZ Mountains, CO, ID Mountains, NM, UT Mountains and WY Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25
LABCORP	603719	Allergen Profile with Total IgE, Respiratory-Area 12 States: Southern AZ desert area and Southern CA desert area Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	602643	Allergen Profile with Total IgE, Respiratory-Area 13 State: South CA coastal area Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25
LABCORP	602644	Allergen Profile with Total IgE, Respiratory-Area 14 State: Central CA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24 82785
LABCORP	602638	Allergen Profile with Total IgE, Respiratory-Area 15 States: NV and Southern ID Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	602645	Allergen Profile with Total IgE, Respiratory-Area 16 States: Central and Eastern WA and OR Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x22 82785
LABCORP	602985	Allergen Profile with Total IgE, Respiratory-Area 17 States: Northwest CA, WA, and Western OR Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	602986	Allergen Profile with Total IgE, Respiratory-Area 18 State: AK Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x16 82785
LABCORP	606600	Allergen Profile with Total IgE, Respiratory-Area 19 State: Puerto Rico Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	606601	Allergen Profile with Total IgE, Respiratory-Area 20 State: Hawaii Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	602629	Allergen Profile with Total IgE, Respiratory-Area 3 States: GA, Northern FL, and SC Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	606599	Allergen Profile with Total IgE, Respiratory-Area 4 State: FL, South of Orlando Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602632	Allergen Profile with Total IgE, Respiratory-Area 5 States: IN, KY, OH, TN, and WV Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27 82785
LABCORP	602633	Allergen Profile with Total IgE, Respiratory-Area 6 States: AL, AR, LA, and MS Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23 82785
LABCORP	602634	Allergen Profile with Total IgE, Respiratory-Area 7 States: MI, MN, and WI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	602635	Allergen Profile with Total IgE, Respiratory-Area 8 States: IA, IL, and MO Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	602639	Allergen Profile with Total IgE, Respiratory-Area 9 States: KS, ND, NE, and SD Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23 82785
LABCORP	607144	Allergen Profile, (Pediatric) with Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room Temperature	82785 86003 x25
LABCORP	660423	Allergen Profile, Basic Food Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005 86003 x9
LABCORP	672483	Allergen Profile, Birch Pollen Related Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	603972	Allergen Profile, Brazil Nut, IgE with Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	607021	Allergen Profile, Cat and Dog, IgE, with Reflex toComponents Container:Red-top tube or gel-barrier tube	86003 x2
LABCORP	607016	Allergen Profile, Cat, Dog and Horse, IgE with ComponentReflex Container:Red-top tube or gel-barrier tube	86003 x3
LABCORP	606650	Allergen Profile, Cat, IgE With Component Reflex Container:Gel-barrier tube Temperature:Room temperature	86003
LABCORP	606659	Allergen Profile, Dog, IgE With Component Reflex Container:Gel-barrier tube Temperature:Room temperature	86003
LABCORP	604783	Allergen Profile, Food IgE II With Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x19
LABCORP	603834	Allergen Profile, Food with Components Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	648014	Allergen Profile, Food-Basic Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	603857	Allergen Profile, Food-Basic with Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	600973	Allergen Profile, Food-Berry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	600981	Allergen Profile, Food-Citrus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	601013	Allergen Profile, Food-Fish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	601872	Allergen Profile, Food-Fruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	601633	Allergen Profile, Food-Grain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	600999	Allergen Profile, Food-Legume Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	602284	Allergen Profile, Food-Meat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	601856	Allergen Profile, Food-Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x3 86003 x3
LABCORP	671926	Allergen Profile, Food-Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	062695	Allergen Profile, Food-Shellfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	600020	Allergen Profile, Food-Spices Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	601831	Allergen Profile, Food-Vegetable I Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	601823	Allergen Profile, Food-Vegetable II Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	604734	Allergen Profile, Hazelnut, IgE With Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	606656	Allergen Profile, Horse, IgE With Component Reflex Container:Gel-barrier tube Temperature:Room Temperature	86003
LABCORP	671871	Allergen Profile, Hymenoptera Profile 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	604771	Allergen Profile, IgE (Pediatric) With Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x25
LABCORP	670654	Allergen Profile, Latex Related Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	649749	Allergen Profile, Mini Panel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	062448	Allergen Profile, Mold Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	672478	Allergen Profile, Mugwort Pollen Related Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	604764	Allergen Profile, Nut, IgE With Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	671935	Allergen Profile, Pediatric, Birth to Three Years Container:Red-top tube or gel-barrier tube	86003 x5

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	062497	Allergen Profile, Perennial Allergen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x19
LABCORP	672486	Allergen Profile, Ragweed Related Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	676510	Allergen Profile, Regional Allergen Zone 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	676601	Allergen Profile, Regional Allergen Zone 10 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27
LABCORP	676619	Allergen Profile, Regional Allergen Zone 11 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27
LABCORP	676627	Allergen Profile, Regional Allergen Zone 12 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27
LABCORP	676635	Allergen Profile, Regional Allergen Zone 13 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	676643	Allergen Profile, Regional Allergen Zone 14 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	676650	Allergen Profile, Regional Allergen Zone 15 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	676668	Allergen Profile, Regional Allergen Zone 16 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x32
LABCORP	676676	Allergen Profile, Regional Allergen Zone 17 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	676684	Allergen Profile, Regional Allergen Zone 18 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x25
LABCORP	650820	Allergen Profile, Regional Allergen Zone 19 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30
LABCORP	676528	Allergen Profile, Regional Allergen Zone 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30
LABCORP	676536	Allergen Profile, Regional Allergen Zone 3 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	676544	Allergen Profile, Regional Allergen Zone 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	676551	Allergen Profile, Regional Allergen Zone 5 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	676569	Allergen Profile, Regional Allergen Zone 6 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	676577	Allergen Profile, Regional Allergen Zone 7 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30
LABCORP	676585	Allergen Profile, Regional Allergen Zone 8	86003 x30

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	676593	Allergen Profile, Regional Allergen Zone 9 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	062463	Allergen Profile, Seasonal Allergen, Fall - Weed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x13
LABCORP	062489	Allergen Profile, Seasonal Allergen, Spring - Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	062471	Allergen Profile, Seasonal Allergen, Summer - Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	604600	Allergen Profile, Walnut, IgE With Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	606024	Allergens (10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	601639	Allergens (11) Inhalants/Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	601803	Allergens (11) Trees Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	605800	Allergens (11) Trees Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	605803	Allergens (12) Weeds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	603868	Allergens (14) Grasses Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x14
LABCORP	605922	Allergens (15) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	604544	Allergens (15) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	605801	Allergens (17) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x17
LABCORP	604907	Allergens (19) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x19
LABCORP	606948	Allergens (19) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	NOOPT
LABCORP	604813	Allergens (20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	605796	Allergens (21) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x21
LABCORP	605985	Allergens (22) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x22

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	601035	Allergens (23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	601635	Allergens (24) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	606025	Allergens (28) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x28
LABCORP	605786	Allergens (29) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	605853	Allergens (3) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	605867	Allergens (30) Inhalants Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30
LABCORP	605797	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	605932	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	606443	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	606264	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	605794	Allergens (35) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x35
LABCORP	605793	Allergens (36) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x36
LABCORP	605651	Allergens (37) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	NOCPT
LABCORP	604921	Allergens (37) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x37
LABCORP	603896	Allergens (4) Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	604800	Allergens (4) Shellfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	604633	Allergens (5) Trees Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	604646	Allergens (5) Weeds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	604574	Allergens (6) Seafood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	604567	Allergens (7) Nuts Container:Red-top tube or gel-barrier tube	86003 x7

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	604526	Allergens (7) Seafood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	604894	Allergens (8) Molds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	606312	Allergens (8) Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	605795	Allergens (9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	605799	Allergens (9) Grasses Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	604821	Allergens (9) Mini Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	603858	Allergens Profile Plus IgE (Pediatric) with ComponentReflexes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	602797	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	600815	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672844	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672786	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672332	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672334	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	605819	Allergens(10)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672850	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	672860	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	671652	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	671758	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	600600	Allergens(11) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	600820	Allergens(12)	86003 x12

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	600160	Allergens(12) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	645176	Allergens(12) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	670967	Allergens(13) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x13
LABCORP	601283	Allergens(15) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	605814	Allergens(15)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	600243	Allergens(18) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x18
LABCORP	603417	Allergens(19) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x19
LABCORP	602417	Allergens(2) (Animals) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x2
LABCORP	066050	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 86003 x19
LABCORP	670726	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	670475	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	656702	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	600199	Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	600398	Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	603147	Allergens(24) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	672167	Allergens(24) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	673430	Allergens(26) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	605817	Allergens(29)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	605807	Allergens(35)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x35

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	673171	Allergens(4) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	644666	Allergens(4) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	647417	Allergens(4) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	607366	Allergens(4) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	641696	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	641704	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	641712	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	642702	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	674010	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	699553	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	672748	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	602904	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	602920	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	602946	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	672328	Allergens(6) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	673208	Allergens(6) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	672189	Allergens(7) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	670805	Allergens(7) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	604862	Allergens(7)Peanutw/Components Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x6 86003
LABCORP	672268	Allergens(8) Container:Red-top tube or gel-barrier tube	86003 x8

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	672195	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	672208	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	672866	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	671797	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	645234	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	672912	Allergens(9) Nut Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	601406	Allergens(9) Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	601404	Allergens(9) Shellish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	607660	Allergic Bronchopulmonary Aspergillosis (ABPA) Profile I Container:Gel-barrier tube Temperature:Room Temperature	82785 86606 86003
LABCORP	607635	Allergic Bronchopulmonary Aspergillosis (ABPA) Profile II Container:Gel-barrier tube, Lavender Top (EDTA) tube Temperature:Room Temperature	82785 86606 86003 85025
LABCORP	806262	Allergic Bronchopulmonary Aspergillosis Panel II Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86331 82785 86001 86003
LABCORP	602988	Allergy Profile Plus, IgE (Pediatric) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	167160	Allo-Crossmatch Container:Donor sample: Yellow-top (ACD) tube (solution A or B). Recipient sample: Red-top tube or gel-barrier tube Temperature:Maintain whole blood and serum at room temperature. Donor specimens should be analyzed within 72 hours of collection. Recipient serum may be stored at 4 degrees Celsius for one week or at -20 degrees Celsius indefinitely.	86825
LABCORP	202125	Allopurinol + Metabolite Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room Temperature: 30 days Refrigerated: 30 days Frozen: 30 days	80299
LABCORP	316102	AIP, Total W/Rfx To Isoenzymes Container:Gel-barrier tube or red top tube.	84075
LABCORP	620046	Alpha Aminoacidipic Semialdehyde (Urine) Container:Sterile cup Temperature:Freeze as soon as possible after collection; Ships with 24 hours	82542
LABCORP	823936	Alpha Fetoprotein, Body Fluid Container:Sterile container Temperature:Refrigerated	86316
LABCORP	140269	Alpha Subunit, Free (Endocrine Sciences) Container:Serum from gel-barrier tube, Serum from red top tube, OR Serum from transfer tube Temperature:FREEZE	83520
LABCORP	123260	Alpha(1)-Antitrypsin Deficiency Profile Container:Red-top tube or gel-barrier tube AND lavender-top (EDTA) tube Temperature:SERUM: Refrigerate; stable refrigerated for 14 days; WHOLE BLOOD: Room temperature;	81332 82103

LAB	CODE	TEST NAME	CPT4 CODE
		stable at room temperature for 14 days	
LABCORP	095653	Alpha(1)-Antitrypsin Phenotyping Container:Red-top tube, gel-barrier tube Temperature:Room temperature	82103 82104
LABCORP	123045	Alpha-1-Acid Glycoprotein Container:Red-top tube, gel-barrier tube, OR green-top (heparin) tube Temperature:Room temperature	83883
LABCORP	511881	Alpha-1-Antitrypsin Deficiency, DNA Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube, sterile plastic conical tube OR two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81332
LABCORP	501174	Alpha-2 Antiplasmin Assay Container:Blue-top (sodium citrate) tube Temperature:Freeze	85410
LABCORP	117739	Alpha2-Antiplasmin Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85410
LABCORP	122135	Alpha-2-Macroglobulin, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	83883
LABCORP	017319	Alpha-Fetoprotein (AFP) Tetra Profile Container:Gel-barrier tube Temperature:Room temperature	86336 84702 82105 82677
LABCORP	141300	Alpha-Fetoprotein (AFP) with AFP L3%, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82107
LABCORP	480300	Alpha-Fetoprotein (AFP) with AFP L3%, Serum (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82107
LABCORP	510305	Alpha-Fetoprotein (AFP), AChE, Amniotic Fluid With Reflexto Fetal Hemoglobin (Hb F) Container:Sterile plastic conical tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature:Ship and maintain specimen at room temperature.	82013 82106
LABCORP	002428	Alpha-Fetoprotein (AFP), Amniotic Fluid Container:Sterile plastic tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature:Ship and maintain specimen at room temperature	82106
LABCORP	010801	Alpha-Fetoprotein (AFP), Maternal Serum for Open SpinaBifida Container:Gel-barrier tube Temperature:Room temperature	82105
LABCORP	650003	Alpha-Gal IgE Panel Container:Red-top tube or gel-barrier tube Temperature:Room Temperature	82785 86008 86003 x3
LABCORP	080291	Alpha-Galactosidase Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82657
LABCORP	252225	alpha-Galactosidase A Deficiency (Full Gene Sequencing) Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube; sterile plastic conical tube; OR two confluent T25 flasks for fetal testing Temperature:Maintain specimen at room temperature	81405
LABCORP	252230	alpha-Galactosidase A Deficiency (Known Mutation) Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube; sterile plastic conical tube; OR two confluent T25 flasks for fetal testing Temperature:Maintain specimen at room temperature	81403
LABCORP	402388	Alpha-Galactosidase A Deficiency, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	82657
LABCORP	830690	Alpha-L-Iduronidase, Leukocyte Container:Yellow-Top (ACD) Tube Solution B or Lavender Top (EDTA) Temperature:Refrigerated Stability: Room temperature: 72 hours Refrigerated: 4 days	82657

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	511172	Alpha-Thalassemia, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube, OR two confluent T-25 flasks for fetal testing Temperature:Maintain at room temperature or refrigerate at 4(degrees)C	81257
LABCORP	222786	AIPISO+GGT+AFP+CEA+HBSAG+HB... Container:Gel-barrier tube is preferred. Red top tube is acceptable AND lavender-stopper (EDTA) tube. Temperature:Refrigerate	84075 82105 84080 82977 87340 82378 87350
LABCORP	222729	AIPISO+PSA+PAP Container:Gel-barrier tube is preferred. Red top tube is acceptable.	84075 84066 84080 84153
LABCORP	713511	Alprazolam Conf, MS, UR Container:Plastic urine container Temperature:Refrigerate	80346
LABCORP	842039	Alprazolam, Serum or Plasma Container:Red-top tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	809663	Alprazolam, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature For storage beyond 3 days, specimen should be refrigerated or frozen. Specimen is stable for eight days at room temperature or refrigerated, and for 19 days frozen.	80346
LABCORP	910536	Alt. Amphetamines Scr RFLX	80307
LABCORP	831782	Alternative Pathway Activity Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	083915	Aluminum, Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services. Temperature:Maintain specimen at room temperature Stability undetermined	82108
LABCORP	071548	Aluminum, Plasma or Serum Container:Royal blue-top (EDTA) tube OR royal blue-top without EDTA Temperature:Maintain specimen at room temperature.	82108
LABCORP	810721	Aluminum, RBC Container:Royal Blue top tube (Trace metal-free; EDTA)	82108
LABCORP	071555	Aluminum, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 82108
LABCORP	316073	AMA+ASMA+LKM Ab Container:Gel Barrier Tube	86381 86376 86015
LABCORP	808399	Amantadine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	828267	Amaranth - BasoFunction HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	006874	Amebiasis Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86753
LABCORP	034314	Amenorrhea Panel III Container:Gel-barrier tube is preferred. Red top tube is acceptable.	83001 82670 83002 84403
LABCORP	034306	Amenorrhea Panel IV Container:One 7 mL serum-separator tube Temperature:Refrigerate	83001 82670 84146 83002
LABCORP	031138	Amenorrhea Profile Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Refrigerate	83001 84146 83002
LABCORP	501064	Amenorrhea Profile (Endocrine Sciences) Container:Gel-barrier tube or red-top tube	83001 82670 84146 83002

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	
LABCORP	903700	American Cheese, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	007203	Amikacin Random, Serum Container:Red-top tube or green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room temperature	80150
LABCORP	007204	Amikacin, Serum, Peak Container:Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80150
LABCORP	717330	Amikacin, Serum, Peak and Trough Container:Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80150 x2
LABCORP	007205	Amikacin, Serum, Trough Container:Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80150
LABCORP	700200	Amino Acid Profile, Glycine Encephalopathy, Plasma andCerebrospinal Fluid Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube AND CSF: plastic transport tube, no preservative. ACCEPTABLE: Frozen plasma from green-top (lithium heparin) tube, frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Plasma: Centrifuge, remove plasma from cells, and FREEZE immediately, CSF: FREEZE immediately.	82136
LABCORP	700180	Amino Acid Profile, Quantitative, CSF Container:Plastic transport tube Temperature:FREEZE	82139
LABCORP	700068	Amino Acid Profile, Quantitative, Plasma Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. ACCEPTABLE: Frozen plasma from green-top (lithium heparin) tube, frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82139
LABCORP	700140	Amino Acid Profile, Quantitative, Urine Container:Plastic urine container without preservative Temperature:FREEZE	82139
LABCORP	007351	Aminolevulinic Acid, Delta, Random Urine Container:Plastic urine container with 0.5 mL of 30% acetic acid AND AMBER plastic frozen transport tube and cap (LabCorp No. 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. NOTE: Urine is NOT stable preserved with sodium carbonate. It is stable for one month when preserved with 30% acetic acid and frozen (-20(degrees)C to 0(degrees)C), or stable for three days with 30% acetic acid when refrigerated (2(degrees)C to 8(degrees)C).	82135
LABCORP	702891	Amiodarone (Cordarone), Serum or Plasma Container:Red-Top Tube, Lavender Top (EDTA) Tube OR Green-Top (Heparin) Tube. Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80151
LABCORP	764225	Amitriptyline Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	007476	Amitriptyline Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	211394	Amlodipine (Norvasc) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	738530	Amobarbital, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80345
LABCORP	808188	Amoxapine and 8-Hydroxyamoxapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	827245	Amoxicillin - BasoFunctio. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	805977	Amoxicillin IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	816458	Amoxicillin Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	700876	AMP, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	808950	Amphetamine Class Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	074401	Amphetamine Screen and confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	791530	Amphetamine, Methamphetamine, MDMA, MDA, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80359 80324
LABCORP	737693	Amphetamine, Screen with Confirmation (w/reflex to D/Lmethamphetamine), Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737691	Amphetamine, Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	808580	Amphetamine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube, gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	737694	Amphetamines Conf, MS, UR Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80324
LABCORP	910990	Amphetamines Confirm, Exp, Ur	80359 80324
LABCORP	910790	Amphetamines Confirmation, Ur	80359 80324

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	791586	Amphetamines Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	701950	Amphetamines XR, ToxASSURE, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80326 80359
LABCORP	910551	Amphetamines, Scr w/Conf, Ur	80307
LABCORP	700925	Amphetamines, Screen with Reflex Confirmation, Serum Container:Red-top (no additive) tube; tubes with separator gels should not be used Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700523	Amphetamines, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80359 80324
LABCORP	821258	Amphiphysin Antibody, IgG Container:Gel-barrier tube Temperature:Refrigerated	83516
LABCORP	875387	Amphotericin B Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE	80299
LABCORP	805999	Ampicillin IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	123110	Amylase Isoenzymes Container:Red-top tube, gel-barrier tube, OR green-top (heparin) tube Temperature:Room temperature Stability: Room temperature for 7 days Refrigerated for 1 month	82150 x2
LABCORP	003298	Amylase, Urine 24hr Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82150
LABCORP	909208	Amyloid Beta-Protein Container:Lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	363290	ANA Container:Gel Barrier Tube	86038
LABCORP	520180	ANA 12 Plus Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038
LABCORP	520175	ANA 12 Plus Profile, Do All (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86147 x3 86376 86200 86431 86160 x2 86235 x6 86256 86225 86038
LABCORP	520299	ANA 12 Profile, Do All (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376 86160 x2 86235 x5 86256 86225 86038 86147 x3
LABCORP	520188	ANA Profile 12 (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038
LABCORP	253801	ANA+ANCA+MPO+PR3 Container:Gel Barrier Tube	83516 x2 86037 x3 86038
LABCORP	790348	Anabolic Steroids Screen and Confirmation, Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimen may also be frozen.	80307
LABCORP	791200	Anabolic Steroids Screen With Confirmation Plus Validity,Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimen may also be frozen. Specimen is stable for two weeks refrigerated, and two months frozen.	NOcpt
LABCORP	138172	Anaplasma phagocytophilum, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube	87798

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	520149	ANCA Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86036 83516 x2
LABCORP	303640	ANCA+Sca(IgA/G) Container:Gel Barrier Tube Temperature:Refrigerate	86671 x2 86037 x3
LABCORP	500881	Androstanediol Glucuronide (Endocrine Sciences) Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerated (preferred) or room temperature Stability: Room temperature up to 6 days Refrigerated up to 6 days Frozen up to 3 years	82154
LABCORP	039022	Androstenedione LCMS (2 Spec) Container:Red-top tube OR lavender-top (EDTA) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the steroid by the gel. Depending on the specimen volume and specimen time, the decrease in androstenedione level due to absorption may be clinically significant. Temperature:Refrigerate	82157 x2
LABCORP	039023	Androstenedione LCMS (3 Spec) Container:Red-top tube OR lavender-top (EDTA) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the steroid by the gel. Depending on the specimen volume and specimen time, the decrease in androstenedione level due to absorption may be clinically significant. Temperature:Refrigerate	82157 x3
LABCORP	500152	Androstenedione LCMS, (Endocrine Sciences) Container:Red-top tube only, lavender-top (EDTA) tube or green-top (heparin) tube; Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerate up to 7 days Frozen up to 4 years	82157
LABCORP	140758	Androstenedione, ACTH Stimulation Container:Red-top tube. Do NOT use a gel-barrier tube. The use of gel-barrier tubes is not recommended due to slow absorption of the steroid by the gel. Depending on the specimen volume and specimen time, the decrease in androstenedione level due to absorption may be clinically significant. Temperature:Refrigerate	82157 x2
LABCORP	504005	Androsterone, Serum, LCMS Container:Red-top tube (do not use gel-barrier tube) or lavender-top (EDTA) tube Temperature:FREEZE	82160
LABCORP	030577	Anemia Profile A Container:Gel-barrier tube AND lavender-top (EDTA) tube Temperature:Maintain serum and EDTA whole blood at room temperature.	85045 85025 83550 83540
LABCORP	042077	Anemia Profile B Container:Gel-barrier tube or transfer tube AND lavender-top (EDTA) tube Temperature:Maintain serum and EDTA blood at room temperature.	85045 85025 83550 83540 82746 82607 82728
LABCORP	706960	Anemia Profile, Megaloblastic, Serum Container:Red-top tube, gel-barrier tube OR green-top (heparin) tube Temperature:Room Temperature	82136 83918
LABCORP	716340	Anemia Profile, Megaloblastic, Urine Container:Plastic urine container Temperature:Refrigerate	82136 83918
LABCORP	511210	Angelman and Prader-Willi Syndromes, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate. Do NOT freeze.	81331
LABCORP	819016	Angiotensin I Container:Lavender-top (EDTA) tube Temperature:FREEZE	82164
LABCORP	002180	Angiotensin II Container:Lavender-top (EDTA) tube with Trasylo(R) Temperature:FREEZE	82163
LABCORP	805921	Anisakis IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	827237	Annatto Seed IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	816748	Ant Red IgE* Container:Gel-barrier tube Temperature:Refrigerate	86003
LABCORP	908800	Anti Neuronal Cell Ab, CSF Container:CSF (Cerebrospinal Fluid) Temperature:FREEZE Stability: Refrigerate up to 7 days Frozen	83520
LABCORP	908803	Anti Neuronal Cell Abs, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Refrigerate up to 7 days Frozen	83520
LABCORP	165750	Anti-68 kD (hsp-70) Antibodies, Western Blot Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84181
LABCORP	520163	Anti-Adrenal Antibodies by Indirect Fluorescent Antibody(IFA) (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86256
LABCORP	082024	Antiadrenal Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86255
LABCORP	500214	Anti-Annexin V IgG,IgM Container:Blue-top (sodium citrate) tube Temperature:Freeze	83516 x2
LABCORP	829857	Antibiotic Level Piperacillin Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 2 hours Refrigerate up to 24 hours Frozen up to 1 week	80299
LABCORP	829854	Antibiotic Level, Aztreonam Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 2 hours Refrigerate up to 24 hours Frozen up to 1 week	80299
LABCORP	006213	Antibody Identification Container:Lavender-top (EDTA) tube. DO NOT USE A GEL-BARRIER TUBE. Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze.	86870
LABCORP	520147	Anti-C1Q Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520311	Anti-Carbamylated Protein (CarP) Antibody Container:Red-Top Tube; Serum from Red Top Tube; Serum from a Gel Tube; OR Serum Gel Tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520008	Anti-CCP (Cyclic Citrullinated Peptide) Antibodies, IgG andIgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86200
LABCORP	520065	Anti-Centromere Ab (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86256
LABCORP	520133	Anti-CEP-1 Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520063	Anti-Chromatin Ab, IgG (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86235
LABCORP	012580	Antichromatin Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86235
LABCORP	520061	Anti-cN-1A Ab (NT5c1A) IBM (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube	83516

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Store frozen or refrigerated.	
LABCORP	822972	Anticoagulant Poisoning Panel (Qualitative), Serum/Plasma Container:Red-top, lavender (EDTA) tube	80377
LABCORP	505430	Anti-Contactin-Associated Protein-2 (CASPR2), Serum Container:Gel-barrier tube, Red top tube, Serum Gel tube, Serum Transfer Tube Temperature:Room temperature	86255
LABCORP	034298	Anticonvulsant Drugs, Serum Container:Red-top tube or green-top (heparin) tube. Transfer separate serum or plasma to a plastic transport tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room temperature up to 24 hours; refrigerate thereafter	80184 80164 80156 80188 80185
LABCORP	007914	Anticonvulsant Profile Container:Red-stopper tube or lavender-stopper (EDTA plasma) tube or green-stopper (heparinized plasma) tube. Transfer separated serum or plasma to a plastic transport tube. Do not use a serum-separator tube; the use of serum-separator tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant.	80184 80188 80185
LABCORP	520313	Anti-Dense Fine Speckled Protein 70 kDa (DFS70) Ab Container:Red-Top Tube; Serum from Red Top Tube; Serum from a Gel Tube OR Serum Gel Tube Temperature:Refrigerate or FREEZE	83516
LABCORP	791490	Antidepressant Drug Profile, Quantitative Serum, Plasma,or Whole Blood Container:Serum or plasma: Red-top tube or green-top (heparin) tube, gel-barrier tubes are NOT recommended. Whole blood: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80337 80333 80369
LABCORP	790702	Antidepressant Drug Profile, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80334 80337 80338
LABCORP	046557	Antidiuretic Hormone (ADH) Profile Container:Gel-barrier tube AND lavender top (EDTA) tube Temperature:FREEZE plasma immediately. Refrigerate serum	83930 84588
LABCORP	819169	Anti-Diuretic Hormone, Urine Container:Plastic urine container Temperature:Freeze	84588
LABCORP	520059	Anti-dsDNA (Double-stranded) Ab by Farr method (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86225
LABCORP	520026	Anti-EJ Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520174	Anti-ENA Abs (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235 x2
LABCORP	520301	Anti-ENA6 Plus DFS70Ab Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516 86235 x6
LABCORP	006338	Antiextractable Nuclear Antigens Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86235 x2
LABCORP	520295	Anti-Fodrin Antibodies, IgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520134	Anti-Fodrin Antibodies, IgG & IgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516 x2
LABCORP	520290	Anti-Fodrin Antibodies, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	183181	Antifungal Suscep 4 Drugs Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, etc.)	87186
LABCORP	183119	Antifungal Susceptibility Testing, 9 Drug Panel Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	182329	Antifungal Susceptibility Testing, Amphotericin Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	180968	Antifungal Susceptibility Testing, Amphotericin B andKetoconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	181362	Antifungal Susceptibility Testing, Amphotericin B andVoriconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	180976	Antifungal Susceptibility Testing, Amphotericin B,Ketoconazole, Voriconazole, and Caspofungin Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	183483	Antifungal Susceptibility Testing, Anidulafungin Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate). Temperature:Maintain specimen at room temperature.	87186
LABCORP	183491	Antifungal Susceptibility Testing, Caspofungin Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	182220	Antifungal Susceptibility Testing, Fluconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	181768	Antifungal Susceptibility Testing, Fluconazole, Flucytosine,and Itraconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	182428	Antifungal Susceptibility Testing, Flucytosine Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	182436	Antifungal Susceptibility Testing, Itraconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	182758	Antifungal Susceptibility Testing, Ketoconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	183509	Antifungal Susceptibility Testing, Micafungin Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate). Temperature:Maintain specimen at room temperature	87186
LABCORP	183517	Antifungal Susceptibility Testing, Posaconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc) Temperature:Maintain specimen at room temperature	87186
LABCORP	183525	Antifungal Susceptibility Testing, Voriconazole Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, chocolate, etc)	87186

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature	
LABCORP	520137	Anti-Glomerular Basement Membrane Antibodies (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520139	Anti-GP-210 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	700535	ANTI HISTAMINES, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80377
LABCORP	520141	Anti-Histone Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	012518	Antihistone Antibodies Container:Red-top tube or serum gel tube Temperature:Maintain specimen at room temperature.	86235
LABCORP	520057	Anti-HMGCR Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	808999	Anti-Hu Antibodies, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Maintain specimen at room temperature Stability: Room temperature up to 5 days Frozen up to 1 year	86255
LABCORP	505240	Anti-Hu, Ri, Yo Antibody Profile, Serum Container:Serum from a Red Top Tube, Gel-barrier Tube, Serum Transfer tube Temperature:Room Temperature	86255 x3
LABCORP	805243	Anti-IgE* Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	83516
LABCORP	520032	Anti-J0-1 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520030	Anti-Ku Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520320	Anti-La (SS-B) Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	505355	Anti-Leucine-Rich, Glioma-Inactivated Protein 1 (LGI1),Serum Container:Gel-barrier tube, Red top tube, Serum Gel tube, Serum Transfer Tube Temperature:Room temperature	86255
LABCORP	520087	Anti-Liver/Kidney Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376
LABCORP	520002	Anti-MDA-5 Ab (CADM-140)(RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520000	Anti-Mi-2 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520103	Anti-Mitochondrial Ab by IFA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86381
LABCORP	520117	Anti-Mitochondrial M2 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86381
LABCORP	819066	Antimony, Blood Container:Royal-blue (trace metal free EDTA) tube Temperature:Refrigerate	83018

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	071605	Antimony, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	83018
LABCORP	520297	Anti-MPO Ab (RDL) Container:Red-Top tube OR Gel Barrier Tube Temperature:Refrigerate or Freeze	83516
LABCORP	140120	Anti-Myelin Associated Glycoprotein (MAG) IgM Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	505310	Anti-Myelin Oligodendrocyte Glycoprotein (MOG), Serum Container:Serum from a Red Top Tube, Gel-barrier Tube, Serum Transfer tube Temperature:Room Temperature	86362
LABCORP	085910	Antimyocardial Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86256 x2
LABCORP	520090	Anti-Neutrophil Cytoplasmic Ab (ANCA) by IndirectImmunofluorescence (IFA), (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86036
LABCORP	162388	Antineutrophil Cytoplasmic Antibodies (ANCA) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86037 x3
LABCORP	163061	Antineutrophil Cytoplasmic Antibody (ANCA) Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86037 x3 83516 x2
LABCORP	505375	Anti-N-methyl-D-Aspartate Receptor (NMDAR), Serum Container:Serum from a Gel-barrier Tube, Serum from a Red Top Tube, Gel-Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	86255
LABCORP	806596	Antinuclear Ab IgG ELISA Fluid Container:Sterile container Temperature:Refrigerate	86038
LABCORP	164920	Antinuclear Antibodies (ANA) Profile, 11 biomarkers, byMultiplex Immunoassay, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70,Chromatin, Jo-1, Centromere B, Sm/RNP, Ribosomal P Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516 86235 x9 86225
LABCORP	165092	Antinuclear Antibodies (ANA) Profile, 9-biomarkers, byMultiplex Immunoassay, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70,Chromatin, Jo-1, Centromere B Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86235 x8 86225
LABCORP	382965	Antinuclear Antibodies (ANA), by IFA, Reflex to 11-biomarkerprofile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin, Centromere B, Sm/RNP, Ribosomal P by Multiplex Immunoassay Container:Gel-Barrier Tube Temperature:Room temperature	86038
LABCORP	340897	Antinuclear Antibodies (ANA), by IFA, Reflex to9-biomarker profile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70,Chromatin, Jo-1, Centromere B by Multiplex Immunoassay Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86038
LABCORP	164962	Antinuclear Antibodies (ANA), by Multiplex Immunoassay,Reflex to 5-biomarker profile (ENA), dsDNA, RNP, Sm, SS-A,SS-B Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86038
LABCORP	164863	Antinuclear Antibodies (ANA), by Multiplex Immunoassay,Reflex to 9-biomarker profile, dsDNA, RNP, Sm, SS-A, SS-B,Scl-70, Chromatin, Jo-1, Centromere B Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86038
LABCORP	164855	Antinuclear Antibodies (ANA), Qualitative, by MultiplexImmunoassay Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86038
LABCORP	520145	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA), Cerebrospinal Fluid (RDL) Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate or FREEZE	86038

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520143	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA), Synovial Fluid (RDL) Container:Transport tube or other container Temperature:Refrigerate or FREEZE	86038
LABCORP	520075	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA)(RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86038
LABCORP	520004	Anti-NXP-2 (P140) Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520028	Anti-OJ Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520158	Anti-Ovary Antibodies by Indirect Fluorescent Antibody (IFA)(RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86256
LABCORP	520119	Anti-Pancreatic Antibodies by Indirect Fluorescent Antibody(IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86255
LABCORP	006486	Antiparietal Cell Antibody Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	823192	Antiphosphatidic Acid Container:Red-top tube Temperature:FREEZE. (NO FREEZE THAW CYCLES PERMITTED) Stability: Refrigerate up to 14 days Frozen up to 30 days	83520 x3
LABCORP	823440	Anti-Phosphatidyl Panel 3 Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520 x15
LABCORP	823214	Antiphosphatidyl-choline Container:Red-top tube Temperature:FREEZE. (NO FREEZE THAW CYCLES PERMITTED) Stability: Refrigerate up to 14 days Frozen up to 30 days	83520 x3
LABCORP	823210	Antiphosphatidyl-ethanolamine Container:Red-top tube Temperature:Freeze. (NO FREEZE THAW CYCLES PERMITTED) Stability: Refrigerate up to 14 days Frozen up to 30 days	83520 x3
LABCORP	823212	Antiphosphatidyl-glycerol Container:Red-top tube Temperature:Freeze. (NO FREEZE THAW CYCLES PERMITTED) Stability: Refrigerate up to 14 days Frozen up to 30 days	83520 x3
LABCORP	823205	Antiphosphatidyl-inositol Container:Red-top tube Temperature:Freeze. (NO FREEZE THAW CYCLES PERMITTED) Stability: Refrigerate up to 14 days Frozen up to 30 days	83520 x3
LABCORP	117985	Antiphosphatidylserine, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86148 x2
LABCORP	117994	Antiphosphatidylserine, IgG, IgM, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86148 x3
LABCORP	504439	Anti-Phosphatidylserine/Prothrombin Complex, IgG Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86148
LABCORP	504438	Anti-Phosphatidylserine/Prothrombin Complex, IgG and IgM Container:Red-top tube, gel-barrier tube, OR blue-top (sodium citrate) tube Temperature:FREEZE	86148 x2
LABCORP	504440	Anti-Phosphatidylserine/Prothrombin Complex, IgM Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86148
LABCORP	378377	Antiphospholipid Antibody Pnl	86146 x3 86147 x3

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Gel Barrier Tube	
LABCORP	117079	Antiphospholipid Syndrome Container:Blue-top (sodium citrate) platelet-free plasma tubes and red-top tube or gel-barrier tube Temperature:Plasma, FROZEN; serum, room temperature Stability: Serum: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days	86146 x2 86147 x2 85610 85613 85670 85598 85730
LABCORP	823302	Antiphosphotidyl Ab Panel I Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520 x6
LABCORP	823298	Antiphosphotidyl Abs Panel II Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520 x12
LABCORP	520006	Anti-PL-12 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520009	Anti-PL-7 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520007	Anti-PM/Scl-100 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520051	Anti-PM/Scl-75 Ab (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86235
LABCORP	520121	Anti-Proliferating Cell Nuclear Antibodies by IndirectFluorescent Antibody (IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86255
LABCORP	790740	Antipsychotic Drug Profile, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80344
LABCORP	809569	Antipsychotic Drug Profile, Whole Blood Container:Lavender-top (EDTA) tube, green-top (heparin) tube or gray-top (sodium fluoride) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature For storage beyond 3 days, specimen should be refrigerated or frozen.	80344
LABCORP	812362	Anti-PTH Antibody Container:Red-top tube Temperature:Maintain specimen at room temperature	83519
LABCORP	808993	Anti-Ri Antibodies, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Maintain specimen at room temperature Stability: Room temperature up to 5 days Frozen up to 1 year	86255
LABCORP	012700	Antiribosomal P Antibodies Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	520123	Anti-Ribosomal P Protein Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520021	Anti-RNA Polymerase III Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520010	Anti-Ro (SS-A) Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520081	Anti-Sa Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520011	Anti-SAE1 Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520012	Anti-Scl-70 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	082545	Antiskin Autoantibodies, Quantitative Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature.	86255
LABCORP	520013	Anti-Sm Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520131	Anti-Smooth Muscle Antibodies by Indirect FluorescentAntibody (IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86015
LABCORP	006668	Anti-Smooth Muscle/Mitochond. Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86015 86381
LABCORP	520114	Anti-Soluble Liver Ag Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520112	Anti-SP-100 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	808813	Anti-Spermatozoa Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Refrigerate up to 5 days Frozen up to 1 year	89325
LABCORP	520014	Anti-SRP Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520015	Anti-SS-A 52kD Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520193	Anti-Synthetase Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516 x4 86235
LABCORP	520016	Anti-Th/To Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	015057	Antithrombin (AT) Antigen (Immunologic) Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85301
LABCORP	015594	Antithrombin (AT) Deficiency Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85301 85300
LABCORP	500567	Antithrombin Antigen, Plasma Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerated up to 48 hours Room temperature up to 8 hours	85301
LABCORP	502343	Antithrombin Profile With Factor II Gene Mutation and FactorV Leiden Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube. Temperature:Stability: Whole blood: Room temperature Plasma: Freeze	85306 85300 85303 81240 81241 80503
LABCORP	520017	Anti-TIF-1gamma Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520018	Anti-TPO Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376
LABCORP	201959	Anti-TSH Autoantibody Container:Red-top tube Temperature:Refrigerate (Cool Pack)	83519
LABCORP	520034	Anti-U1 RNP Ab (RDL) Container:Red-top tube or gel-barrier tube	86235

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate or FREEZE	
LABCORP	520024	Anti-U2 RNP Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520019	Anti-U3 RNP Antibodies (Fibrillarin) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	808657	Anti-Yo Antibodies, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Maintain specimen at room temperature Stability: Room temperature (preferred) up to 5 days Frozen up to 1 year	86255
LABCORP	502180	APCR+AT3 Funct+Card(IgA/G/M... Container:Blue-top (sodium citrate), red-top tube, lavender-top (EDTA) tube OR yellow-top (ACD) tube. Temperature:Plasma and serum: FREEZE Whole blood: Maintain specimen at room temperature. Stability: Whole blood: Room temperature up to 7 days.	85305 83090 85730 85307 81400 85306 x2 86147 x3 85300 85303 85613 x2 81240 85598
LABCORP	503287	APCR+FIIDNA+FVDNA+Hexago Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) tube Temperature:Plasma: FREEZE Whole blood: Maintain specimen at room temperature.	81240 81241 85598 85307
LABCORP	504385	Apixaban Anti-Xa Container:Blue-top (3.2 % or 3.8% sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 6 hours Freeze/thaw cycle stable x6	85130
LABCORP	503935	Apo E Genotyping: Cardiovascular Risk Container:Lavender-top (EDTA) tube (PREFERRED) or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days	81401
LABCORP	504040	APOE Alzheimer's Risk Container:Lavender-top (EDTA) tube (preferred) or yellow-top (ACD) tube or buccal swab kit provided by LabCorp. Temperature:Maintain specimen refrigerated or at room temperature Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen: Unstable	81401
LABCORP	016873	Apolipoprotein A-1 Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	82172
LABCORP	216010	Apolipoprotein Assessment Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	82172 x2
LABCORP	167015	Apolipoprotein B Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	82172
LABCORP	167570	Apolipoprotein L1 Risk Variants Container:Lavender-top (EDTA) tube or gel-barrier tube Temperature:Room temperature	82542
LABCORP	503340	Append Venous Thromb w/o FVHR2 Container:Blue-top (sodium citrate) tube AND red-top tube Temperature:Plasma/serum: FREEZE	85250 85415 85270 83695 85384 85385
LABCORP	117199	APTT Mixing Studies Container:Blue top (sodium citrate) tube Temperature:Freeze	85732 x3 85730
LABCORP	503145	aPTTMx+dRVVT+PTMx+Reptil+TTMx Container:Blue-top (sodium citrate) tube Temperature:Freeze	85732 x3 85611 x2 85610 85613 x2 85670 x3 85635 85730
LABCORP	504373	aPTTMx+PT+PT Mix+APSPT(IgG/... Container:Blue-top (sodium citrate) tube AND red-top tube OR gel-barrier tube. Temperature:Plasma/serum: FREEZE	85613 x2 85670 x3 85730 86148 x2 85732 x2 86146 x3 85611 x2 86147 x2 85610
LABCORP	820427	Arbo Virus IgG Panel CSF Container:Sterile container Temperature:FREEZE	86651 86652 86789 86653 86654
LABCORP	820444	Arbo Virus IgG Panel Serum Container:Gel-barrier tube Temperature:FREEZE	86651 86652 86653 86654

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	820435	Arbo Virus IgM Panel CSF Container: Sterile container Temperature: FREEZE	86653 86654 86651 86788 86652
LABCORP	809671	Aripiprazole, Serum or Plasma Container: Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790530	Aromatic Solvents, Whole Blood Container: Green-top (heparin) tubes Temperature: Refrigerate; specimen may also be frozen.	84600
LABCORP	007045	Arsenic Exposure Profile, Urine Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	82570 82175
LABCORP	007245	Arsenic, Blood Container: Royal blue-top (EDTA) tube Temperature: Maintain specimen at room temperature.	82175
LABCORP	878483	Arsenic, Hair Container: Other (Miscellaneous) Tube Temperature: Maintain specimen at room temperature. Refrigerate and frozen is also acceptable.	82175
LABCORP	809383	Arsenic, Serum or Plasma Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82175
LABCORP	720847	Arsenic, Urine 24 Hr Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	82175
LABCORP	112185	Arterial Blood Gas	82803
LABCORP	826874	Artichoke IgE Container: Gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	402396	Arylsulfatase A Deficiency, Leukocytes Container: Yellow-top (ACD) tube Temperature: Refrigerate	82657
LABCORP	201752	Arylsulfatase A, Urine Container: Plastic urine container Temperature: Frozen coolant April - October. November - March refrigerate coolant	84311
LABCORP	818991	Ascaris IgG* Container: Red-top tube Temperature: Maintain specimen at room temperature.	86001
LABCORP	550180	ASH FibroSure(R) Container: Gel-barrier tube is preferred. Red top tube is acceptable. Temperature: Specimen can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours and frozen at -70(degrees)C for seven days. Frozen samples are stable for one freeze/thaw cycle.	82172 82247 83883 84450 84460 84478 82465 82977 82947 83010
LABCORP	333561	Ashkenazi Jewish Carrier Profile Container: Lavender-top (EDTA) tube AND yellow-top (ACD) tube Temperature: Refrigerate yellow-top tube. Maintain lavender-top tube at room temperature.	83080 81200 81220 81260
LABCORP	375920	Ashkenazi Jewish Carrier Profile Complete Container: Lavender-top (EDTA) tube AND yellow-top (ACD) tube Temperature: Maintain lavender-top (EDTA) tube at room temperature. Refrigerate yellow-top (ACD) tube.	81401 81400 x4 81200 81242 81220 81209 81250 81251 81260 81330 81290 81205 83080 81479
LABCORP	332859	Ashkenazi Jewish Carrier Profile Plus Container: Lavender-top (EDTA) tube AND yellow-top (ACD) tube Temperature: Refrigerate yellow-top (ACD) tube. Maintain lavender-top (EDTA) at room temperature.	83080 81200 81242 81220 81209 81251 81260 81330 81290
LABCORP	830700	Asialo-GM1 Antibodies, IgG/IgM Container: Gel-barrier tube Temperature: Refrigerate	83516 x5
LABCORP	243238	ASO+ADNase Container: Gel Barrier Tube, Serum Transfer Tube	86060 86215

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	800463	Aspergillus flavus IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	602471	Aspergillus fumigatus Antibody, IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	607550	Aspergillus fumigatus Antibody, IgG Container:Red-top tube or gel-barrier tube Temperature:Room Temperature	86606
LABCORP	660175	Aspergillus fumigatus Precipitating IgG Antibodies Container:One 8.5 mL red-top tube or one 8.5 mL gel-barrier tube Temperature:Room temperature	86602
LABCORP	183858	Aspergillus Galactomannan Antigen Detection, CerebrospinalFluid Container:Sterile screw-cap, leak proof container *CAUTION against submitting pour off specimens or specimens* sent in non-sterile conainers as this can lead to false positive results. Temperature:Storage: Refrigerate unopened at 2 - 8 degrees C for five days. After opening, store at 2 - 8 degrees C for 48 hours. Freeze at: -70 degrees C after five days. Stability testing will be performed by LabCorp in the future	87305
LABCORP	817258	Aspergillus Galactomannan(BAL) Container:Sterile container Temperature:Refrigerate	87305
LABCORP	821418	Aspergillus PCR Panel (BAL) Container:Sterile container	87798 x3
LABCORP	606846	Aspergillus Precipitating Antibodies, IgG Container:Serum from a Gel Tube Temperature:Room temperature	86606 x6
LABCORP	830641	Aspergillus Species by PCR Container:Sterile container Temperature:FREEZE	87798 x2
LABCORP	806194	Aspergillus versicolor IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	502310	Aspirin Response Container:Blue-top (sodium Citrate) tube Temperature:Maintain specimen at room temperature Stability: Room temperature for up to 1 hour	NOcpt
LABCORP	501620	AspirinWorks(TM) (11-Dehydro Thromboxane B2) Container:Urine collection cup and transfer tube with preservative. Recommend transfer tubes with preservative including BD C&S Vacutainer(R) tubes, or BD UAP Vacutainer(R) tubes (Becton, Dickenson), or Aspirin Works TM tubes containing Chlorstat tablets. Order through People Soft #23711. Temperature:Freeze on arrival (at LabCorp) Stability: Refrigerated for 24 hours	82570 84431
LABCORP	808369	Atenolol, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790640	Atomoxetine (Strattera(R)), Serum Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for three days at room temperature, for seven days refrigerated, and for six months frozen.	80299
LABCORP	802435	Atovaquone, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 15 days Refrigerate up to 15 days Frozen up to 15 days	80299
LABCORP	082990	Atropine Container:Red-top tube, lavender-top (EDTA) tube or pink-top tube Temperature:Refrigerate	80299
LABCORP	817278	Atypical Pneumonia PCR (BAL) Container:Sterile container Temperature:Maintain specimen at room temperature.	87486 87581
LABCORP	167145	Auto-Crossmatch Container:Donor sample: Yellow-top (ACD) tube (solution A or B) Recipient sample: Red-top tube or	86825

LAB	CODE	TEST NAME	CPT4 CODE
		gel-barrier tube Temperature:Maintain whole blood and serum at room temperature. Specimens should be analyzed within 72 hours of collection. Serum may be stored at 4 degrees Celsius for one week or at -20 degrees Celsius indefinitely.	
LABCORP	505614	Autoimmune Axonal Neuropathy Profile Container:Gel Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	84182 86255 x18 86341
LABCORP	505573	Autoimmune Dementia Profile Container:Gel Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	86255 x18 86341
LABCORP	505490	Autoimmune Epilepsy Evaluation Profile Container:Gel Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	86255 x21 86341
LABCORP	520197	Autoimmune Liver Disease Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86036 83516 86235 86038 86381 86376
LABCORP	505592	Autoimmune Myelopathy Profile Container:Gel Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	84182 86051 86255 x15 86341 86362
LABCORP	505500	Autoimmune Neurology/Comprehensive Paraneoplastic Profile Container:Gel Barrier Tube, Serum Transfer Tube Temperature:Room Temperature	86255 x22 86341 86051 86596
LABCORP	520310	Autoimmune Neuromuscular Profile Container:Serum from a gel-barrier tube OR red-top tube Temperature:Refrigerate or FREEZE	83516 x3 86235
LABCORP	006973	Auto-Immune Panel I Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86038 86235
LABCORP	252532	Autoimmune Polyglandular Syndrome Type 1 (APS1/APECED):AIRE (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81406
LABCORP	252737	Autoimmune Polyglandular Syndrome Type 1 (ASP1/APECED): AIRE(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	006981	Autoimmune Profile Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperataure.	86160 86225 86038
LABCORP	811338	Azathioprine as 6-Mercaptopurine (6-MP), Serum or Plasma Container:Green-top (heparin) tube or red-top tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	857340	Azithromycin Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	830746	B Cell Subset Analysis Container:Lavender (EDTA) Tube	86355 86356 x6
LABCORP	821556	B. Burgdorferi Ab IgG IB (CSF) Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86617
LABCORP	821555	B. Burgdorferi Ab IgM IB (CSF) Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86617
LABCORP	823509	B. burgdorferi IgG/IgM Abs,CSF Container:Sterile container Temperature:FREEZE	86618 x2
LABCORP	850971	B/M Smr,Int, 1st Site	85097
LABCORP	236956	B19(IgG/M)+B19PCR Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube	87798 86747 x2
LABCORP	820600	Babesia duncani WA1 IgG IFA Container:Gel-barrier tube	86753

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	138315	Babesia microti Antibodies, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86753 x2
LABCORP	138318	Babesia microti, Real-time DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	383475	Babesia microtic+Ehrlichia/PCR Container:Lavender-top (EDTA) tube	87798 x3
LABCORP	238307	Babesia+HGE+HME+Lyme by PCR Container:Lavender-top (EDTA) tube	87798 x3 87476
LABCORP	808300	Baclofen, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for one day at room temperature, for seven days refrigerated, and for one year frozen.	80299
LABCORP	809635	Baclofen, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature For storage beyond 3 days, specimen should be refrigerated or frozen.	80369
LABCORP	180043	Bacterial Vaginosis (BV) and Candida, NAA, NuSwab(SM) Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87801 87798 x3
LABCORP	182709	Bacterial Vaginosis (Sialidase) and Vaginal Yeast (Culture) Container:Copan double swab in Amies liquid medium Temperature:Maintain specimen at room temperature for up to 48 hours. temperature for up to 72 hours.	87102 87905
LABCORP	182725	Bacterial Vaginosis (Sialidase), Chlamydia trachomatis,Neisseria gonorrhoeae, Trichomonas vaginalis, NAA, VaginalYeast Culture Container:Copan double swab in Amies liquid medium AND APTIMA(R) unisex swab transport Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87591 87661 87102 87491 87905
LABCORP	182717	Bacterial Vaginosis (Sialidase), Trichomonas vvaginalis,NAA, Vaginal Yeast Culture Container:Copan double swab in Amies liquid medium AND APTIMA(R) unisex swab transport. Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87661 87102 87905
LABCORP	180060	Bacterial Vaginosis, NAA Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87798 x3
LABCORP	180034	Bacterial Vaginosis, Sialidase Activity Container:Copan double swab in Amies liquid medium Temperature:Maintain specimen at room temperature for up to 48 hours. to 72 hours.	87905
LABCORP	809183	Barbiturate Class Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910558	Barbiturates Confirmation, Ur	80345
LABCORP	910512	Barbiturates Confirmation, Ur	80345
LABCORP	791532	Barbiturates Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:Refrigerate; specimen may also be frozen	80345
LABCORP	791558	Barbiturates Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	700877	Barbiturates, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700663	Barbiturates, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three	80307

LAB	CODE	TEST NAME	CPT4 CODE
		days, specimen should be refrigerated or frozen.	
LABCORP	811554	Barium, Serum or Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	811570	Barium, Urine Container:Metal-free plastic urine container or metal-free transfer tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	811562	Barium, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	163162	Bartonella Antibody Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate.	86611 x4
LABCORP	138350	Bartonella, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube. Temperature:Stable at room temperature or refrigerated for 14 days.	87471
LABCORP	829318	BasoFun.HRT-Propyphenazone Container:Green-top (sodium heparin) tube; submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	005363	Basophil Count, Absolute Container:EDTA Lavender Temperature:Room temperature up to 24 hours	85048
LABCORP	823508	Bass Black IgE Container:Gel-barrier tube Temperature:Room temperature	86003
LABCORP	115920	Bayer DCA Hb A1c Waived Container:Lavender-stopper (EDTA) tube Temperature:Maintain specimen at room temperature. Specimens must be tested within 24 hours.	83036
LABCORP	840696	Bb LEVEL Container:Lavender-top (EDTA) tube Temperature:Freeze	86160
LABCORP	284181	B-Cell CD20 Expression Container:Green-top (sodium heparin) tube; alternate lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 48 hours Refrigerate up to 48 hours	88187
LABCORP	481222	B-Cell Gene Rearrangements Profile, IgH and IgK Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube, FFPE tissue block or slides, or tissue in RPMI or frozen Temperature:Maintain blood, bone marrow or tissue in RPMI at 2(degrees)C -8(degrees)C, FFPE specimens at room temperature, tissue at -80(degrees)C	81264 81261
LABCORP	480716	B-Cell, IgH Gene Rearrangements Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube, FFPE tissue block or slides, tissue in RPMI or frozen Temperature:Maintain whole blood/bone marrow or tissue in RPMI at 2(degrees)C -8(degrees)C, FFPE specimens at room temperature, frozen tissue at -80(degrees)C.	81261
LABCORP	480812	B-Cell, IgK Gene Rearrangements Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube, FFPE tissue block or slides, or tissue in RPMI or frozen Temperature:Maintain whole blood, bone marrow or tissue in RPMI at 2(degrees)C -8(degrees)C, FFPE specimens at room temperature, frozen tissue at -80(degrees)C.	81264
LABCORP	480510	BCR-ABL1 Kinase Domain Mutation Analysis Container:Lavender-top (EDTA), green-top (sodium heparin) or yellow-top (ACD) tube Temperature:Ship at room temperature. If specimen must be stored prior to shipment, store at 2(degrees)C to 8(degrees)C.	81170
LABCORP	481544	BCR-ABL1 Transcript Detection for Chronic MyelogeneousLeukemia and Acute Lymphocytic Leukemia (ALL), Quantitative Container:Lavender-top (EDTA) tube, green-top (sodium heparin) tube OR yellow-top (ACD-A) tube Temperature:Submit at room temperature. If specimen has to be stored more than 48 hours, refrigerate at 2(degrees)C to 8(degrees)C.	81207

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	481552	BCR-ABL1 Transcript Detection for Chronic MyelogenousLeukemia and Acute Lymphocytic Leukemia (ALL), Quantitative Container:Lavender-top (EDTA) tube, green-top (sodium heparin) tube OR yellow-top (ACD-A) tube Temperature:Submit at room temperature. If specimen has to be stored more than 48 hours, refrigerate at 2(degrees)C to 8(degrees)C.	81206
LABCORP	480481	BCR-ABL1 Transcript Detection for Chronic MyelogenousLeukemia and Acute Lymphocytic Leukemia (ALL), Quantitative Container:Lavender-top (EDTA) tube, green-top (sodium heparin) tube OR yellow-top (ACD-A) tube Temperature:Submit at room temperature. If specimen has to be stored more than 48 hours, refrigerate at 2(degrees)C to 8(degrees)C.	81206 81207
LABCORP	805903	Beetle Berlin IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	790400	Benzene, Occupational Exposure, Blood Container:Green-top (heparin) tubes Temperature:Refrigerate; specimen may also be frozen	84600
LABCORP	723202	BENZENE,OCC EXP,EMERG EXAM, UR Container:Plastic urine container without preservative	84600
LABCORP	809624	Benzodiazepine Class Screen with Reflex Confirmation,Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	770510	Benzodiazepine Conf, Oral FI Container:Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80346
LABCORP	007898	Benzodiazepine Screen, Serum Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate	80346
LABCORP	791710	Benzodiazepine, Confirmation, Quantitative, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347
LABCORP	763910	Benzodiazepines and Metabolites Confirmation (LabCorpMedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature.	80346
LABCORP	791886	Benzodiazepines Confirmation, Quantitative, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347
LABCORP	806448	Benzodiazepines Confirm-Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80346
LABCORP	791540	Benzodiazepines Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910975	Benzodiazepines, Scr w/Conf, U	80307
LABCORP	700878	Benzodiazepines, Scr w/Conf,WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700533	Benzodiazepines, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347
LABCORP	803866	Benzotropine, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	830944	Beryllium Lymphocyte Prolif.WB Container:Green top (heparin) Temperature:Room temperature	86353
LABCORP	811745	Beryllium, Serum or Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	808540	Beryllium, Urine Container:Metal-free plastic urine container or metal-free transport tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	811752	Beryllium, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	231307	Beta 2(IgA/G/M)+Card(IgA/G/... Container:Blue Top (Sodium Citrate) Tube, Gel-Barrier Tube, Plasma Transfer Tube	86146 x3 86147 x3 85613
LABCORP	241712	Beta 2(IgA/G/M)+Card(IgG/M)... Container:Gel-Barrier Tube, AND Blue-top (sodium citrate) Tube	86147 x2 85613 86148 x3 85732 86146 x3
LABCORP	241902	Beta 2(IgG/M)+Card(IgG/M)+d... Container:Gel-Barrier Tube, Blue Top (Sodium Citrate) Temperature:See individual test components.	86146 x2 85611 86147 x2 85610 85613 85670 85732
LABCORP	505560	Beta Amyloid 42/40 Ratio, CSF Container:Sarstedt CSF Tube 62.610.018. Tube provided by Labcorp by request. Temperature:Refrigerate immediately (preferred), within 8 hours. Freeze on arrival (at Labcorp).	83520 x2
LABCORP	163915	Beta-2 Glycoprotein I Antibodies, IgA, IgG, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86146 x3
LABCORP	163882	Beta-2 Glycoprotein I Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86146
LABCORP	163908	Beta-2 Glycoprotein I Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86146
LABCORP	480020	Beta-2 Microglobulin (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82232
LABCORP	010173	Beta-2 Microglobulin, Urine Container:Plastic urine container (do not acidify) Temperature:Refrigerate	82232
LABCORP	829030	Beta-2 Transferrin Container:Sterile container Temperature:Refrigerate Stability: Room temperature: 2 weeks Refrigerate: 2 weeks Frozen: 2 weeks	86335
LABCORP	330173	Beta-2(IgG/A/M)+Card(IgG/A/... Container:One gel-barrier tube Temperature:Refrigerate	86148 x3 86146 x3 86147 x3
LABCORP	402370	Beta-Galactosidase Deficiency, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	82657
LABCORP	816477	Beta-hCG, CSF (Tumor) Container:Sterile container Temperature:Refrigerate	84702
LABCORP	207523	Betahydroxybutyric Acid, Urine Container:Plastic urine container Temperature:Refrigerate	82010
LABCORP	252823	Beta-Thalassemia: HBB (Full Gene Sequencing) Container:Lavender-top (EDTA) tube OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81364
LABCORP	252827	Beta-Thalassemia: HBB (Known Mutation)	81362

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Lavender-top (EDTA) tube or LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	
LABCORP	252867	Beta-Thalassemia: HBB Prenatal Test (Full Sequencing) Container: Sterile plastic conical tube or two confluent T-25 flasks for fetal testing; lavender top (EDTA) OR yellow-top (ACD) tube for blood. Temperature: Maintain specimen at room temperature or refrigerate at 4(degrees)C	81364
LABCORP	252870	Beta-Thalassemia: HBB Prenatal Test (Known Mutation) Container: Sterile plastic conical tube or two confluent T-25 flasks for fetal testing; lavender top (EDTA) OR yellow-top (ACD) tube for blood. Temperature: Maintain specimen at room temperature or refrigerate at 4(degrees)C	81362
LABCORP	825440	Bicarbonate (HCO3), Urine Container: Plastic urine bottle Temperature: FREEZE Stability: Frozen up to 1 month	82374
LABCORP	503640	Bile Acids, Fractionated and Total, LC/MS-MS Container: Red-top tube, gel-barrier tube, lavender-top (EDTA) tube, OR green-top (sodium heparin) tube Temperature: Refrigerate or FREEZE	82542
LABCORP	003228	Bile, Qualitative, Urine Container: Routine urinalysis tube, any clean urinalysis container, plastic urine container, BD urine transport tube, or sterile urine cup Temperature: Refrigerate	81005
LABCORP	205500	Bilirubin Fraction, Neonatal Container: Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature: Refrigerate	82248 82247
LABCORP	827969	Bilirubin, Total Body Fluid Container: Amber transfer tube Temperature: Refrigerate	82247
LABCORP	502338	Bioavailable + Free Testost. Container: Gel-barrier tube or red-top tube Temperature: FREEZE	84402 84410
LABCORP	501755	Bioavailable Testost. w/o SHBG Container: Gel-barrier tube or red-top tube Temperature: FREEZE	84410
LABCORP	181560	Biological Indicators (Sterile) Container: Attest Vial Temperature: Refrigerate specimen at 2(degrees)C to 8(degrees)C.	NOOPT
LABCORP	806267	Bird Fancier Profile Container: Gel-barrier tube Temperature: Maintain specimen at room temperature	82785 86003 x3 86331 x12
LABCORP	823523	Bird Fanciers Precipitin Pnl I Container: Red-top tube Temperature: Room temperature	86331 x10
LABCORP	823472	Bird/Mold Precipitin Panel II Container: Red-top tube Temperature: Room temperature	86331 x12
LABCORP	706515	Bismuth, Blood Container: Royal blue-top (EDTA) tube; submit original tube. Temperature: Maintain specimen at room temperature.	83018
LABCORP	706507	Bismuth, Urine Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	83018
LABCORP	138880	BK Virus (BKV), Urine, Quantitative PCR Container: cobas(R) PCR Media tube Temperature: Submit specimens in cobas(R) PCR Media tubes under ambient or refrigerated conditions. DO NOT FREEZE. Stability (Kit Insert/Vendor Provided): Room Temperature: 90 days (stabilized in cobas(R) PCR Media) Refrigerated: 90 days (stabilized in cobas(R) PCR Media) Frozen: Unstable	87799
LABCORP	284459	BKV qPCR (Plasma) Container: Lavender-top (EDTA) tube Temperature: Refrigerate	NOOPT
LABCORP	284332	BKV qPCR (Urine) Container: Plastic urine bottle	NOOPT

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature	
LABCORP	826700	Black Bean IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	130080	Bladder Cancer FISH, Pathologist Review Container:TCC Monitor kit (People Soft Item ID: 44921). Other containers that are accepted, but not recommended: PreservCyt(R) vial, Cytology Special Studies Kit (People Soft Item ID: 3203), or sterile urine container with Carbowax(R) fixative (2 part urine; 1 part fixative). Temperature:Specimen should be refrigerated at 2(degrees)C to 8 (degrees)C and shipped on cool packs. DO NOT FREEZE.	NOCP
LABCORP	164293	Blastomyces Antibodies, Quantitative, by DID Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86612
LABCORP	138002	Blastomyces dermatitidis Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86612 x2
LABCORP	165052	Blastomyces dermatitidis Antibodies by EIA with Reflex toImmunodiffusion, Serum Container:Gel-barrier Tube, Serum from a Gel-barrier Tube, Serum from a Red-top Tube, Serum Transfer Tube	86612
LABCORP	165048	Blastomyces dermatitidis Antibodies by EIA, Serum Container:Gel-barrier Tube, Serum from a Gel-barrier Tube, Serum from a Red-top Tube, Serum Transfer Tube	86612
LABCORP	503345	Bld Diathesis w Normal PTT/PT Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 6 months	85250 85415 85270 85384 85246 85290 85360 85410 85245 85240 x2
LABCORP	503164	Bld Diathesis w/Norm APTT/PT Container:Blue-top (sodium citrate) tube Temperature:Freeze	85240 85250 85415 85270 85384 85246 85290 85360 85410 85245 80503
LABCORP	117700	Bleeding With Normal aPTT/PT Container:Blue-top (sodium citrate) tube Temperature:Freeze plasma, refrigerate serum, and maintain whole blood and buccal swab kit at room temperature or refrigerate.	85240 85250 85415 85270 85384 85291 85246 85410 85245
LABCORP	052210	Blood Chrom Analysis 5 Cell Ct Container:Green top (heparin) tube Temperature:Specimen should be delivered immediately. Maintain specimen at room temperature. Specimen may be refrigerated if there is a delay in shipment. Do not freeze.	NOCP
LABCORP	512145	Bloom Syndrome, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81209
LABCORP	183474	Body Fluid Culture: Aerobic and Anaerobic Bacterial Culture Container:Sterile tube or other sterile leakproof container, blood culture bottle, Vacutainer(TM) Plus no Additive tube; sodium heparin tube, and swabs with visible fluid. Do NOT use red-top Vacutainer(TM) tubes. Temperature:Maintain specimen at room temperature. Specimens for anaerobic culture should be maintained at room temperature. Anaerobes will survive 24 to 72 hours when properly collected in the anaerobic transport tube.	87070 87075
LABCORP	183473	Body Fluid Culture: Aerobic and Anaerobic Bacterial Cultureand Gram Stain Container:Sterile tube or other sterile leakproof container, blood culture bottle, Vacutainer(TM) Plus no Additive tube; sodium heparin tube, and swabs with visible fluid. Do NOT use red-top Vacutainer(TM) tubes. Temperature:Maintain specimen at room temperature. Specimens for anaerobic culture should be maintained at room temperature. Anaerobes will survive 24 to 72 hours when properly collected in the anaerobic transport tube.	87075 87205 87070
LABCORP	489900	Bone Marrow Aspiration and Biopsy Container:Tissue block or slide	NOCP
LABCORP	481418	Bone Marrow Transplant FISH Container:Green-top (heparin) tube, Pediatric Vacutainer, or Lavender- top (EDTA) tube Temperature:Refrigerate bone marrow and blood specimens; store slides andd tissues at room temperature.	NOCP

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	513002	Bone-Specific Alkaline Phosphatase (BAP) Container:Gel-barrier tube or transport tube Temperature:Maintain specimen at room temperature	84080
LABCORP	825176	Bordetella Pert. PT Ab IgG/IgA Container:Serum Separator (Gel) Tube Temperature:Room temperature Stability: Room Temperature: 7 days Refrigerated: 14 days Frozen: 30 days	86615 x2
LABCORP	164384	Bordetella pertussis Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615
LABCORP	164541	Bordetella pertussis Antibodies, IgA, IgG, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615 x3
LABCORP	161752	Bordetella pertussis Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615
LABCORP	808485	Boron Quan Container:Plasma: Royal Blue top tube, plastic (Trace metal-free;EDTA) Serum: Royal Blue top tube, plastic (Trace metal-free; No additive) Plastic acid washed, trace metal free tubes can be obtained from National Medical Services. Temperature:Refrigerate Stability: Room temperature up to 30 days Refrigerate up to 30 days Frozen up to 30 days	84311
LABCORP	082727	Boron Quan, Urine Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Refrigerate Stability: Room temperature up to 30 days Refrigerate up to 30 days Frozen up to 30 days	83018
LABCORP	082728	Boron, Blood Container:Royal blue-top (sodium EDTA) tube Plastic acid washed, trace metal free tubes can be obtained from National Medical Services. Temperature:Refrigerate	84311
LABCORP	826822	Bovine Serum Albumin IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	826851	Bovine Serum Albumin IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86001
LABCORP	164085	Bowel Disorders Evaluation Rule-out Cascade Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	831695	BP180 and BP230 Ab, IgG Container:Gel-barrier tube or red-top tube Temperature:Room temperature	83516 x2
LABCORP	326938	BPERTA+BPERTG Container:Gel Barrier Tube Temperature:Refrigerate	86615 x2
LABCORP	316714	BPERTIG+DIP AB+TETIGG Container:Gel Barrier Tube	86317 x2 86615
LABCORP	481030	BRAF Gene Mutation Analysis Container:FFPE tissue block or slides, lavender-top (EDTA) tube, green-top (sodium heparin) tube, yellow-top (ACD-A) tube, FNA CytoLyt container Temperature:Maintain specimen at room temperature. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C. Store FFPE block or slides, FNA in CytoLyt container at room temperature.	81210 88381
LABCORP	481110	BRAF Gene Mutation Analysis, Melanoma, IVD Container:Formalin-fixed, paraffin-embedded (FFPE) tissue blocks OR slides tube, FNA in RPMI or CytoLyt container Temperature:Ship at room temperature. Store FFPE block or slides at room temperature. at 2(degree)C to 8(degree)C. Store FFPE block or slides, FNA in CytoLyt container at room temperature.	88381 81210
LABCORP	485097	BRCAssure(R): Ashkenazi Jewish Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Maintain specimen at room temperature.	81212

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	485066	BRCAssure(R): BRCA1 Targeted Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 Saliva collection kit. Temperature:Maintain specimen at room temperature.	81215
LABCORP	485081	BRCAssure(R): BRCA2 Targeted Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 Saliva collection kit. Temperature:Maintain specimen at room temperature.	81217
LABCORP	495036	Breast Cancer Prognosis Profile II, Paraffin Block Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	88360 x2 88377
LABCORP	481210	Breast Cancer Prognostic Gene Signature Assay (Prosigna(R)),IVD Container:Slides, blocks Temperature:Maintain specimen at room temperature.	81520 88381
LABCORP	119900	Breast/Prognostic Marker Analy	NOCPT
LABCORP	702800	Brivaracetam, Serum or Plasma Container:Red Top tube or Green Top tube	80299
LABCORP	825717	Brodifacoum (Qual), S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	NOCPT
LABCORP	824546	Bromine-Total, Serum/Plasma Container:(Royal blue-top Trace metal-free; EDTA) tube Temperature:Refrigerated	82542
LABCORP	164632	Brucella Antibody IgG/IgM Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86622 x2
LABCORP	164624	Brucella Antibody, IgM, by EIA Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature	86622
LABCORP	808294	Bupivacaine, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	791486	Buprenorphine (Subutex, Buprenex, Suboxone), Whole Blood Container:Lavender-top(EDTA) tube, gray-top(sodium fluoride) tube, or green-top(heparin) tube. Temperature:Submission/Transport (<3 days): Room Temperature For storage beyond 3 days, specimen should be refrigerated or frozen.	80348
LABCORP	070103	Buprenorphine and Metabolite Container:Red-top tube, lavender-top (EDTA) tube, gray-top (sodium fluoride) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	791560	Buprenorphine Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80348
LABCORP	910518	Buprenorphine Confirmation, Ur	80348
LABCORP	701985	Buprenorphine MAT 2, Ur Container:Urine Bottle Temperature:Ambient	80307
LABCORP	701330	Buprenorphine MAT 2, Ur 701330 Container:Urine Bottle Temperature:Ambient	80307
LABCORP	701486	Buprenorphine Medication Assisted Treatment Monitoring 1,Urine Container:Urine Container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refriged or frozen.	80307
LABCORP	739394	Buprenorphine Medication Assisted Treatment Monitoring 1,Urine Container:Urine Container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three	80307

LAB	CODE	TEST NAME	CPT4 CODE
		days, specimen should be refrigerated or frozen.	
LABCORP	739395	Buprenorphine Medication Assisted Treatment Screen Only,Urine Container:Urine container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	701385	Buprenorphine Medication Assisted Treatment Screen Only,Urine Container:Urine container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809764	Buprenorphine Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910592	Buprenorphine, Scr w/Conf, Ur	80307
LABCORP	910486	Buprenorphine, Scr w/Conf, Ur	80307
LABCORP	811083	Bupropion and Hydroxybupropion, Serum or Plasma Container:Red-top (no additive) tube or green-top (heparin) tube. Gel-barrier tubes are not recommended. Storage/Transport: Custom "Transfer for Bupropion Analysis" tube containing Sodium Citrate Monobasic (PS#116538) Temperature:Freeze immediately; ship frozen on dry ice Stability: Room Temperature 24 hours Refrigerated 14 days Frozen 14 days Stability applies to the buffered sample.	80299
LABCORP	808396	Buspirone, Serum or Plasma Container:Red-top tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	072181	Butalbital Container:Red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube. Transfer separated serum or plasma to a plastic transport tube. DO NOT USE A GEL-BARRIER TUBE; the use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate	80345
LABCORP	764134	Butorphanol Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	808407	Butorphanol, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	188045	C difficile Toxigenic Culture Container:Anaerobic transport or aerobic/anaerobic bacterial swab transport containing gel preservative Temperature:Maintain specimen at room temperature.	87075
LABCORP	183992	C difficile toxin gene NAA,Rfx Container:Sterile screw-cap container or stool transport without preservatives (Para-Pak(R) white clean vial). "Cool Whip" containers, denture cups, or other similar containers often leak or even explode during transport and may be rejected by the laboratory. Temperature:Specimen should be kept at 2(degrees)C to 8(degrees)C and transported to the laboratory within 24 hours of collection. DO NOT FREEZE.	87493
LABCORP	183620	C. trachomatis NAA, Confirm Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) or SurePath(TM) liquid cytology vials Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87491
LABCORP	006010	C/c Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	067108	C001-IgE Penicillin G Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602646	C001-IgE Penicilloyl G	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	067116	C002-IgE Penicillin V Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602647	C002-IgE Penicilloyl V Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602653	C007-IgE Cefaclor Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602652	C073-IgE Human Insulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602843	C074-IgE Gelatin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605191	C074-IgG Gelatin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	823755	C1 Function Container:Red-top tube Temperature:FREEZE	86161
LABCORP	224432	C1R Level Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160
LABCORP	224434	C1S Level Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160
LABCORP	602654	C202-IgE Suxamethonium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	520168	C3 Complement (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	86160
LABCORP	224417	C3 Function Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	224441	C3 Nephritic Factor Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	049213	C3+C4+CompT Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:1 tube refrigerated AND 1 tube FROZEN	86162 86160 x2
LABCORP	037853	C3+C4+DNA/DS Container:Gel-Barrier Tube	86225 86160 x2
LABCORP	016212	C3+DNA/DS Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86160 86225
LABCORP	500452	C4 Binding Protein Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	83520
LABCORP	520166	C4 Complement (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86160
LABCORP	224419	C4 Function Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	840710	C5 Complement Functional Container:Red-top tube	86161

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE (SHIP ON DRY ICE)	
LABCORP	840728	C5a (C5a des Arg) Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	840744	C7 Function Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	840751	C8 Function Container:Red-top tube Temperature:FREEZE (SHIP ON DRY ICE)	86161
LABCORP	620017	C9orf72 Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479
LABCORP	080994	Ca+P+V-D25 Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82310 82306 84100
LABCORP	724344	Cadmium Standard Profile Container:Royal blue-top (EDTA) tube and plastic urine container Temperature:Maintain specimen at room temperature. Refrigerated storage is recommended if the specimen is not submitted to the laboratory for testing within 2 days of collection.	82300 x2 82232 82570
LABCORP	085340	Cadmium, Blood Container:Royal blue-top (EDTA) tube; submit original tube. Temperature:Maintain specimen at room temperature.	82300
LABCORP	072249	Cadmium, Urine Container:Urine Bottle Temperature:Maintain specimen at room temperature.	82570 82300
LABCORP	071258	Caffeine, Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80155
LABCORP	791746	Caffeine, Urine Container:Plastic urine container without preservative Temperature:Room temperature is acceptable for shipping for shipping and/or short-term storage (three days), specimen may also be refrigerated or frozen.	80307
LABCORP	503130	CAH 6 0 & 60 Post ACTH Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 1 day Frozen up to 12 days	82157 x2 82626 x2 84403 x2 82634 x2 82533 x2 84143 x2 82633 x2 83498 x2 84144 x2
LABCORP	501072	CAH III Adult (Late Onset) Container:Red-top tube or lavender-top (EDTA) tube. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 1 day Frozen up to 90 days	82157 82626 82634 82533 84143 83498
LABCORP	501568	CAH Pediatric Profile 1 - 21-Hydroxylase Deficiency Screen(Endocrine Sciences) Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 1 day Frozen up to 90 days	82157 82626 84403 82533 83498
LABCORP	500175	CAH Pediatric Profile 6 - Comprehensive Screen (EndocrineSciences) Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 1 day Frozen up to 90 days	82157 82626 84403 82634 82533 84143 82633 83498 84144
LABCORP	500166	CAH Pediatric Profile 7 - Treatment (Endocrine Sciences) Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 90 days	82157 84403 83498
LABCORP	500176	CAH Profile 2 Container:Red-top tube only. Do NOT use gel-barrier tube.	82157 82626 84403 82634 82533 83498

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 90 days	
LABCORP	501023	CAH Profile 4 Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerate up to 1 day Frozen up to 90 days	82533 84143 83498 82157 82626
LABCORP	480103	Calcitonin (Thyrocalcitonin), Serum (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308
LABCORP	026799	Calcitonin (Thyrocalcitonin), Serum, (4 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x4
LABCORP	048249	Calcitonin (Thyrocalcitonin), Serum, 2 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x2
LABCORP	026781	Calcitonin (Thyrocalcitonin), Serum, 3 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x3
LABCORP	026807	Calcitonin (Thyrocalcitonin), Serum, 5 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x5
LABCORP	026815	Calcitonin (Thyrocalcitonin), Serum, 6 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x6
LABCORP	015797	Calcitonin (Thyrocalcitonin), Serum, 7 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x7
LABCORP	019845	Calcitonin (Thyrocalcitonin), Serum, 8 Specimens Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308 x8
LABCORP	630647	Calcium Sensing Receptor CASR Gene, Sequencing Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81405
LABCORP	825265	Calcium, RBC Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Refrigerate	82310
LABCORP	003269	Calcium, Urine Container:Preferred container; plastic urine container with at least 10 mL 6N HCl (hydrochloric acid). Specimens submitted without preservatives should be acidified after receipt to a pH of <2.0 to dissolve calcium salts. Temperature:Maintain specimen at room temperature.	82340
LABCORP	134908	Calcium:Creatinine Ratio Container:Use random transport tube or "Urine Monovette(R) with pH Stabilizer" (LabCorp ID 56015). Monovette(R) instructions accompany units. Temperature:Maintain specimen at room temperature.	82340 82570
LABCORP	058099	Calcium+Calcium, Ionized Container:SST(2) Temperature:Room temperature	82310 82330
LABCORP	489450	Calreticulin (CALR) Mutation Analysis Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:Refrigerate. Stable for 72 hours at room temperature or refrigerated.	81219
LABCORP	878728	Campylobacter Jejuni Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate (Cool Pack)	86625
LABCORP	805277	Canary Droppings Gel Diffusio* Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86331

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	511147	Canavan Disease, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81200
LABCORP	144733	Cancer Antigen (CA) 125 in the Presence of Human AntimouseAntibodies (HAMA) Container:Red-top tube or gel-barrier tube Temperature:Room temperature Stability: Room temperature up to 14 days Refrigerated up to 14 days	86304
LABCORP	480293	Cancer Antigen (CA) 27.29 (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86300
LABCORP	829524	Cancer Antigen-G1, Fluid Container:Indicate source Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 5 days Frozen up to 3 months	86301
LABCORP	805287	Candida albicans Ag response* Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature.	86353
LABCORP	180055	Candida albicans and Candida glabrata, NAA Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87801
LABCORP	163020	Candida Antibodies, IgA, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	163135	Candida Antibodies, IgA, IgG, IgM, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628 x3
LABCORP	163005	Candida Antibodies, IgG, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	163010	Candida Antibodies, IgM, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	096719	Candida Antibodies, Qualitative Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature.	86628
LABCORP	823475	Candida Immune Complex Container:Gel-barrier tube or red-top tube Temperature:FREEZE	86332
LABCORP	180010	Candida Six-species Profile, NAA Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87801
LABCORP	701907	Cannabidiol (CBD)/Tetrahydrocannabinol (THC) Ratio, Urine Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	071316	Cannabinoid (Marijuana) Confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper-evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. If arrival at lab will extend beyond seven days, refrigerate.	80349
LABCORP	737735	Cannabinoid Confirmation (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80349
LABCORP	712562	Cannabinoid Confirmation, Ur Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80349
LABCORP	737738	Cannabinoid, Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	070409	Cannabinoid:Creatinine Ratio, Urine Container:Plastic transport tube or plastic urine container Temperature:Room Temperature	80307
LABCORP	790697	Cannabinoids (THC), Synthetic, Whole Blood Container:Lavender-top (EDTA) tube, green-top (heparin) tube OR gray-top (sodium fluoride) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80352
LABCORP	809640	Cannabinoids Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	702051	Cannabinoids, Conf, MS, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	806170	Canola/Rape Seed IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	816654	Canrenone, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	826270	Carageenan Gum, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	710028	CARB & EPOXIDE, FREE AND TOTAL Container:Red-top tube or green-top (heparin) tube Temperature:Room temperature is adequate for shipping and/or short-term storage (up to 3 days); specimen may also be refrigerated or frozen.	80157 80161 80156
LABCORP	803189	Carbamazepine and Carbanazepine-10,11 Epoxide, Serum orPlasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80161 80156
LABCORP	167443	Carbamazepine Sensitivity HLA Associations Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs, please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain whole blood at room temperature or refrigerate. Keep buccal swabs dry and at room temperature.	81381 x2
LABCORP	074195	Carbamazepine(Total+Free) Container:Red-top tube or green-top (heparin) tube. Temperature:Refrigerate	80156 80157
LABCORP	716803	Carbamazepine-10,11 Epoxide Container:Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Transfer separated serum or plasma to a plastic transport tube. Temperature:Room Temperature	80161
LABCORP	183865	Carbapenem-resistant Enterobacteriaceae Rectal ScreenCulture Container:Bacterial swab transport Temperature:Maintain specimen at room temperature. Stability at room temperature: 48 hours	87081
LABCORP	813527	Carbohydrate, Urine Container:Plastic urine container Temperature:FREEZE	84377
LABCORP	123211	Carbohydrate-deficient Transferrin (CDT), Adult Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82373
LABCORP	804698	Carbon Disulfide Exp (TTCA), U Container:Plastic urine container Temperature:Refrigerate	82542 82570
LABCORP	007187	Carbon Monoxide, Blood Container:Lavender-top (EDTA) tube or green-top (heparin) tube; submit original FULL, UNOPENED	82375

LAB	CODE	TEST NAME	CPT4 CODE
		tube. Temperature:Refrigerate immediately after collection. Do not remove cap.	
LABCORP	819076	Carboxy-, Met-&Sulf-Hemoglobin Container:Lavender-top (EDTA) tube Temperature:Refrigerate	83050 83060 82376
LABCORP	802167	Carbital Profi., Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	80375 80345
LABCORP	806056	Cardamom Seed IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	245292	Cardiorenal-Glycemic Status Container:Urine Bottle, Gel Barrier Tube, Lavender-Top (EDTA) Tube	82565 82043 80061 82570 83036
LABCORP	910385	Cardiovascular Report Container:Not applicable	NOCP
LABCORP	716274	Carisoprodol Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80369
LABCORP	761107	Carisoprodol/Meprobamate, Screen Only, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764032	Carisoprodol/Meprobamate, Screen with Confirmation, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	284052	Carmine Dye/Red Dye(coch.)IgG Container:Gel-barrier tube or red-top tube Temperature:Maintain specimen at room temperature	86001
LABCORP	868141	Carnitine Level, Plasma Container:Green-top (heparin) tube Temperature:FREEZE	82379
LABCORP	868158	Carnitine Level, Urine Container:Plastic urine container Temperature:FREEZE	82379 82570
LABCORP	824197	Carnitine Panel Container:Red-top tube, Green-Top,(Heparin)tube Temperature:CRITICAL FROZEN. Separate specimens must be submitted when multiple tests are ordered.	82017 82379
LABCORP	823992	Carnitine, U Container:Urine Bottle Temperature:Frozen	82379
LABCORP	604159	Cashew Nut IgE with Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	502050	Catech. Fract+Total+Dopamine U Container:Brown urine container with 25 mL 6N HCL preservative. Caution: Strong acid may cause skin burns. Temperature:Freeze, preferred Stability: Room temperature up to 24 hours Refrigerate up to 7 days Frozen up to 365 days	82384 82570
LABCORP	500837	Catecholamine Test Grp, Urine Container:Brown urine container with 30 mL 6N HCl preservative. Caution: Strong acid. May cause skin burns. Temperature:Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82384 84585 83835 82570
LABCORP	286161	Catecholamines, Fractionated, Urinary Free andVanillylmandelic Acid (VMA), 24-Hour Urine Container:Plastic urine container with 30 mL of 6N HCl. CAUTION: Strong acid. PeopleSoft item number for this container is *21584.	82384 84585

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	316203	Catecholamines, Fractionated, Urinary Free, Random Urine Container:Use random urine transport tube containing 6N HCl. Container is also known as "urine Monovette(R) with pH stabilizer". Monovette(R) instructions accompany units. Preservative must be added to the container prior to the start of the collection. If collecting without Monovette(R), use plastic urine container and adjust urine pH to less than 5 with 6N HCl. CAUTION: Strong acid. May cause skin burns. PeopleSoft item number for this container is *56015. Temperature:Refrigerate	82384 82570
LABCORP	810200	Cathartic Laxative Stool Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services. Temperature:Refrigerate	84100 83735
LABCORP	738708	Cathinone & Methcathinone,Ur Container:Urine transfer tube without preservative Temperature:Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen Stability:Room temperature 26 hours Refrigerated 8 days Frozen 8 days validated (actual would be longer)	80307
LABCORP	284032	Caviar Salmon IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	384939	CBC/D/Plt+Rh+ABO+Rub Ab+Ab ... Container:Serum Gel-Barrier Tube, Lavender Top (EDTA)	86762 86900 86780 87389 86901 87340 86850 85025
LABCORP	372100	CD4+CD8+Lymphs Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86360
LABCORP	372064	CD4+Lymphs Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86361
LABCORP	284255	CDG, S Container:Gel-barrier tube or red-top tube Temperature:FREEZE	82373
LABCORP	142331	CEA, Fluid Container:Sterile body fluid container Temperature:Maintain specimen at room temperature	82378
LABCORP	489170	CEBPA Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C.	81218
LABCORP	805926	Cedar(Libocedrus decurrens)IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	828232	Cefazolin - BasoFunction HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	846592	Celecoxib (Celebrex) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80329
LABCORP	164010	Celiac Antibodies Profile tTG IgA, tTG IgG, DGP IgA,DGP IgG, and Total IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82784 86258 x2 86364 x2
LABCORP	164047	Celiac Antibodies tTG IgA and Total IgA with Reflex totTG IgG and DGP IgG Container:Red-top tube or Gel-barrier tube Temperature:Room temperature	82784 86364
LABCORP	165142	Celiac Antibodies tTG IgA, EMA IgA, Total IgA with Reflex to tTG IgG Container:Red-top tube or serum gel tube Temperature:Room temperature	86231 82784 86364
LABCORP	165134	Celiac Disease II Container:Red-top tube or serum gel tube Temperature:Room temperature	86364 x2 86231 82784
LABCORP	338028	Celiac+Endo(IgA)+Glia(IgA/G... Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube	82784 86258 x2 86364 x2 81377 x2 86231

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	342400	Celiac+EndoIgA+GliA(IgA/G)+... Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube	82784 86258 x2 86364 81377 x2 86231
LABCORP	005260	Cell Count, Amniotic Fluid Container: Sterile container or lavender-top(EDTA) tube or green-top (heparin) tube Temperature: Refrigerate at 2(degrees)C to 8(degrees)C; stable 24 hours. Transport to the laboratory as soon as possible.	89051
LABCORP	702735	Cenobamate (Xcopri), Plasma Container: Plasma from Lavender-top (EDTA) tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	827243	Cephalosporin - BasoFunct. HRT Container: Green-top (sodium heparin) tube: submit original tube Temperature: Maintain specimen at room temperature	86343
LABCORP	504627	Certolizumab and Anti-Certolizumab Antibody, DoseASSURE(TM)CTZ Container: Red-Top Tube, Serum from Red Top Tube, Serum from a Gel Tube, OR Serum Transfer Tube Temperature: Refrigerate or FREEZE	82397 80299
LABCORP	252900	CFTR Deletion/Duplication Analysis Container: Lavender-top (EDTA) tube, yellow-top (ACD) tube OR LabCorp buccal swab kit; sterile plastic conical tube OR two confluent T-25 flasks for fetal testing Temperature: Maintain specimen at room temperature	81222
LABCORP	829277	Cheese Colby IgE Container: Red-top tube or gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	826230	Cheese Cream IgE Container: Red-top tube or gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	826263	Cheese Romano IgE Container: Red-top tube or gel-barrier tube Temperature: Maintain specimen at room temperature Stability: Room temperature up to 4 weeks Refrigerate up to 4 weeks Frozen up to 1 year	86003
LABCORP	806009	Chicken Droppings IgE Container: Gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	823551	Chicken, Duck, Goose, Turkey IgE Container: Red-top tube Temperature: Room temperature	86003
LABCORP	818997	Chikungunya Ab, IgG by ELISA Container: Gel-barrier tube, Green-Top (Heparin) Tube, Royal Blue-Top (EDTA) Tube Temperature: Refrigerate	86790
LABCORP	818995	Chikungunya Ab, IgM by ELISA Container: Gel-barrier tube, Green-Top (Heparin) Tube, Royal Blue-Top (EDTA) Tube Temperature: Refrigerate	86790
LABCORP	818967	Chikungunya Abs, IgG/IgM Container: Gel-barrier tube, Green-Top (Heparin) Tube, Royal Blue-Top (EDTA) Tube Temperature: Refrigerate	86790 x2
LABCORP	817245	Chikungunya Virus RNA QI PCR Container: Gel-barrier tube Temperature: FREEZE	87798
LABCORP	176059	Chimerism Analysis With CD3 Cells Container: Yellow-top (ACD-A or ACD-B) tube Temperature: Maintain specimen at room temperature. Do NOT refrigerate or freeze. Ship specimen to arrive in the laboratory between Monday and Friday.	81268
LABCORP	176079	Chimerism Analysis With CD33/CD66b Cells Container: Yellow-top (ACD-A or ACD-B) tube Temperature: Maintain specimen at room temperature. Do NOT refrigerate or freeze.	81268 x2
LABCORP	176092	Chimerism Analysis With CD56 Cells Container: Yellow-top (ACD-A or ACD-B) tube Temperature: Maintain specimen at room temperature. Do NOT refrigerate or freeze.	81268
LABCORP	451822	Chitotriosidase Assay (CHITO) Container: Gel-barrier tube.	84999

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerated	
LABCORP	138338	Chlamydia (Chlamydomphila) pneumoniae, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632 86631
LABCORP	138263	Chlamydia (Chlamydomphila) pneumoniae, PCR Container:Universal transport media (swab) or sterile container (bronchial wash/aspirate, BAL, NP wash/aspirate) Temperature:Swab, bronchial wash, or BAL is stable when stored at room temperature, refrigerated, or frozen for up to seven days.	87486
LABCORP	307663	Chlamydia (IgG/IgM) Container:Gel-Barrier Tube Temperature:Room temperature	86631 x3 86632 x3
LABCORP	821218	Chlamydia Ab Expanded Panel Container:Red-top tube Temperature:FREEZE	86631 x6 86632 x3
LABCORP	096180	Chlamydia Antibodies, IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86631
LABCORP	183210	Chlamydia Culture + NAA Container:Aptima (Gen-probe) Endocx/ureth swab or urine, Viral Transport System	87110 87140 87491
LABCORP	806670	Chlamydia Panel IgG, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86631 x3
LABCORP	806654	Chlamydia Panel Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86632 x3 86631 x3
LABCORP	138222	Chlamydia pneumoniae IgG Ab Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86631
LABCORP	138990	Chlamydia pneumoniae IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632
LABCORP	139317	Chlamydia pneumoniae, IgG, IgM, IgA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632 86631 x2
LABCORP	186211	Chlamydia Prequot, NAA Container:Gen-Probe Aptima swab transport or Gen-Probe Aptima Specimen transfer kit with 1.0 mL of PreservCyt fluid (do not use swabs provided with Aptima kit) Temperature:Ambient temperature (between 2 degrees C and 20 degrees C) Specimens must be tested within 7 days of collection.	87491
LABCORP	138022	Chlamydia psittaci Antibody, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86631
LABCORP	138006	Chlamydia psittaci Antibody, IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86632
LABCORP	139020	Chlamydia psittaci IgG/M Container:Gel-barrier tube Temperature:Refrigerate	86632 86631
LABCORP	337989	Chlamydia trachomatis Ab IgG/M Container:Gel Barrier Tube	86632 86631
LABCORP	096149	Chlamydia trachomatis Antibodies, IgM Container:Red-stopper tube or gel-barrier tube	86632

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	138399	Chlamydia trachomatis IgG Ab Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86631
LABCORP	806649	Chlamydia trachomatis Panel Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86632 86631 x2
LABCORP	188080	Chlamydia trachomatis, Conjunctival Swab, NAA Container:APTIMA(R) unisex swab specimen transport tube Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C) Stability: Room Temperature: 30 days Refrigerated: 30 days	87491
LABCORP	188078	Chlamydia trachomatis, NAA Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) liquid cytology vial Temperature:Room temperature	87491
LABCORP	188065	Chlamydia trachomatis, Neisseria gonorrhoeae, and HerpesSimplex Virus (HSV) Types 1 and 2, NAA Container:APTIMA(R) unisex or APTIMA(R) vaginal swab transport or ThinPrep(R) liquid cytology vial Temperature:Maintain specimen at room temperature.	87529 x2 87491 87591
LABCORP	183160	Chlamydia trachomatis, Neisseria gonorrhoeae, andTrichomonas vaginalis, NAA Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) liquid cytology vial Temperature:Room temperature	87491 87591 87661
LABCORP	188070	Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonasvaginalis, and Herpes Simplex Virus (HSV) Types 1 and 2, NAA Container:APTIMA(R) unisex or APTIMA(R) vaginal swab transport or ThinPrep(R) liquid cytology vial Temperature:Maintain specimen at room temperature.	87591 87661 87529 x2 87491
LABCORP	188714	Chlamydia trachomatis, Pharyngeal Swab, NAA Container:Gen-Probe(R) APTIMA(R) swab specimen transport tube Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87491
LABCORP	188706	Chlamydia trachomatis, Rectal Swab, NAA Container:Gen-Probe(R) APTIMA(R) swab specimen transport tube Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87491
LABCORP	180051	Chlamydia, Gonococcus, Genital Mycoplasma, NAA, Urine Container:APTIMA(R) urine transport Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87491 87591 87798 x2 87563
LABCORP	180049	Chlamydia, Gonococcus, Mycoplasma genitalium, NAA, Urine Container:APTIMA(R) urine transport Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87591 87563 87491
LABCORP	186200	Chlamydia/Gonococcus - Client Provided Cytoc(R) Aliquot Container:Gen-Probe(R) APTIMA(R) swab transport or Gen-Probe(R) APTIMA(R) specimen transfer kit with 1 mL of PreservCyt(R) fluid (do NOT use swabs provided with APTIMA(R) kit) Temperature:Maintain specimen at room temperature or refrigerate 2(degrees)C to 30(degrees)C. Aliquots must be transferred to the APTIMA(R) tube within seven days of collection.	87591 87491
LABCORP	183198	Chlamydia/Gonococcus, NAA with Reflex to Trichomonasvaginalis, NAA Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) liquid cytology vial Temperature:Room temperature	87591 87491
LABCORP	180093	Chlamydia/Gonococcus/Genital Mycoplasma Profile, NAA, Swab Container:APTIMA(R) unisex or vaginal swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87798 x2 87563 87491 87591
LABCORP	823576	Chloral Hydrate, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerated	80299
LABCORP	808525	Chloramphenicol, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82415
LABCORP	007682	Chlordiazepoxide Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to	80299

LAB	CODE	TEST NAME	CPT4 CODE
		absorption may be clinically significant. Temperature:Refrigerate	
LABCORP	820614	Chloride, Fecal Container:Stool container Temperature:Refrigerate	82438
LABCORP	764233	Chlorpheniramine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	072132	Chlorpromazine Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	271351	Cholecystokinin (CCK) Plasma Container:GI preservative tube Temperature:FREEZE	83519
LABCORP	247282	Cholesterol, Fluid Container:Standard Transport Tube Temperature:Refrigerate Stability: Room temperature up to 24 hours Refrigerate up to 1 week Frozen up to 3 months	84311
LABCORP	007211	Cholinesterase Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82480
LABCORP	160200	Cholinesterase, Plasma Container:Lavender-top (EDTA) tube Temperature:Room temperature	82480
LABCORP	302107	Cholinesterase+Dibucaine Container:Gel-Barrier Tube	82480 82638
LABCORP	510349	CHOP Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	738770	Chromium and Cobalt, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82495 83018
LABCORP	810838	Chromium, RBC Container:Royal blue-top (potassium EDTA) tube Temperature:Refrigerate	82495
LABCORP	071530	Chromium, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82495 82570
LABCORP	480847	Chromogranin A, Serial Monitoring Container:Gel-barrier tube green-top (heparin) tube Temperature:Room Temperature	86316
LABCORP	510185	Chromosome Analysis and AFP, Amniotic Fluid Container:Sterile plastic conical tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	82106
LABCORP	052045	Chromosome Analysis With Reflex to SNP Microarray-Pediatric(Reveal(R)) Container:Green-top (heparin) tube Temperature:Maintain specimen at room temperature. Specimen may be refrigerated if there is a delay in shipment. Do NOT freeze.	NOCPT
LABCORP	511580	Chromosome Analysis, AFP, AChE, Amniotic Fluid With Reflex to Fetal Hemoglobin (Hb F) Container:Sterile plastic conical tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	82013 82106
LABCORP	052040	Chromosome Analysis, Amniotic Fluid	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
		Container: Sterile plastic conical tube Temperature: Maintain specimen at room temperature. Do NOT freeze.	
LABCORP	052104	Chromosome Analysis, Amniotic Fluid With Reflex to SNP Microarray (Reveal(R)) Container: Sterile plastic conical tube Temperature: Maintain specimen at room temperature. Do NOT refrigerate or freeze.	NOCP
LABCORP	511035	Chromosome Analysis, Blood (Constitutional) Container: Green-top (sodium heparin) tube Temperature: Specimen should be sent to the laboratory IMMEDIATELY. Maintain specimen AT ROOM TEMPERATURE. Specimens may be refrigerated if there is a delay in shipment. Do NOT freeze.	NOCP
LABCORP	511075	Chromosome Analysis, Blood (Constitutional) With Reflex for Y Deletion Analysis Container: Green-top (heparin) tube AND lavender-top (EDTA) tube Temperature: Specimen should be delivered to the laboratory IMMEDIATELY. Maintain specimen at room temperature. Specimens may be refrigerated if there is a delay in shipment. Do NOT freeze.	NOCP
LABCORP	510988	Chromosome Analysis, Chorionic Villi Biopsy Container: CVS transport tube available from the cytogenetics laboratory (call 800-345-4363); sterile specimen container with transport media Temperature: Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do NOT freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	NOCP
LABCORP	052215	Chromosome Analysis, High Resolution Container: Green-top (heparin) tube Temperature: Specimen should be delivered immediately. Maintain specimen at room temperature. Specimen may be refrigerated if there is a delay in shipment. Do NOT freeze.	NOCP
LABCORP	511045	Chromosome Analysis, Instability Syndrome Container: Green-top (heparin) tube	NOCP
LABCORP	510999	Chromosome Analysis, Leukemia/Lymphoma Container: Bone marrow or peripheral blood in pediatric green-top (heparin) tube; lymph node, spleen, bone core, CSF, or effusion in lymph node transport bottle Temperature: Maintain specimen at room temperature.	NOCP
LABCORP	511040	Chromosome Analysis, Leukemia/Lymphoma With Reflex to Chromosome Microarray (CMA) Container: Bone marrow or peripheral blood in pediatric green-top (sodium heparin) tube; lymph node, spleen, bone core, or effusion in lymph node transport bottle Temperature: Maintain specimen at room temperature.	NOCP
LABCORP	511485	Chromosome Analysis, Lymph Node Container: Lymph node in Lymph Node Transport bottle. Temperature: Maintain specimen at room temperature.	NOCP
LABCORP	511025	Chromosome Analysis, Prenatal Cordocentesis and Fetal Hemoglobin Container: Green-top (sodium heparin) pediatric tube Temperature: Maintain specimen at room temperature.	NOCP
LABCORP	510995	Chromosome Analysis, Solid Tumor Container: Lymph Node Transport Bottle or sterile tube containing Ringer's lactate Temperature: Maintain specimen at room temperature (refrigerate if sterility is questionable).	NOCP
LABCORP	052052	Chromosome Analysis, Tissue Biopsies (Products of Conception, Skin) Container: Sterile container with sterile Ringer's lactate or Hanks' balanced salt solution or transport medium provided by the cytogenetics laboratory. Do NOT use urine containers for shipping. Temperature: Refrigerate. Do NOT freeze.	NOCP
LABCORP	165039	Chronic Fatigue Evaluation Profile Container: Gel-barrier tube AND lavender-top (EDTA) tube Temperature: Maintain at room temperature.	84443 82040 83036 84295 84520 85025 82310 82565 84450 84460
LABCORP	252733	Chronic Granulomatous Disease (CGD): CYBB (Known Mutation) Container: Lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature.	81479
LABCORP	252529	Chronic Granulomatous Disease (CGD): CYBB (Full Gene Sequencing) Container: Lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature	81479
LABCORP	510340	Chronic Lymphocytic Leukemia (CLL) Profile, Fluorescence in situ Hybridization (FISH) Container: Green-top (sodium heparin) tube; pediatric Vacutainer (R) is optimal OR lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature.	NOCP
LABCORP	150500	Chronic Myelogenous Leukemia (CML) Profile: Chromosome Analysis and BCR-ABL FISH	NOCP

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Pediatric green-top (heparin) tube Temperature:Maintain specimen at room temperature.	
LABCORP	820022	Chronic Urticaria Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature Stability: Room temperature up to 1 week Frozen up to 1 year	86352
LABCORP	827542	Chylomicron Screen, Body Fluid Container:Sterile Container Temperature:Refrigerate up to 3 weeks	82664
LABCORP	790834	Ciprofloxacin Container:Red-top tube or green-top (heparin) tube Temperature:FREEZE immediately; ship frozen on dry ice	80299
LABCORP	808358	Citalopram, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for four days at room temperature, for four days refrigerated, and for 70 days frozen.	80299
LABCORP	121194	Citrate/Creatinine Ratio Container:1.0 ml-Urine Bottle and 6.0 mL-Urine Monovette with pH Stabilizer	82570 82507
LABCORP	016865	Citric Acid (Citrate), 24-Hour Urine Container:Plastic LabCorp 24-hour urine container with 30 mL 6N HCl preservative (LabCorp No. 21584) Temperature:Refrigerate at 2(degrees)C to 8(degrees)C after collection.	82507
LABCORP	123866	Citric Acid (Citrate), Random Urine Container:Use random urine transport tube or Monovette(R) with pH stabilizer (LabCorp No. 56015). Monovette(R) instructions accompany units. Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	82507
LABCORP	123880	Citric Acid (Citrate):Creatinine Ratio, Random Urine Container:Use random urine transport tube or Monovette(R) with pH stabilizer (LabCorp No. 56015). Monovette(R) instructions accompany units. Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	82507 82570
LABCORP	001305	CK Reflex Container:Gel-barrier tube is preferred. Red-top tube or green-top (heparin) tube is acceptable.	82550
LABCORP	057653	CK+CEA+hCG Qt+CA19 9 Container:Gel-Barrier Tube	82378 84702 82552 82550 86301
LABCORP	480940	c-KIT Mutation Analysis in Tumors of Hematopoietic Tissue Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:Ship at room temperature; if specimen is stored prior to shipment, store at 2(degrees)C to 8(degrees)C.	81272
LABCORP	851493	Clarithromycin Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	630550	Clinical Epilepsy NGS Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81419
LABCORP	706465	Clomipramine Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Maintain specimen at room temperature.	80335
LABCORP	811903	Clonazepam (as Metabolite), Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80346
LABCORP	123224	Clonidine Suppression (One- to Three-hour) Container:Chilled lavender-top (EDTA) tube Temperature:FREEZE	82384 x4
LABCORP	123158	Clonidine Suppression Test (Four-Hour)	82384 x4

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Chilled lavender-top (EDTA) tube Temperature:FREEZE	
LABCORP	123133	Clonidine Suppression Test (Three-Hour) Container:Chilled lavender-top (EDTA) tube Temperature:FREEZE	82384 x3
LABCORP	808156	Clonidine, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790386	Clonidine, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	502320	Clopidogrel Response Container:Blue-top (sodium Citrate) tube Temperature:Maintain specimen at room temperature Stability: Room temperature for up to 1 hour	NOCPT
LABCORP	007930	Clorazepate, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate	80299
LABCORP	830244	Clost. Diff. Cytotoxin Ab, Neu Container:Red Top Tube Temperature:Refrigerated Stability: Room Temperature: Unacceptable Refrigerated: 14 days Frozen: 30 days	87230
LABCORP	180448	Clostridioides difficile Toxin B Cytotoxin Assay Container:Sterile screw-cap container or stool transport vial (Para-Pak(R) white clean vial), no preservative Temperature:Maintain specimen at 2 degrees Celsius to 8 degrees Celsius and transport to the laboratory within 24 hours of collection. If a longer period is required, the specimen should be FROZEN at -70 degrees Celsius or maintained on dry ice.	87230
LABCORP	180893	CLOtest Rapid Urease Test Container:CLOtest slide. Prior to use CLOtest slide is stored refrigerated. It is not necessary to bring CLOtest slide to room temperature prior to inoculation with biopsy specimen. Temperature:Refrigerated or room temperature after immersion of biopsy in gel of CLOtest slide.	87077
LABCORP	510890	c-MET Oncology FISH Container:Paraffin block Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	511994	CML FISH Reflex to JAK2 V617F Mutation Analysis,Qualitative, With Reflex to CALR Mutation Analysis, JAK2Exon 12-15 Mutation Analysis and MPL Mutation Analysis Container:Pediatric green-top (heparin) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	828825	CMV Ab IgG, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86644
LABCORP	828801	CMV Ab, IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86645
LABCORP	221085	CMV Abs IgG/IgM Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86644 86645
LABCORP	828486	CMV Abs IgG/IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86644 86645
LABCORP	818776	CMV PCR Qual (fecal) Container:Sterile container Temperature:FREEZE	87496
LABCORP	819330	CMV qPCR (BAL) Container:Sterile container	87497

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE or room temperature	
LABCORP	824493	CMV qPCR (pleural fluid) Container: Sterile container Temperature: FREEZE	87497
LABCORP	824489	CMV qPCR (vitreous fluid) Container: Sterile container Temperature: FREEZE	87497
LABCORP	824935	CMV Saliva Real-Time PCR Container: Swab UTM OR Viral transport Temperature: Frozen Stability: Refrigerated: 7 days Frozen: 7 days	87496
LABCORP	818037	CNBP DNA Test (DM2) Container: Lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature.	NOCPT
LABCORP	824724	CNS Demyelinating Disease Eval Container: Serum Separator (Gel) Tube Temperature: Refrigerated Stability: Room temperature: 72 hours Refrigerated: 28 days Frozen: 28 days	86363 86053
LABCORP	115512	CoaguChek XS/INR Waived Container: The CoaguChek Systems Test may be performed with fresh capillary whole blood from a fingerstick or fresh venous whole blood drawn in an anticoagulant-free plastic syringe. Temperature: The blood sample must be applied to the test strip within three minutes of removing the test strip from its foil pouch. Sample must be used immediately after collection.	85610
LABCORP	071514	Cobalt, Urine Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	82570 83018
LABCORP	738824	Cobalt, WB(MoM) Container: Royal blue-top (EDTA) tube Temperature: Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen. Stability: Room Temperature at least 7 days Refrigerated at least 12 days Frozen at least 356 days	83018
LABCORP	489067	cobas(R) EGFR (Epidermal Growth Factor Receptor) MutationTest v2, IVD Container: Slides, blocks OR 4 mL BD(R) purple-top (K2 EDTA) tube. Collect three tubes of whole blood in accordance with the collection procedure specified below. Temperature: BLOCKS OR SLIDES: Room temperature. Stability of FFPE block specimens stored at 15(degrees)C to 30(degrees)C for 12 months after the date of collection has been confirmed. Five-micron sections mounted on slides may be stored at 15 (degrees)C to 30(degrees)C for 60 days. Plasma, FROZEN. The plasma sample could be stored frozen, at <-70(degrees)C for 12 months.	81235 88381
LABCORP	701813	Cocaine (Metab.) Container: Urine container Temperature: Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	808838	Cocaine and Metabolite Confirmation, Plasma Container: Gray-top (sodium fluoride) tube Temperature: Refrigerate; specimen may also be frozen.	80353
LABCORP	791714	Cocaine and Metabolite Confirmation, Whole Blood Container: Gray-top (sodium fluoride) tube Temperature: Refrigerate; specimen may also be frozen	80353
LABCORP	700543	Cocaine and Mtb, ToxAssure, UR Container: Plastic urine container without preservative Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80353
LABCORP	737900	Cocaine Conf, MS, UR Container: Use plastic urine drug bottle and evidence tape or tamper-evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature: Maintain specimen at room temperature	80353
LABCORP	737750	Cocaine metabolite, Screen with Confirmation, Urine Container: Urine container Temperature: Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	791546	Cocaine Screen Only, Whole Blood Container: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature: Refrigerate; specimen may also be frozen	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	808583	Cocaine Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	700879	Cocaine, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	830982	Coccidioides Ab by CF & ID,CSF Container:Sterile container Temperature:Refrigerated	86635 x2
LABCORP	824083	Coccidioides Ab by CF, CSF Container:Sterile container Temperature:Refrigerated	86635
LABCORP	824088	Coccidioides Ab IgG ELISA, CSF Container:Sterile container Temperature:Refrigerated	86635
LABCORP	824091	Coccidioides Ab IgM ELISA, CSF Container:Sterile container Temperature:Refrigerated	86635
LABCORP	830945	Coccidioides Ab, Reflexive Pnl Container:Serum Separator (Gel) Tube Temperature:Refrigerated	86635 x2
LABCORP	823988	Coccidioides Abs Panel, CSF Container:Sterile container Temperature:Refrigerated	86635 x4
LABCORP	823990	Coccidioides Antibody by CF Container:Gel-Barrier Tube Temperature:Refrigerated	86635
LABCORP	827550	Coccidioides Antibody Panel Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86635 x4
LABCORP	139172	Coccidioides CF Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86635
LABCORP	830408	Coccidioides Immitis Id Container:Viable fungal isolate in pure culture on non-blood containing fungal medium Temperature:Maintain specimen at room temperature Stability: Room temperature up to 2 days Refrigerate up to 2 weeks	NOCPT
LABCORP	800126	Coccidioidomycosis Serology Container:Serum gel tube Temperature:Maintain specimen at room temperature	86171
LABCORP	211551	Cockatiel Feathers, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	805275	Cockatiel S Proteins Gel Diff* Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86331
LABCORP	071529	Codeine and Metabolite Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80361
LABCORP	620043	Coenzyme Q10 (Leukocytes) Container:Yellow-Top (ACD) Tube Temperature:Ship within 24 hours	82542
LABCORP	120251	Coenzyme Q10, Total Container:Serum gel-barrier tube or red-top tube Temperature:Refrigerate	82542

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	824044	COL1A1 + COL1A2 gDNA Prenatal Container:T-25 flasks Temperature:Room temperature	81408 x2
LABCORP	903677	Cola Nut, IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	083758	Colchicine Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80299
LABCORP	500360	Collagen-binding Activity (CBA) Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerate up to 4 hours Acceptable freeze/thaw up to 4 cycles	85246 83520
LABCORP	057638	COLORECTAL Container:Gel-Barrier Tube	84702 82552 82550 86301 82378
LABCORP	630534	Combined Pituitary Hormone Deficiency Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81479 81405 81404
LABCORP	007069	Common Alloy Elements Profile Container:Plastic urine container Temperature:Maintain specimen at room temperature.	82570 83825 82175 83655 83018 82495 82525 82300 83885
LABCORP	252687	Common Variable Immunodeficiency Syndrome (CVID): TNFRSF13B(TACI) (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252456	Common Variable Immunodeficiency Syndrome (CVID):TNFRSF13B (TACI) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	700898	Comp Bld Drug Scr w/Med Rpt Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700903	Comp Bld Drug Scr w/MR-THC Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	503156	Comp Thyroglobulin+T4Free Container:Gel-barrier tube or red-top tube Temperature:Ambient (same day) or FREEZE Stability: Room Temperature up to 2 days Refrigerated up to 2 days Frozen up to 200 days	84439 86800 84432
LABCORP	630320	Complement and Coagulation Mediated TMA (aHUS) GeneticAnalysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81404
LABCORP	120220	Complement C1 Esterase Inhibitor, Functional Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE (A serum sample should not be stored at room temperature (15(degrees)C to 30(degrees)C) for longer than six hours. EDTA plasma may be held at room temperature for up to 24 hours.)	86161
LABCORP	004648	Complement C1 Esterase Inhibitor, Serum Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86160
LABCORP	016824	Complement C1q, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86160
LABCORP	161414	Complement C2 Container:Red-top tube OR gel-barrier tube Temperature:Room temperature	86160
LABCORP	004220	Complement C3a Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	004330	Complement C4a Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160
LABCORP	840736	Complement C6 Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	224427	Complement C7 Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	840769	Complement C8 Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	279053	Complement C9 Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	803029	Complement Component 5 Container:Gel-barrier tube Temperature:FREEZE	86160
LABCORP	851063	Complement Factor B Level Container:Lavender-top (EDTA) tube Temperature:FREEZE; store on dry ice or in ultra-cold freezer at -70 degrees C until sample can be shipped, on dry-ice to the laboratory.	86160
LABCORP	851048	Complement Factor I Level Container:Lavender-top (EDTA) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	501247	Complete Testosterone Eval. Container:Gel-barrier tube or red-top tube Temperature:Freeze Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 600 days	84270 84402 84410
LABCORP	791194	Comprehensive Drug Analysis, Urine Container:Urine Bottle Temperature:Room temperature is acceptable for shipping and/or short term storage (up to 3 days), specimen may also be refrigerated or frozen.	80357 80366 80344 80337 80354 80365 80355 80326 80364 80307 80331 80373 83992 80338 80372 80353 80371 80348 80361 80358 80368 80359 80360 80341 80370 80367
LABCORP	630268	Comprehensive Epilepsy NGS Panel Container:Lavender-top (EDTA) tube or OCD-100 DNA Genotek device ONLY Temperature:Maintain specimen at room temperature until ready to ship; ship samples at ambient temperature ASAP	81419
LABCORP	630628	Comprehensive Hearing Loss NGS Panel + mtDNA Container:Lavender-top (EDTA) tube or OCD-100 DNA Genotek device ONLY Temperature:Maintain specimen at room temperature. Samples should be shipped at ambient temperature, but may be refrigerated as needed.	81465 81460 81430 81431
LABCORP	630520	Comprehensive Short Stature Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81442
LABCORP	620167	Comprehensive Spinocerebellar Ataxia Repeat Expansion Panel Container:Lavender Top (EDTA) Tube	81344 81181 81177 81343 81178 81179 81479 81184 81182 81183 81180
LABCORP	900643	Congenital Central Hypovent. Container:Lavender-top (EDTA) tube or ovagen DNA self collection container Alternate yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	81404
LABCORP	630500	Congenital Hyperinsulinism Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81479 81407 81406 x3 81405 81403
LABCORP	630264	Congenital Hypothyroidism Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY;	81479 81406 81405

LAB	CODE	TEST NAME	CPT4 CODE
		or Extracted DNA: Sterile screw capped vial	
LABCORP	165590	Connective Tissue Disease (CTD) Cascade Container:Red-top tube or gel-barrier tube AND blue-top (sodium citrate) tube Temperature:SERUM: Room temperature, refrigerated AND FROZEN PLASMA: FROZEN Stability: See individual test	86038
LABCORP	164005	Connective Tissue Disease(CTD) Container:Gel-barrier tube	86160 x2 86235 x8 86225 86146 x2 86038 86147 x2 86376 86200 86800 86431
LABCORP	503166	Contact Factor Eval (Consult) Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85270 85280 85293 85292 80503
LABCORP	500436	Contact Factor Evaluation Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85270 85280 85293 85292
LABCORP	010505	Copeptin Container:Lavender-top (EDTA) tube Temperature:Room temperature	84588
LABCORP	383700	Copper random urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 82525
LABCORP	279071	Copper, Free Container:Royal blue-top (EDTA) tube or royal blue no additive Temperature:Refrigerate	82525
LABCORP	810707	Copper, Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Maintain specimen at room temperature Stability undetermined	82525
LABCORP	081162	Copper, RBC and Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:Refrigerate	82525 x2
LABCORP	003343	Copper, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82525 82570
LABCORP	081041	Copper, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82525
LABCORP	003202	Coproporphyrin, Urine Container:12-mL amber plastic transport tube without preservative (LabCorp No. 23598). (If amber tubes are unavailable, cover plastic tube completely, top and bottom, with aluminum foil. Identify specimen with patient's name directly on the container AND on the outside of the aluminum foil. Secure with tape.) Temperature:Refrigerate and PROTECT FROM LIGHT.	84120
LABCORP	700963	Cord Blood Drug Screen, 12 Panel Container:Gray-gop (NaF/oxalate) tube, green-top (heparin) tube, or lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700962	Cord Blood Drug Screen, 9 Panel Container:Gray-gop (NaF/oxalate) tube, green-top (heparin) tube, or lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	502480	Cort X2+Prog X3+DHEA X2+17O... Container:Red-top tube OR gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 6 hours Refrigerated up to 6 hours Frozen up to 1 year	82626 x2 82533 x2 84143 x2 83498 x3 84144 x3
LABCORP	502490	Cort X3+ACTH Container:Red-top tube, gel-barrier tube AND lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 6 hours Refrigerated up to 6 hours Frozen up to 1 year	82024 82533 x3
LABCORP	502503	Cort X6+HGH X9 Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 1 year	83003 x9 82533 x6

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	501541	Cort+Prog+17 OHP Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 1 year	82533 83498 84144
LABCORP	501546	Cort+Prog+17 OHP+17OHPR+And... Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 6 hours Refrigerated up to 1 day Frozen up to 90 days	82157 82626 82634 82533 84143 83498 84144
LABCORP	502350	Cort+Prog+17OHP+Cortic+DHEA Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 1 day Frozen up to 200 days	82533 83498 84144 82528 82626
LABCORP	500130	Corticosteroid Binding Globulin (CBG) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	84449
LABCORP	504444	Corticosterone, 60 Min Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82528
LABCORP	500135	Corticosterone, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82528
LABCORP	819138	Corticot.Releas.Fact.(CRF,CRH) Container:Lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	503990	Cortisol (Dexamethasone Suppression Test) With Reflex toDexamethasone Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 1 year Freeze/Thaw cycle: Stable x3	82533
LABCORP	024030	Cortisol, 30 Minutes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82533
LABCORP	024060	Cortisol, 60 Minutes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82533
LABCORP	104018	Cortisol, AM Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533
LABCORP	104000	Cortisol, AM and PM Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x2
LABCORP	210823	Cortisol, Eight Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x8
LABCORP	039222	Cortisol, Five Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x5
LABCORP	026948	Cortisol, Four Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x4
LABCORP	504020	Cortisol, Free Dialysis, LCMS Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 6 months Freeze/thaw cycle: Stable X6	82530
LABCORP	500440	Cortisol, Free, Total With CBG (Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 1 year	84449 82533
LABCORP	104026	Cortisol, PM Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	502424	Cortisol, Salivary Timed X12 Container:Salivette Collection Device: Specialized collection kits are now available for salivary testing. To order please contact your local Labcorp representative. PS#:123724 Temperature:Frozen	82533 x12
LABCORP	500154	Cortisol, Serum, LCMS (Endocrine Science) Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82533
LABCORP	039214	Cortisol, Seven Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x7
LABCORP	024091	Cortisol, Six Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x6
LABCORP	028498	Cortisol, Three Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x3
LABCORP	024265	Cortisol, Two Specimens Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	82533 x2
LABCORP	503715	Cortisol-Cortisone Ratio Prof. Container:Gel-barrier tube,red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE (preferred), or refrigerate	82542 82533
LABCORP	327673	Cortisone U+Cortisol U	82530 x2
LABCORP	503725	Cortisone, Serum, LC/MS-MS Container:Gel-barrier tube,red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE (preferred), or refrigerate	82542
LABCORP	120519	Cortisone, Urine Container:Plastic urine container Temperature:Refrigerate during collection and store refrigerated. The addition of preservative or refrigeration must occur within 4 hours of completion of the collection.	82530
LABCORP	770411	Cotinine Screen, Oral Fluid Container:Quantisal(TM) Oral Fluid collection device, contact lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	910974	Cotinine, Serum	80307
LABCORP	826840	Cottage Cheese, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	831450	Covid-19 Antibodies IgM Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86769
LABCORP	164044	COVID-19 Induced Thrombotic Microangiopathy Profile Container:Gel-barrier tube, Blue-top (Sodium Citrate) tube Temperature:Frozen: Serum and Plasma Room Temperature: Serum	83615 85379 85397 86162 85240 85246
LABCORP	164081	COVID-19 Poor Outcomes Risk Profile Container:Gel-barrier tube, Blue-top (Sodium Citrate) tube, and Lavender-top (EDTA) tube Temperature:Frozen: Plasma Room Temperature: Serum and Whole blood (EDTA)	85379 82728 85025 83615
LABCORP	164049	COVID-19 Severe Disease Progression Risk Profile Container:Gel-barrier tube, Blue-top (Sodium Citrate) tube, and Lavender-top (EDTA) tube Temperature:Frozen: Serum and Plasma Room Temperature: Serum and Whole blood (EDTA)	83529 84145 85025 83615 85379 82728 86140 83880
LABCORP	164052	COVID-19 Triage Profile Container:Gel-barrier tube, Blue-top (Sodium Citrate) tube, and Lavender-top (EDTA) tube Temperature:Frozen: Plasma Room Temperature: Serum and Whole blood (EDTA)	86140 85025 85379
LABCORP	833376	Coxsackie A Ab, CSF Container:Sterile conical tube or sterile capped tube Temperature:Refrigerate Stability: Room temperature unacceptable Refrigerated up to 14 days Frozen up to 30 days	86658 x6
LABCORP	163275	Coxsackie A Virus Antibody Profile, IgG Container:Gel-barrier Tube OR Red Top Tube	86658 x4

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room Temperature	
LABCORP	163295	Coxsackie A Virus Antibody Profile, IgG, IgM Container:Gel-barrier Tube OR Red Top Tube Temperature:Room Temperature	86658 x8
LABCORP	163290	Coxsackie A Virus Antibody Profile, IgM Container:Gel-barrier Tube OR Red Top Tube Temperature:Room Temperature	86658 x4
LABCORP	003236	C-Peptide, 24-Hour Urine Container:Plastic urine container Temperature:FREEZE	84681
LABCORP	143302	C-Peptide, Serum (2 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x2
LABCORP	143333	C-Peptide, Serum (3 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x3
LABCORP	143324	C-Peptide, Serum (4 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x4
LABCORP	015798	C-Peptide, Serum (5 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x5
LABCORP	319609	C-Peptide, Serum (6 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x6
LABCORP	015801	C-Peptide, Serum (7 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x7
LABCORP	015804	C-Peptide, Serum (8 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 x8
LABCORP	480108	C-Peptide, Serum, Serial Monitoring Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681
LABCORP	503830	C-Peptide, Ultrasensitive (Endocrine Sciences) Container:Gel-barrier tube, red-top tube or lavender-top (EDTA) tube Temperature:Freeze (preferred) or refrigerate Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 348 days Freeze/thaw cycle: Stable x6	84681
LABCORP	349256	CPneum+CPSitt+CTrach (IgM) Container:Serum Gel Tube	86632 x3
LABCORP	332425	Creat U+ALA Delta U Container:Plastic urine container, Urine Bottle	82135 82570
LABCORP	201319	Creat U+Aldo U Container:Plastic urine container with no preservative Temperature:Refrigerate	82570 82088
LABCORP	267245	Creat U+PE U Container:Plastic urine container (no preservative)	82570 84156 84166
LABCORP	227243	CreatCx+Prt24H	84156 82575
LABCORP	620180	Creatine and Guanidinoacetate (Plasma) Container:Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature:Remove plasma and freeze at -20 degrees Celsius. Store frozen at -20 degrees Celsius and ship frozen.	82542 82540
LABCORP	620170	Creatine and Guanidinoacetate (Urine) Container:Sterile Cup Temperature:Freeze as soon as possible after collection; Ship within 24 hours	82542 82540
LABCORP	002154	Creatine Kinase (CK), Total Plus Isoenzymes, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate up to 48 hours. FREEZE (-20 degrees C) up to two weeks.	82552 82550

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	003475	Creatine, 24-Hour Urine Container:Plastic urine container, no preservative Temperature:FREEZE	82540
LABCORP	002402	Creatine, Serum Container:Red-top tube Temperature:FREEZE	82540
LABCORP	819358	Creatine/GAA Plasma Container:Green-top (heparin) tube Temperature:FREEZE	82128 82540
LABCORP	819352	Creatine/GAA Urine Container:Urine Bottle Temperature:FREEZE	82540 82128
LABCORP	281279	CreatU+5 HIAA Container:Urine Bottle Temperature:Room Temperature	82570 83497
LABCORP	316511	CreatU+Beta2U Container:Urine Bottle	82232 82570
LABCORP	038596	CreatU+Ca U	82570 82340
LABCORP	375002	CreatU+Ca U+Phos U+Na U+BUN... Container:24 hour urine container OR aliquot from 24 hour urine indicating total volume.	82340 84540 84105 84300 84133 83735 82570
LABCORP	328107	CreatU+Ca U+Uric U+Phos U+O...	84560 82340 83945 84105 84300 83735 82570
LABCORP	316661	CreatU+CatecU Container:Plastic urine container (w/ HCL preservative)	82384 82570
LABCORP	242388	CreatU+Citric Container:Plastic urine container	82507 82570
LABCORP	121202	CreatU+Citric U	82570 82507
LABCORP	212183	CreatU+Cort U Container:Urine Bottle	82570 82530
LABCORP	204672	CreatU+Crti24 Container:Plastic urine container (no preservative)	82570 82540
LABCORP	340337	CreatU+HVA24H Container:Plastic urine container, Urine Bottle	82570 83150
LABCORP	316653	CreatU+Meta F Container:Plastic urine container (24 hr) Temperature:Room temperature	83835 82570
LABCORP	281872	CreatU+Mg U Container:Urine Bottle	83735 82570
LABCORP	342000	CreatU+N Telo U Container:1.0 ml-24 Hour urine container and 1.0 mL-Urine Bottle	82570 82523
LABCORP	242396	CreatU+Ox U Container:Plastic urine container (no preservative), Plastic Urine container (with preservative)	82570 83945
LABCORP	236944	CreatU+PBG UU Container:Creatinine: Plastic Urine container, with or without 6N HCl. PBG: Plastic urine container with 0.5 mL of 30% glacial acetic acid (optional preservative, but required if ordered With delta ALA) AND AMBER plastic frozen transport tube and cap (LabCorp ID 78656). Temperature:Creatinine: Room temperature PBG: FREEZE immediately and PROTECT FROM LIGHT. Urine is stable when preserved with 30% glacial acetic acid and FROZEN for one month or refrigerated for 24 hours.	82570 84110
LABCORP	282173	CreatU+PBG24U	NOOPT
LABCORP	316646	CreatU+VMA24U Container:Plastic urine container (no preservative) Temperature:Room temperature	84585 82570
LABCORP	162020	Crohn's Disease Prognostic Panel Container:Red-top tube or gel-barrier tube	86671 83516 x3

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	361891	CRP C+Homocy+V D25	86141 82306 83090
LABCORP	320154	Cryofi+Cryogl Container:Red-Top Tube (no gel), Blue-top (sodium citrate) tube	82595 82585
LABCORP	236958	Cryofi+Cryogl Container:Serum Transfer Tube, Blue-Top (Sodium Citrate) Tube	82595 82585
LABCORP	080317	Cryofibrinogen, Qualitative Container:Blue-top (sodium citrate) tube, lavender-top (EDTA) tube, or gray-top (sodium fluoride) tube Temperature:Maintain specimen at room temperature.	82585
LABCORP	381630	Crypto+Cyclos+Giardia Container:Para Pak-Pink	NOCPT
LABCORP	344201	Crypto+Cyclos+Isospo Container:Parasite (O&P) transport system (formalin vial only); Para Pak - Pink Temperature:Room temperature	87015 x2 87206 x2
LABCORP	205281	Crypto+Isospo+O+P Container:(1) O&P Transport kit Temperature:Room temperature	87177 87209 87206 87015
LABCORP	082891	Cryptococcus Antibodies, Quantitative Container:Gel-barrier tube OR Red-top tube Temperature:Refrigerate. Store at 2 degrees Celsius to 8 degrees Celsius for up to 72 hours. Freeze for longer storage.	86641
LABCORP	183025	Cryptococcus Antigen Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate (2-8 degrees C) or frozen (<-20 degrees C)	87899
LABCORP	183016	Cryptococcus Antigen, Cerebrospinal Fluid Container:Sterile plastic (CSF) tube Temperature:Refrigerate (2-8 degrees C) or frozen (<-20 degrees C)	87899
LABCORP	182378	Cryptosporidium and Isospora Smear, Stool Container:Parasite (O&P) transport (formalin vial only); Para Pak - Pink Temperature:Maintain specimen at room temperature.	87206 87015
LABCORP	115063	Crystals, Bile (Cholesterol) Container:Sterile Container Temperature:Maintain specimen at room temperature.	89060
LABCORP	133005	Crystals, Urine (ID Only) Container:Routine urinalysis tube, BD urine transport tube, or sterile urine cup Temperature:Refrigerate	81015
LABCORP	241227	Ct/GC/Tv NAA+HBsAg+HCVAb+HS... Container:Aptima (Gen-Probe) Swab or Urine, Gel-barrier Tube	86696 87491 86695 86780 87389 86803 87591 87340 87661
LABCORP	186215	Ct/Ng Tv Client Prequot, NAA Container:Gen-Probe(R) APTIMA(R) swab transport or Gen-Probe(R) APTIMA(R) specimen transfer kit with 1 mL of PreservCyt(R) fluid (do NOT use swabs provided with APTIMA(R) kit) Temperature:Maintain specimen at room temperature or refrigerate 2(degrees)C to 30(degrees)C. Aliquots must be transferred to the APTIMA(R) tube within seven days of collection.	87491 87591 87661
LABCORP	503155	C-Telo+V D25 Container:Gel-barrier tube AND red-top tube Temperature:FREEZE Stability: Frozen up to 120 days	82523 82306
LABCORP	500089	C-Telopeptide, Serum Container:Gel-barrier tube Temperature:FREEZE	82523
LABCORP	830835	Culturable Surface Swab Container:Bacterial transport swab with media Temperature:Refrigerated	NOCPT
LABCORP	180315	Culture of Dialysate Container:Sterile screw-cap container Temperature:Refrigerate at 2(degrees)C to 8(degrees)C	NOCPT
LABCORP	180307	Culture of Dialysis Water Container:Sterile screw-cap container Temperature:Refrigerate at 2(degrees)C to 8(degrees)C	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	501957	Culture, Non-Neoplastic Blood	88230
LABCORP	831739	Cutaneous Immunofluorescence Container:Gel-barrier tube or red-top tube Temperature:Room temperature	88350 88346
LABCORP	511020	CVS Chrom Analysis 5 Cell Cnt Container:CVS transport tube available from the cytogenetics laboratory (call 800-345-4363); sterile specimen container with transport media Temperature:Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do not freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	NOCPT
LABCORP	511555	CVS Chromosome Five-cell Count Plus Microarray (Reveal(R)) Container:CVS transport tube (available from cytogenetics laboratory, call 800-533-0567, ext 4065 or 3300): sterile specimen container with transport media Temperature:Maintain specimen at room temperature and transport it to the cytogenetics laboratory immediately. Do NOT freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	81229
LABCORP	809366	Cyanide (as Thiocyanate), Occupational Exposure, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	84430
LABCORP	808891	Cyanide, Occupational Exposure, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:Refrigerate (specimen may also be frozen)	82600
LABCORP	004984	Cyclic AMP, Plasma Container:Lavender-top (EDTA) plasma Temperature:FREEZE	82030
LABCORP	004903	Cyclic AMP, Urine Container:Transport tube Temperature:FREEZE	82030 82570
LABCORP	811061	Cyclobenzaprine, Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80369
LABCORP	811075	Cyclobenzaprine, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	810677	Cyclohexane, Blood Container:Lavender-top (EDTA) tube Temperature:Refrigerate	84600
LABCORP	857396	Cycloserine Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	183145	Cyclospora Smear, Stool Container:Parasite (O&P) transport system (formalin vial only); Para Pak - Pink Temperature:Maintain specimen at room temperature.	87206 87015
LABCORP	824058	CYFRA 21-1, Serum Container:Serum Separator (Gel) Tube or Red Temperature:Refrigerated	86316
LABCORP	831768	CYP21A2 (CAH) Evaluation Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81405 81402
LABCORP	121265	Cystatin C With Glomerular Filtration Rate, Estimated (eGFR) Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube Temperature:Room temperature	82610
LABCORP	188656	Cystic Fibrosis (CF) Lower Respiratory Culture Container:Sterile screw-cap container (preferred) or bacterial swab transport system. Label container as obtained from a CF patient. Temperature:Refrigerate at 2(degrees)C to 8 (degrees)C	87070
LABCORP	480533	Cystic Fibrosis (CF) Profile, 32 Mutations, DNA Analysis	81220

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	
LABCORP	480541	Cystic Fibrosis (CF) Profile, 32 Mutations, Fetal Analysis Container: Sterile plastic conical tube OR two confluent T25 flasks Temperature: Maintain specimen at room temperature.	81220
LABCORP	450020	Cystic Fibrosis (CF) Profile, 97 Mutations, CFplus(R) Container: Lavender-top (EDTA) tube, Yellow-top (ACD-A) tube, LabCorp Buccal swab kit, or Integrated Genetics mouthwash kit. Temperature: Maintain at room temperature or refrigerate at 4(degrees)C	81220
LABCORP	480819	Cystic Fibrosis (CF) Profile, 97 Mutations, CFplus(R), Fetal Analysis Container: Sterile plastic conical tube OR two confluent T-25 flasks for fetal testing Temperature: Maintain specimen at room temperature or refrigerate at 4(degrees)C	81220
LABCORP	480555	Cystic Fibrosis (CF) Profile, DNA Analysis and 5T Allele Genotyping Container: Lavender-top (EDTA) tube OR LabCorp buccal swab kit Temperature: Maintain specimen at room temperature.	81220
LABCORP	480970	Cystic Fibrosis (CF), 5T Allele Genotyping Container: Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature: Maintain specimen at room temperature.	81224
LABCORP	830986	Cysticercosis Ab, IgG by ELISA Container: Serum Separator (Gel) Tube or red-top tube Temperature: Refrigerate	86682
LABCORP	828399	Cysticercosis Ab, IgG, ELISA, CSF Container: CSF (Cerebrospinal Fluid) Temperature: Refrigerate	86682
LABCORP	824098	Cysticercus Ab (IgG), WB, Serum Container: Serum Separator (Gel) Tube Temperature: Room temperature	NOCP
LABCORP	700195	Cystine, Quantitative, Urine Container: Plastic urine container without preservative (preferred). 6N HCl or 1g/L Boric acid may be added as a preservative, but may adversely impact other tests for kidney stones or urinalysis. Temperature: After aliquoting, specimens should immediately be frozen and maintained frozen during shipping as well as at the testing facility until tested.	82131
LABCORP	511675	Cytochrome P450 2C19 Genotyping Container: Lavender-top (EDTA) tube or yellow-top (ACD) tube buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 days, frozen for 2 years.	81225
LABCORP	511893	Cytochrome P450 2C9 Genotyping Container: Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR LabCorp buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 days, frozen for 2 years. Maintain buccal swabs at room temperature for 2 months.	81227
LABCORP	512215	Cytochrome P450 2C9 Genotyping Siponimod Container: Lavender-top (EDTA) tube OR yellow-top (ACD) tube or buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 day, frozen for 2 years. Maintain buccal swabs at room temperature or refrigerated for 2 months	NOCP
LABCORP	511230	Cytochrome P450 2D6 Genotyping Container: Lavender-top (EDTA) tube or yellow-top (ACD) tube buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 days, frozen for 2 years.	81226
LABCORP	511905	Cytochrome P450 2D6/2C19 Genotyping Container: Lavender-top (EDTA) tube or yellow-top (ACD) tube buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 days, frozen for 2 years.	81225 81226
LABCORP	504155	Cytochrome P450 3A4/3A5 Genotyping Container: Lavender-top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature: Maintain whole blood specimen at room temperature or refrigerated for 7 days, frozen for 2 years. Maintain buccal swabs at room temperature or refrigerated for 2 months.	81231 81230
LABCORP	820202	Cytokine Panel Container: Gel-barrier tube Temperature: FREEZE	83529 83520 x12
LABCORP	008201	Cytomegalovirus (CMV) Culture	87252 87254

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium (throat, cervical, semen, biopsy sources); sterile leakproof urine container; two green-top (heparin) tubes Temperature:Do NOT freeze. Maintain blood at room temperature; other specimen sources should be refrigerated.	
LABCORP	138701	Cytomegalovirus (CMV), Amniotic Fluid, PCR Container:Sterile container Temperature:FREEZE(preferred) OR refrigerate	87496
LABCORP	139144	Cytomegalovirus (CMV), Quantitative, Urine, PCR Container:Sterile urine container, no preservative Temperature:Refrigerate or FREEZE	87497
LABCORP	819024	Cytomegalovirus IgG Ab Avidity Temperature:Refrigerate	86644
LABCORP	823975	Cytomegalovirus PCR Container:BAL-Sterile container, Tissue-Sterile container with 1 to 2 mL of sterile saline or other viral transport media. Temperature:Refrigerated	87496
LABCORP	910637	D/L Methamphetamine, Ur	80324
LABCORP	602467	D001-IgE D pteronyssinus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602475	D002-IgE D farinae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602677	D070-IgE Acarus Mite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602678	D071-IgE Lepidoglyphus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602679	D072-IgE Tyrophagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602681	D073-IgEGlycyphagus domesticus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602682	D074-IgE Euroglyphus maynei Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602621	D201-IgE Blomia tropicalis Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	084731	Dantrolene (Dantrium) Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE	80299
LABCORP	807644	Dapsone Container:Red-top tube, lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	823718	Darunavir Level Container:Red-top tube or green-top (heparin) tube Temperature:FREEZE	80299
LABCORP	504836	DDAVP Challenge Profile for Von Willebrand Disease Container:Blue-Top (Sodium Citrate) Tube Temperature:Plasma, FROZEN	80503 85240 x3 85246 x3 85245 x3
LABCORP	161646	Deaminated Gliadin Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86258
LABCORP	161687	Deaminated Gliadin Antibodies, IgG Container:Red-top tube or gel-barrier tube	86258

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	883115	Decalcification; 5th	88311
LABCORP	883116	Decalcification; 6th	88311
LABCORP	883117	Decalcification; 7th	88311
LABCORP	883118	Decalcification; 8th	88311
LABCORP	883119	Decalcification; 9th	88311
LABCORP	004100	Dehydroepiandrosterone (DHEA) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626
LABCORP	144691	Dehydroepiandrosterone (DHEA) Sulfate, (2 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x2
LABCORP	146315	Dehydroepiandrosterone (DHEA) Sulfate, (3 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x3
LABCORP	146316	Dehydroepiandrosterone (DHEA) Sulfate, (4 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x4
LABCORP	146317	Dehydroepiandrosterone (DHEA) Sulfate, (5 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x5
LABCORP	146318	Dehydroepiandrosterone (DHEA) Sulfate, (6 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x6
LABCORP	146319	Dehydroepiandrosterone (DHEA) Sulfate, (7 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x7
LABCORP	146321	Dehydroepiandrosterone (DHEA) Sulfate, (8 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	82627 x8
LABCORP	231819	Dehydroepiandrosterone (DHEA), (2 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x2
LABCORP	231821	Dehydroepiandrosterone (DHEA), (3 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x3
LABCORP	231822	Dehydroepiandrosterone (DHEA), (4 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x4
LABCORP	231823	Dehydroepiandrosterone (DHEA), (5 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x5
LABCORP	231824	Dehydroepiandrosterone (DHEA), (6 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x6

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	231825	Dehydroepiandrosterone (DHEA), (7 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x7
LABCORP	231826	Dehydroepiandrosterone (DHEA), (8 Specimens) Container:Red-top tube or gel-barrier tube Temperature:Sample must be maintained refrigerated due to limited room temperature stability. Freeze if cannot be maintained refrigerated.	82626 x8
LABCORP	140768	Dehydroepiandrosterone (DHEA), ACTH Stimulation Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82626 x2
LABCORP	500156	Dehydroepiandrosterone, Serum Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 14 hours Refrigerated up to 12 days Frozen up to 94 days	82626
LABCORP	703062	Delta-8 and Delta-9 THC mtb, MS, Ur Container:Plastic urine container without preservative Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	096354	Delta-Aminolevulinic Acid, 24-Hour Urine Container:Plastic 24-hour urine container with 30 mL of 30% acetic acid (LabCorp No. 23301) AND AMBER plastic frozen transport tube and cap (LabCorp No. 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. NOTE: Urine is NOT stable preserved with sodium carbonate. It is stable for one month when preserved with 30% acetic acid and frozen (-20(degrees)C to 0(degrees)C), or stable for three days with 30% acetic acid when refrigerated (2(degrees)C to 8(degrees)C).	82135
LABCORP	007364	Delta-Aminolevulinic Acid, Random Urine Container:Plastic urine container with 0.5 mL of 30% glacial acetic acid (optional preservative, but required if ordered with delta ALA) AND AMBER plastic frozen transport tube and cap (Labcorp No. 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. Urine is stable when preserved with 30% glacial acetic acid and FROZEN for one month or refrigerated for 24 hours.	82135 82570
LABCORP	819213	Dengue Virus IgG and IgM Container:Red-top tube or serum-separator tube Temperature:FREEZE	86790 x2
LABCORP	819195	Dengue Virus IgG Antibody Container:Red-top tube or serum-separator tube Temperature:FREEZE	86790
LABCORP	819198	Dengue Virus IgM Antibody Container:Red-top tube or serum-separator tube Temperature:FREEZE	86790
LABCORP	500335	Deoxycorticosterone (DOC) X2 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 2 years	82633 x2
LABCORP	500138	Deoxycorticosterone (DOC), Serum Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:FREEZE	82633
LABCORP	511105	Deoxyypyridinoline (Dpd) Cross-Links (Serial Monitor) Container:Plastic urine container Temperature:Refrigerate	82570 82523
LABCORP	604786	Dermatophagoides microceras (Mite) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	182337	Dermatophyte Culture Container:Glassine envelope (preferred) or sterile container Temperature:Maintain specimen at room temperature.	87101
LABCORP	141325	Des-gamma-carboxy Prothrombin (DCP) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83951
LABCORP	703083	Designer Benzodiazepines, Screen w/Confirmation, UrineClinical	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Plastic urine container without preservative Temperature:FREEZE	
LABCORP	007765	Desipramine, Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	831688	Desmoglein 1 and 3 Abs, IgG Container:Gel-barrier tube or red-top tube Temperature:Room temperature	83516 x2
LABCORP	791572	Desomorphine, Urine, Screen With Confirmation Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	790340	Dextromethorphan (DM) and Metabolite, Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80362
LABCORP	811893	Dextromethorphan (DM), Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:Refrigerate (Cool Pack) or freeze.	80299
LABCORP	764142	Dextromethorphan/Levorphanol Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	502147	DHEA S+Cort Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	82627 82533
LABCORP	502922	DHEA S+Cort+11 Deoxy+17 OHP... Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 2 years	82634 82533 83498 82627 82157
LABCORP	501979	DHEA S+Cort+ACTH+21 Hydro Container:Red-top tube or gel-barrier tube AND lavender-top (EDTA) tube. Temperature:FREEZE Stability: Frozen up to 200 days	82533 82024 82627 83516
LABCORP	503090	DHEA S+Cort+Pregnenolone Container:Gel-barrier tube OR red-top tube Temperature:FREEZE	82533 82627 84140
LABCORP	819319	DHEA Urine Container:Plastic urine container Temperature:FREEZE	82626
LABCORP	500161	DHEA-Sulfate, Serum, LC/MS-MS (Endocrine Sciences) Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 2 years	82627
LABCORP	211524	Diabetes (Fruct/Insulin-4) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Insulin: Refrigerate Fructosamine: Room temperature	82985 83525 x4
LABCORP	504050	Diabetes Autoimmune Profile Container:Red-top tube or gel-barrier tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 7 days Freeze/Thaw Cycle: Stable x3	86341 x3 86337
LABCORP	500597	Diabetes Autoimmune Test Grp Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	86337 86341 x2
LABCORP	023400	Diabetes Comorbidity Assessment Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube AND plastic urine container Temperature:Maintain specimens at room temperature.	82565 82043 80061 82570

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	026468	Diabetes Panel Three Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	82951 83525 x3
LABCORP	123855	Diabetes Risk Index (DRI) Container:Lavender-top (EDTA-no gel) tube (preferred) OR plain red-top tube OR NMR LipoTube (black-and-yellow-top tube); green-top (Na Heparin) plasma tube is also acceptable Temperature:Refrigerate prior to shipment, and ship on frozen cool packs.	81599
LABCORP	090400	Diabetes Risk-Asymptomatic Adults Container:Hemoglobin A1c: Lavender-top (EDTA) tube, green-top (lithium heparin) tube, or gray-top (sodium heparin) tube Glucose, Plasma: gray top (sodium fluoride) tube or green-top (lithium heparin) tube Temperature:Maintain A1c and FPG specimens at room temperature.	83036 82947
LABCORP	007989	Diazepam, Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate	80299
LABCORP	081513	Dibucaine Number Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature	82638
LABCORP	085184	Dichloroethane, Blood Container:Gray-top (sodium fluoride/potassium oxalate) tube Temperature:Refrigerate	82441
LABCORP	155002	Diff Slide Preparation Container:Lavender-Top (EDTA) Tube	NOOPT
LABCORP	015173	Differential and Total WBC Count Container:Lavender top (EDTA) tube Temperature:Maintain specimen at room temperature for 24 hours; refrigerate for 48 hours.	85004 85048
LABCORP	790440	Digitoxin Container:Red-top tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790952	Digoxin, Unbound, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for three days at room temperature, for two weeks refrigerated, and for six months frozen.	80163
LABCORP	450080	Dihydrolipoamide Dehydrogenase Deficiency (DLD) Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature	81479
LABCORP	500142	Dihydrotestosterone (DHT) Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82642
LABCORP	504026	Dihydrotestosterone (DHT),Free, LCMS/Dialysis Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycle: stable x6	84999
LABCORP	503361	Dihydrotestosterone X2 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 3 years	82642 x2
LABCORP	808151	Diltiazem, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for three days at room temperature, for seven days refrigerated, and for six months frozen.	80299
LABCORP	005200	Dilute Prothrombin Time Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85705

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	820973	Dimethylformamide Exposure Container:Urine Bottle Temperature:Refrigerate	82542
LABCORP	085035	Dioxane-1,4 Container:Red-top tube, lavender-top (EDTA) tube OR gray-top (sodium fluoride) tube Temperature:Refrigerate	82542
LABCORP	347992	Dip Ab+IgA/G/M+IgGSub+TetlgG Container:Gel-Barrier Tube	82787 x4 82784 x3 86317 x2
LABCORP	764241	Diphenhydramine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	798230	Diphenhydramine Retest, MS, UR	NOcpt
LABCORP	808420	Diphenhydramine Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for 12 days at room temperature, for 12 days refrigerated, and for 13 days frozen.	80299
LABCORP	163709	Diphtheria Antitoxoid Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86317
LABCORP	206192	Dipyridamole (Persantine) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	130476	Direct Immunofluorescence (Fibrinogen, IgA, IgG, IgM, C3)(Michel's Media) Container:Tissue block or slide Temperature:Room temperature	88346 88350 x4
LABCORP	823304	Disaccharidases Container:Sterile container or tissue cassettes Temperature:FREEZE Stability: Frozen up to 3 months For the specimen arriving thawed, or at the incorrect temperature, the client will be notified to inquire if the specimen should be rejected or run with a disclaimer.	82657
LABCORP	007864	Disopyramide, Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	116012	Disseminated Intravascular Coagulation (DIC) Profile Container:Lavender-top (EDTA) tube AND blue-top (sodium citrate) tubes Temperature:Maintain whole blood at room temperature. FREEZE plasma.	85610 85379 85049 85730 85384 85362
LABCORP	117853	Disseminated Intravascular Coagulation (DIC) Profile,Comprehensive Plus Container:Blue-top (sodium citrate) tubes AND lavender-top (EDTA) tube Temperature:Maintain whole blood at room temperature. Freeze plasma.	85220 85049 85730 85240 85384 85610 85300 85420 85410 85379
LABCORP	823573	Disulfiram (DEDTC Metabolite) Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE	80299
LABCORP	808548	Diuretic Analysis, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80377
LABCORP	815727	Diuretics Panel, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80375
LABCORP	823388	D-Lactate Container:Gray-top (sodium fluoride) tube Temperature:FREEZE	83605
LABCORP	284037	D-Lactate, U Container:Plastic urine bottle (No presevative)	83605

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE	
LABCORP	480327	DNA Ploidy Analysis, Paraffin Block Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	88182
LABCORP	845135	Donath Landsteiner Test Container:Red-top tube Temperature:Refrigerate Stability: Room temperature: Unacceptable Refrigerate: 1 week Frozen: Unacceptable	86941
LABCORP	138662	DONOR CMV Total Container:Lavender-top (EDTA) tube OR Red-Top Tube Temperature:Refrigerate Stability: Plasma: Refrigerated = 5 days Serum: Refrigerated = 14 days	86644
LABCORP	138930	DONOR CMV Total Rflx to IgG/M Container:Lavender-top (EDTA) Tube OR Red-Top Tube Temperature:Refrigerate Stability: Plasma: Refrigerated = 5 days Serum: Refrigerated = 14 days	86644
LABCORP	138697	DONOR CMV Total Rflx to IgM Container:Lavender-top (EDTA) Tube OR Red-Top Tube Temperature:Refrigerate Stability: Plasma: Refrigerated = 5 days Serum: Refrigerated = 14 days	86644
LABCORP	138828	DONOR CT/NG NAT Container:Gen-Probe(R) APTIMA(R) swab or urine specimen transport. *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Ambient temperature (between 2 degrees C and 30 degrees C). Stable FROZEN for up to 12 months for urine and endocervical swabs. Stable FROZEN for up to 6 months for urethral swabs.	87491 87591
LABCORP	138922	DONOR HTLV-I/II Ab Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Room temperature Stability: Refrigerated up to 14 days Frozen up to 6 months	86790
LABCORP	138780	DONOR HTLV-I/II Ab Rflx to IB Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Refrigerate or Frozen	86790
LABCORP	138984	DONOR HTLV-I/II Immunoblot Container:Gel-barrier tube is preferred. Red top tube is acceptable or lavender-stopper (EDTA) tube.yellow-top (ACD) tube Temperature:Refrigerate or freeze (Pour serum or plasma into plastic pour-off tube before freezing). STABLE 2(degrees)C to 8(degrees)C for seven days or -20(degrees)C for longer storage.	86688 86687
LABCORP	138931	DONOR Panel 138931 Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Refrigerate OR Freeze	87389
LABCORP	138948	DONOR Panel 138948 Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Refrigerate OR Freeze	87389
LABCORP	139339	Donor Screening Panel 146 Container:Aptima (Gen-Probe) Swab or Urine, Gel-barrier Tube, Lavender Top (EDTA) Tube Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	NOCP
LABCORP	139290	Donor T. cruzi (Chagas) Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Refrigerate or Frozen	86753
LABCORP	139806	DONOR WNV NAT Assay Container:Lavender Top (EDTA) Tube OR Plasma Preparation Tube (PPT) Temperature:Refrigerate Stability: Whole Blood: less than 25 degrees C but not to exceed 30 degrees for more than 24 hours = 72 hours Plasma: Refrigerated = 12 days Frozen: greater than or equal to -18 degrees C = 30 days	87798
LABCORP	500733	Dopamine, Urine Container:Urine container with 25 mL 6N HCl preservative. CAUTION: STRONG ACID. May cause skin burns. Temperature:Freeze, preferred Stability: Refrigerated up to 7 days at a pH range if 1 to 3.	NOCP

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	007609	Doxepin Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	511176	DPD 5-Fluorouracil Toxicity Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degree)C	81232
LABCORP	804902	Dronabinol Container:Red-top tube OR lavender-top (EDTA) tube fluoride) tube Temperature:Refrigerate	80299
LABCORP	620158	DRPLA(ATN1) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81177
LABCORP	819402	Drug Abuse (11 Panel), Fluid Container:Sterile conical tube or sterile capped tube Temperature:Refrigerate	80307
LABCORP	707392	Drug Abuse Profile (DOT), Urine (9 Drugs) (MSConfirmation Included at an additional Charge) Container:Collection kit that meets DOT guidelines. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at the lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764495	Drug Abuse Profile (noTHC), Urine (8 Drugs) (MS Confirmation with Added Charge) Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	725788	Drug Abuse Profile (Routine), Urine (7 Drugs) (MSConfirmation for Added Charge) Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at the lab will extend beyond 7 days then refrigerate.	80307
LABCORP	794388	Drug Abuse Profile (Routine), Urine (7 Drugs) (MSConfirmation Included at No Charge) Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	726778	Drug Abuse Profile, Urine (7 Drugs + Alcohol) Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	708392	Drug Abuse, DOT-Bund Container:Collection kit that meets DOT guidelines. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at the lab will extend beyond 7 days then refrigerate.	80307
LABCORP	708492	Drug Abuse, DOT-Bund Container:Collection kit Temperature:Maintain specimen at room temperature. If arrival at the lab will extend beyond 7 days then refrigerate.	80307
LABCORP	707492	Drug Abuse, DOT-Unbund Container:Collection kit Temperature:Maintain specimen at room temperature. If arrival at the lab will extend beyond 7 days then refrigerate.	80307
LABCORP	708125	Drug Abuse, HHS-Bund Container:Collection kit that meets DOT guidelines. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. If arrival at the lab will extend beyond 7 days then	NOCPT



Online Test Menu

Laboratory Catalog

LAB	CODE	TEST NAME	CPT4 CODE
		refrigerate.	
LABCORP	708126	Drug Abuse, HHS-Bund Container:Collection kit Temperature:Maintain specimen at room temperature. Stability: If arrival at the lab will extend beyond 7 days then refrigerate.	NOCPPT
LABCORP	707194	Drug Abuse, HHS-Unbund Container:Collection kit that meets DOT guidelines. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. If arrival at the lab will extend beyond 7 days then refrigerate.	NOCPPT
LABCORP	707195	Drug Abuse, HHS-Unbund Container:Collection kit Temperature:Maintain specimen at room temperature. Stability: If arrival at the lab will extend beyond 7 days then refrigerate.	NOCPPT
LABCORP	701687	Drug Analysis, Comprehensive (AMP,BZO,COC,THC,OPI, 6-AM,OXY,MD,FENT,BUP,TAP,MEP,PPX,TRAM,PCP,AC,MR,ZOLP,DUL,COT), byMass Spectrometry, oral fluid. Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated.	80373 83992 80372 80362 80353 80348 80361 80323 80358 80368 80359 80349 80332 80370 80356 80367 80346 80324 80366 80354 80365 80355
LABCORP	820205	Drug Det Pan Umbilical Cord QI Container:Sterile container Temperature:Refrigerate	80307
LABCORP	911048	Drug Facilitated Assault Pnl,U	80334 80347 80357 80366 80344 80337 80365 80355 80307 80363 80331 80338 80371 80361 80359 80360 80341 80370 80325 80377
LABCORP	770031	Drug Oral Fluid 11 Class Profile (LabCorp MedWatch(R)) Container:Quantisal-Oral Fluid drug test collection device. Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	770701	Drug Profile Treatment Center, Urine Container:Plastic urine container Temperature:Refrigerate up to 7 days.	80307
LABCORP	794370	Drug Profile, Urine (9 Drugs), Immunoassay With MSConfirmation Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	824327	Drug Scr, Umbil. Cord Tissue Container:Sterile container(preservative-free) Temperature:Refrigerated	80307
LABCORP	007034	Drug Screen (Blood and Serum) Container:Red-top tube and gray-top (sodium fluoride) tube Temperature:Refrigerate	80346 80345 80179 80320 80184
LABCORP	700904	Drug Screen 10 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700886	Drug Screen 10 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	911039	Drug Screen 1000 w/Conf, UR	80307
LABCORP	911045	Drug Screen 1001 w/Conf, UR	80307
LABCORP	700887	Drug Screen 11 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top	80307

LAB	CODE	TEST NAME	CPT4 CODE
		(EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	
LABCORP	700844	Drug Screen 11 with reflex Confirmation (ETOH, AMP, BAR, BZOCOC, PCP, THC, OPI, OXY, MD, PPX), Serum Container:Red-top (no additive) tube; tubes with separator gels should not be used Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	809558	Drug Screen 11 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,BUP,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	700896	Drug Screen 12 w/Conf Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	809160	Drug Screen 12 with Reflex Confirmation(ETG,AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,BUP,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	700845	Drug Screen 13 with reflex Confirmation (AMP, BAR, BZO, COC,PCP, THC, OPI, OXY, MD, FEN, PPX, MEP, TRAM), Serum Container:Red-top (no additive) tube; tubes with separator gels should not be used Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700892	Drug Screen 13 With Reflex Confirmation (AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,FEN,MEP,PPX,TRAM), Whole Blood Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700902	Drug Screen 16 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,FEN,BUP,PPX,MEP,TRAM,GABA,CAR), Whole Blood Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	911046	Drug Screen 2000 w/Conf, UR	80307
LABCORP	911050	Drug Screen 2001 w/Conf, UR	80307
LABCORP	910983	Drug Screen 201 w/Conf, UR	80307
LABCORP	911047	Drug Screen 3000 w/Conf, UR	80307
LABCORP	700895	Drug Screen 4 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	809173	Drug Screen 4 with Reflex Confirmation (AMP,COC,THC,OPI),Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	911052	Drug Screen 4000 w/Conf, UR	80307
LABCORP	911053	Drug Screen 4001 w/Conf, UR	80307
LABCORP	809373	Drug Screen 5 with Reflex Confirmation(AMP,COC,PCP,THC,OPI), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	790520	Drug Screen 5 with Reflex Confirmation(AMP,COC,THC,OPI,OXY), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	700897	Drug Screen 6 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top	80307

LAB	CODE	TEST NAME	CPT4 CODE
		(EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	
LABCORP	700890	Drug Screen 6 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	910997	Drug Screen 600 w/Conf, UR	80307
LABCORP	700891	Drug Screen 7 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700894	Drug Screen 7 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700972	Drug Screen 7 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	910998	Drug Screen 700 w/Conf, UR	80307
LABCORP	700888	Drug Screen 8 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	809517	Drug Screen 8 with Reflex Confirmation (AMP,COC,THC,OPI,OXY,MD,BUP,FENT), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOCPT
LABCORP	809574	Drug Screen 8 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	791592	Drug Screen 8 with Reflex Confirmation(AMP,BAR,COC,PCP,THC,OPI,OXY,MD), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	911003	Drug Screen 800 w/Conf, UR	80307
LABCORP	911007	Drug Screen 803 w/Conf, UR	80307
LABCORP	700889	Drug Screen 9 w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	791430	Drug Screen 9 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	911022	Drug Screen 900 w/Conf, UR	80307
LABCORP	807004	Drug Screen Prescription/OTC U Container:Urine container Temperature:Refrigerate	80307
LABCORP	791632	Drug Screen, Presumptive (10 Drug Classes), Blood Container:Gray-top (sodium fluoride) tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	791724	Drug Screen, Presumptive (Eight Drug Classes), Blood Container:Gray-top (sodium fluoride) tube, lavender-top (EDTA) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	791720	Drug Screen, Presumptive (Four Drug Classes), Whole Blood Container:Gray-top (sodium fluoride) tube, lavender-top (EDTA) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	791610	Drug Screen, Presumptive (Seven Drug Classes), Whole Blood Container:Gray-top (sodium fluoride) tube, lavender-top (EDTA) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	791722	Drug Screen, Presumptive (Six Drug Classes), Whole Blood Container:Gray-top (sodium fluoride) tube, lavender-top (EDTA) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	739078	Drugs of Abuse Profile (Routine), Urine (Five Drugs)(MS confirmation included)Test includes Amphetamines; cannabinoids (THC); cocaine metabolite; opiates (codeine, morphine, hydrocodone,hydromorphone); 6-Acetylmorphine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	738078	Drugs of Abuse Profile (Routine), Urine (Nine Drugs)(MS confirmation included)Test includes Amphetamines; barbiturates; expandedbarbiturates; cannabinoids (THC); cocaine metabolite;opiates (codeine, morphine, hydrocodone, hydromorphone);6-Acetylmorphine; Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	241426	dRVVT+PT+PT Mix+PTT LA+TTMx Container:Plasma from Light Blue (Citrate) Temperature:Frozen	85732 85611 85610 85613 85670
LABCORP	284285	Duloxetine, Serum or Plasma Container:Red-top tube or green-top (heparin tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	830832	Duodenoscope Sample (Bacteria) Container:Sterile container Temperature:Refrigerated, ship cool pack	NOCPT
LABCORP	006018	E/e Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	602454	E001-IgE Cat Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605024	E001-IgG Cat Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602684	E003-IgE Horse Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602685	E004-IgE Cow Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602456	E005-IgE Dog Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602686	E006-IgE Guinea Pig Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602688	E070-IgE Goose Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602994	E071-IgE Mouse Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602689	E072-IgE Mouse Urine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602690	E073-IgE Rat Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602691	E074-IgE Rat Urine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602692	E075-IgE Rat Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602693	E076-IgE Mouse Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602694	E077-IgE Budgerigar Droppings Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602695	E078-IgE Budgerigar Feather Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602697	E080-IgE Goat Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602699	E081-IgE Sheep epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602700	E082-IgE Rabbit Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602701	E083-IgE Swine Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602702	E084-IgE Hamster Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602703	E085-IgE Chicken Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602704	E086-IgE Duck Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602705	E087-IgE Rat Epith/Protein Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602708	E089-IgE Turkey Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	504305	E1+E2+E3, Free, Endo Science Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 60 days	82670 82677 82679
LABCORP	146068	E1+E2Sens+E3Free	82677 82679 82670
LABCORP	502148	E2+DHT+E1 Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to	82679 82670 82642

LAB	CODE	TEST NAME	CPT4 CODE
		32 months	
LABCORP	502160	E2+E1 Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	82679 82670
LABCORP	502573	E2+E1+SHBG Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 1 year	82679 82670 84270
LABCORP	361725	E2+Estrogen+E1	82679 82670 82672
LABCORP	602709	E201-IgE Canary Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602710	E209-IgE Gerbil Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602711	E214-IgE Feathers, Finch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602712	E215-IgE Pigeon Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	630557	Early Onset Alzheimer's NGS Diagnostic Test Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81406 x2 81405 81479
LABCORP	816387	Early Sjogren's Syndrome Prof Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	83520 x9
LABCORP	828771	EBV Ab Panel 1, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86663 86665 x2 86664
LABCORP	828811	EBV Ab to Early (D) Ag,IgG,CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86663
LABCORP	828389	EBV Ab to Nuclear Ag, IgG,CSF Container:CSF (cerebrospinal Fluid) Temperature:Maintain specimen at room temperature.	86664
LABCORP	828542	EBV Ab to Viral Caps.IgG,CSF Container:CSF (cerebrospinal Fluid) Temperature:Refrigerate	86665
LABCORP	829532	EBV Ab to Viral Capsid Ag, IgA Container:Red-top tube or gel barrier tube Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 month	86665
LABCORP	828813	EBV Ab to Viral Capsid IgM,CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate	86665
LABCORP	821476	EBV qPCR (Plasma) Container:Lavender-top (EDTA) tube Temperature:Room temperature.	87799
LABCORP	054262	EBVCA(IgG/M) Container:Gel Barrier Tube	86665 x2
LABCORP	246681	EBVEA+EBV Container:Gel Barrier Tube	86665 x2 86664 86663
LABCORP	138768	Echinococcus Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86682
LABCORP	804686	Echovirus CSF Antibody Panel Container:Sterile container	86658 x5

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE	
LABCORP	823361	Echovirus Serum Ab Panel Container:Gel-barrier tube Temperature:FREEZE	86658 x5
LABCORP	345334	EDI Miscellaneous Testing	NOOPT
LABCORP	345345	EDI Miscellaneous Testing	NOOPT
LABCORP	504430	Edoxaban Anti Xa Container:Blue-top (3.2 % or 3.8% sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 6 hours Freeze/thaw cycle stable x5	85130
LABCORP	121022	eGFR Creatinine-Cystatin C Calculation Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube Temperature:Room temperature	82610 82565
LABCORP	121054	eGFR Creatinine-Cystatin C Calculation WithAlbumin:Creatinine Ratio, Urine Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube AND plastic urine container Temperature:Room temperature	82610 82565 82043 82570
LABCORP	121065	eGFR Creatinine-Cystatin C Calculation WithAlbumin:Creatinine-Protein:Creatinine Ratios, Urine Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube AND plastic urine container Temperature:Room temperature	82570 82610 84156 82565 82043
LABCORP	510355	EGFR Oncology FISH Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal Temperature:Maintain specimen at room temperature.	NOOPT
LABCORP	489385	EGFR PCR RFX ALK FISH, LUNG Container:Paraffin-embedded tissue or slides (unstained and H&E) Temperature:Submit blocks/slides at room temperature	81235
LABCORP	603833	Egg Component Allergy Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x2
LABCORP	603940	Egg White IgE with Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	138168	Ehrlichia chaffeensis, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	138412	Ehrlichia Profile, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798 x2
LABCORP	164722	Ehrlichiosis (Granulocytic and Monocytic) Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86666 x4
LABCORP	827678	Electrolytes, Fecal Container:Sterile container Temperature:Refrigerate	84302 84999 82438
LABCORP	338665	ENA ANTIBODY PANEL Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86235 x5
LABCORP	016220	ENA+DNA/DS Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86235 x2 86225
LABCORP	244118	ENA+Riboso+Scl 70+SjoSSA+Sj... Container:Gel-barrier tube	83516 86235 x5
LABCORP	329797	ENA+SJOG+SCL70+JO-1 Container:Gel Barrier Tube	86235 x6
LABCORP	816621	Encephalitis CSF Container:Sterile container Temperature:Refrigerate	86765 x2 86788 86789 86735 x2 86694 x2 86787 x2
LABCORP	336181	Endo(IgA)+Glia(IgA/G)+IgA+t... Container:Gel-Barrier Tube	86258 x2 86364 86231 82784
LABCORP	327728	Endo(IgA)+Glia(IgA/G)+Ret I... Container:Gel Barrier Tube	86258 x2 86364 86231 86255

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	361259	Endo(IgA)+tTG(IgA) Container:Gel Barrier Tube	86364 86231
LABCORP	342052	Endo(IgA)+tTG(IgA/G) Container:Gel Barrier Tube	86364 x2 86231
LABCORP	164996	Endomysial Antibody, IgA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86231
LABCORP	847443	Endothelin I Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	826555	Endotoxin - LAL Quant (Water) Container:Collect in sterile pyrogen-free glass tube Temperature:Refrigerate (Cool Pack)	NOCPT
LABCORP	168120	Engraftment Monitoring, Post Container:Lavender-top (EDTA) tube Temperature:Maintain whole blood at room temperature.	81267
LABCORP	168138	Engraftment Monitoring, Pre Container:Lavender-top (EDTA) tube, Yellow-top (ACD) tube, or LabCorp buccal swab kit. When submitting buccal swabs, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature.	81265
LABCORP	550659	Enhanced Liver Fibrosis (ELF)(TM) Test Container:Gel-barrier tube or red-top tube Temperature:Refrigerate.	0014M
LABCORP	828387	Entamoeba Histolytica Ag, EIA Container:Unpreserved Stool Transport Vial Temperature:FREEZE - Critical frozen within 48 hours Stability: Room temperature unacceptable Refrigerate up to 48 hours Frozen up to 1 week	87337
LABCORP	180935	Enterohemorrhagic E coli (EHEC) Shiga Toxin, EIA Container:Stool culture transport vial; culture collection swab may be used to collect rectal swabs or a swab of fecal material, then swab should be placed in stool culture transport vial; (Para-Pak(R) orange). Temperature:Maintain specimen at room temperature.	87427
LABCORP	823969	Enterovirus PCR, P Container:Lavender-top (EDTA) Tube Temperature:Refrigerated	87498
LABCORP	821261	Enterovirus qRT-PCR (BAL) Container:Sterile container Temperature:FREEZE	87498
LABCORP	139348	Enterovirus Real-time PCR, Amniotic Container:Sterile plastic conical tube Temperature:FREEZE (preferred) OR refrigerate	87498
LABCORP	004180	Eosinophil Cationic Protein (ECP) Container:NMR lipoprofile serum-separator tube (LabCorp item ID 60360). Other tubes should not be used as they may produce erroneous results. Temperature:Refrigerate	83520
LABCORP	511654	EPCAM Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	808423	Ephedrine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80324
LABCORP	808041	Ephedrine, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80324
LABCORP	808162	Ephedrine/Pseudoephedrine Differentiation, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80324
LABCORP	481160	Epi proColon(R), Septin 9 Gene Methylation Detection, IVD	81327

LAB	CODE	TEST NAME	CPT4 CODE
		Container:4-mL BD(R) purple-top (K2 EDTA) tube. Collect six tubes of whole blood in accordance with the collection procedure specified below. Temperature:FREEZE. The plasma sample could be stored frozen, at -15 (degrees)C to -25(degrees)C for up to 14 days.	
LABCORP	489360	Epidermal Growth Factor Receptor (EGFR) Gene MutationAnalysis, Non-Small-cell Lung Cancer (Single-base Extension) Container:Slides OR blocks Temperature:Submit blocks/slides at room temperature.	81235 88381
LABCORP	816818	Epidermophyton floccosum IgE* Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86003
LABCORP	349669	Epinephrine, Plasma Container:Plasma from Lavender-Top (EDTA) Tube	82384
LABCORP	831673	Epithelial Cell Surface IgG Ab Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86256
LABCORP	096255	Epstein-Barr Virus (EBV) (Viral Capsid Antigen [VCA] andEarly Antigen-Diffuse [EA(D)]), IgG Antibody Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature. temperature or refrigerated. For storage longer than two days, freeze the specimen.	86663 86665
LABCORP	096248	Epstein-Barr Virus (EBV) Antibodies to Early Antigen-Diffuse[EA(D)], IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86663
LABCORP	096230	Epstein-Barr Virus (EBV) Antibodies to Viral Capsid Antigen(VCA), IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86665
LABCORP	096735	Epstein-Barr Virus (EBV) Antibodies to Viral Capsid Antigen(VCA), IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86665
LABCORP	240610	Epstein-Barr Virus (EBV) Antibody Profile Container:Red-top tube or Gel-barrier tube Temperature:Room temperature	86665 x2 86664
LABCORP	550913	Epstein-Barr Virus (EBV), DNA Probe Container:Submit paraffin block in crushproof container. Submit fresh tissue in a sterile container in 10% neutral-buffered formalin. Temperature:Maintain specimen at room temperature.	88365
LABCORP	138289	Epstein-Barr Virus (EBV), Qualitative, PCR Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube OR sterile container (CSF) Temperature:Whole blood is STABLE at room temperature or refrigerated for up to seven days; do NOT freeze. CSF is STABLE at room temperature or refrigerated for up to seven days, FROZEN for up to 90 days.	87798
LABCORP	139490	Epstein-Barr Virus (EBV), Quantitative, DNA PCR, Blood Container:Lavender-top (EDTA) OR yellow-top (ACD) tube Temperature:Refrigerate	87799
LABCORP	247200	Escitalopram, Serum or Plasma Container:Red-top tube or lavender-top (EDTA) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	247407	Escitalopram, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80332
LABCORP	716931	Eslicarbazepine Acetate (Aptiom) Container:Serum from Red Top Tube, Serum Transfer Tube, Plasma from Lavender Top Tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80339
LABCORP	500649	Estradiol Free, Equilibrium Dialysis, with Total Estradiolby HPLC/MS-MS Container:Gel-barrier tube or red-top tube Temperature:FREEZE	82670 82681

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500108	Estradiol, LCMS (Endocrine Science) Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82670
LABCORP	140244	Estradiol, Sensitive (LC/MS) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82670
LABCORP	004614	Estriol, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82677
LABCORP	480277	Estrogen Receptor/Progesterone Receptor (ER/PR),Immunohistochemical, Paraffin Block Container:Paraffin block transport pouch OR slide mailer. Temperature:Maintain specimen at room temperature.	88360 x2
LABCORP	004549	Estrogens, Total Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82672
LABCORP	504796	Estrogens, Total Serum Container:Serum from a Gel Tube; Plasma from Lavender Top Tube; Plasma from Green Top Tube; Serum Transfer Tube; Plasma Transfer Tube Temperature:FREEZE	82672
LABCORP	501049	Estrone Sulfate Container:Red-top tube or gel-barrier tube Temperature:Frozen Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	82679
LABCORP	004564	Estrone, Serum Container:Gel-barrier serum separator tube. Red top tubes (without gel barrier) should not be used. Temperature:Room Temperature	82679
LABCORP	504245	Etanercept and Anti-Etanercept Antibody, DoseASSURE(TM) ETN Container:Serum-gel tube, red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate or Freeze Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycles stable x6	82397 80299
LABCORP	081732	Ethambutol, GC/MS Container:Red-top tube or green-top (heparin) tube Temperature:FREEZE	80299
LABCORP	910828	Ethanol Biomarkers Confirm, Ur	80321
LABCORP	716167	Ethanol, Urine Container:Plastic urine container	80307
LABCORP	734588	Ethanol, Urine Qual Container:Plastic transport tube (preferred) or plastic urine container Temperature:Refrigerate	80307
LABCORP	816450	Ethionamide, HPLC Container:Green-top (sodium heparin) tube Temperature:FREEZE	80299
LABCORP	808426	Ethotoin, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	791360	Ethyl Alcohol Quantitation, Unknown Liquid Container:Serum transfer tube Temperature:Refrigerate; specimen may also be frozen.	NOcpt
LABCORP	735314	Ethyl Alcohol, Screen with Confirmation, Urine(Confirmation Performed at an Additional Charge) Container:Urine Bottle Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735316	Ethyl Alcohol, Screen with Confirmation, Urine(LabCorp MedWatch(R))(Confirmation Performed at an Additional Charge) Container:Urine Bottle Temperature:Room temperature; refrigerate or freeze if any delay in shipment to the lab.	80307
LABCORP	737607	Ethyl Glucuronide LC/MS/MS Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days	80321

LAB	CODE	TEST NAME	CPT4 CODE
		then refrigerate.	
LABCORP	737611	Ethyl Glucuronide LC/MS/MS Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80321
LABCORP	824675	Ethyl Glucuronide Screen, UC Container:Sterile container (preservative-free) Temperature:Refrigerated Stability: Room Temperature: Undetermined Refrigerated: 7 days Frozen: 14 days	80307
LABCORP	701814	Ethyl Glucuronide Screen, Ur Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80307
LABCORP	798067	Ethyl Glucuronide, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80307
LABCORP	798072	Ethyl Glucuronide, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80307
LABCORP	910487	Ethyl Glucuronide,Scr w/Conf,U	80307
LABCORP	737610	Ethyl Glucuronide/Ethyl Sulfate (EtG/EtS), Screen withConfirmation, Urine Container:Plastic urine container. Use evidence tape or tamper- evident container for forensic specimens. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80307
LABCORP	804464	Ethylbenzene, Blood Container:Gray-top (Sodium Fluoride) tube Temperature:Refrigerate	84600
LABCORP	910625	Ethylene Glycol Container:Red-Top Tube, Green-Top (Li-Heparin) Tube, Gray-Top (Sodium Fluoride) Tube, Plasma from Lavender-Top Tube	80320
LABCORP	071654	Ethylene Glycol, Serum Container:Red-Top Tube, Green-Top (Li-Heparin) Tube, Gray-Top (Sodium Fluoride) Tube, Plasma from Lavender-Top Tube. original unopened tube. Temperature:Refrigerate	82693
LABCORP	809652	Ethylene Glycol, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82693
LABCORP	085027	Ethylmorphine Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80361
LABCORP	500055	Euglobulin Lysis Time (ELT) Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85360
LABCORP	503355	Evaluation of PAI-1 Deficiency Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 6 months	85415 x3
LABCORP	700003	Everolimus Container:Lavender-top (EDTA) tube Temperature:Room Temperature	80169
LABCORP	510379	EWSR1 Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	602620	EX01 Animal Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	824521	Expanded Drug Scr + BUP,UC Container: Sterile container (preservative-free) Temperature: Refrigerate	80307
LABCORP	824329	Expanded Drug Scr, Umbil. Cord Container: Sterile container (preservative-free) Temperature: Refrigerated	80307
LABCORP	824024	Expanded Drug Scr+EtG, Umb Container: Sterile container (preservative-free) Temperature: Refrigerated Stability: Room Temperature: Undetermined Refrigerated: 7 days Frozen: 14 days	80307
LABCORP	910982	Extended Drug Survey, UR	80370 80325 80377 80334 80366 80344 80337 80355 80307 80363 80331 80338 80371 80359 80360 80341
LABCORP	180175	Extend-Spect. Beta-Lacta. Detct. Container: Culture isolate Temperature: Maintain specimen at room temperature	87185
LABCORP	503168	Extrinsic Pathway Coag Factor Container: Blue-top (sodium citrate) tube Temperature: Freeze	85210 80503 85230 85220 85260
LABCORP	500710	Extrinsic Pathway Coag Profile Container: Blue-top (sodium citrate) tube Temperature: Freeze	85210 85230 85220 85260
LABCORP	500041	Extrinsic Pathway Coagulation Factor Profile Container: Blue-top (sodium citrate) tube Temperature: FREEZE	85210 85230 85220 85260
LABCORP	831060	Ezogabine and Metabolite, S/P Container: Red-top Tube or Lavender top Temperature: Refrigerated	NOCPT
LABCORP	602452	F001-IgE Egg White Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605011	F001-IgG Egg White Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602453	F002-IgE Milk Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	602465	F003-IgE Codfish Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605029	F003-IgG Codfish Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602459	F004-IgE Wheat Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605031	F004-IgG Wheat Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602522	F005-IgE Rye Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605032	F005-IgG Rye Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602504	F006-IgE Barley Container: Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605033	F006-IgG Barley, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602553	F007-IgE Oat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605034	F007-IgG Oat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602460	F008-IgE Corn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605035	F008-IgG Corn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602511	F009-IgE Rice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605036	F009-IgG Rice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602485	F010-IgE Sesame Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605037	F010-IgG Sesame Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602715	F011-IgE Buckwheat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605038	F011-IgG Buckwheat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602517	F012-IgE Green Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605039	F012-IgG Green Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605040	F013-IgG Peanut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602457	F014-IgE Soybean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605041	F014-IgG Soybean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602525	F015-IgE White Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605042	F015-IgG White Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602483	F017-IgE Hazelnut (Filbert) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605043	F017-IgG Hazelnut (Filbert)	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	602477	F018-IgE Brazil Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605044	F018-IgG Brazil Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602479	F020-IgE Almond Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605046	F020-IgG Almond Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602493	F023-IgE Crab Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605049	F023-IgG Crab Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602473	F024-IgE Shrimp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605050	F024-IgG Shrimp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602468	F025-IgE Tomato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605051	F025-IgG Tomato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602498	F026-IgE Pork Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605052	F026-IgG Pork Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605317	F026-IgG4 Pork Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602509	F027-IgE Beef Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605053	F027-IgG Beef Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602521	F031-IgE Carrot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605056	F031-IgG Carrot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602472	F033-IgE Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605057	F033-IgG Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605321	F033-IgG4 Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602499	F035-IgE Potato, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605058	F035-IgG Potato, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602512	F036-IgE Coconut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605059	F036-IgG Coconut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602719	F037-IgE Mussel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605060	F037-IgG Mussel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602510	F040-IgE Tuna Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605061	F040-IgG Tuna Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602507	F041-IgE Salmon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605062	F041-IgG Salmon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602720	F042-IgE Haddock Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605064	F042-IgG Haddock Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602513	F044-IgE Strawberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605065	F044-IgG Strawberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602567	F045-IgE Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605066	F045-IgG Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605330	F045-IgG4 Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602519	F047-IgE Garlic Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605067	F047-IgG Garlic Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602723	F048-IgE Onion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605068	F048-IgG Onion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602724	F049-IgE Apple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605069	F049-IgG Apple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602725	F050-IgE Mackerel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605070	F050-IgG Mackerel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602726	F054-IgE Sweet Potato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605074	F054-IgG Sweet Potato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602727	F055-IgE Millet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602801	F058-IgE Squid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605151	F058-IgG Squid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602487	F075-IgE Egg (Yolk) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605078	F075-IgG Egg (Yolk) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602731	F076-IgE Alpha Lactalbumin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	605079	F076-IgG Alpha Lactalbumin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602505	F077-IgE Beta Lactoglobulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	605080	F077-IgG Beta Lactoglobulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602554	F078-IgE Casein Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	602497	F079-IgE Gluten Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605082	F079-IgG Gluten	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	602495	F080-IgE Lobster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605083	F080-IgG Lobster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602732	F081-IgE Cheese, Cheddar Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605077	F081-IgG Cheese, Cheddar Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602733	F082-IgE Cheese, Mold Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605085	F082-IgG Cheese, Mold Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602500	F083-IgE Chicken Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605086	F083-IgG Chicken Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602734	F084-IgE Kiwi Fruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605087	F084-IgG Kiwi Fruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602735	F085-IgE Celery Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605088	F085-IgG Celery Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602736	F086-IgE Parsley Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605090	F086-IgG Parsley Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602737	F087-IgE Melon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605091	F087-IgG Melon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602738	F088-IgE Lamb Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605092	F088-IgG Lamb Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602739	F089-IgE Mustard Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605093	F089-IgG Mustard Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602740	F090-IgE Malt Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605094	F090-IgG Malt Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602741	F091-IgE Mango Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605095	F091-IgG Mango Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602742	F092-IgE Banana Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605096	F092-IgG Banana Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602492	F093-IgE Chocolate/Cacao Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605072	F093-IgG Chocolate/Cacao Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602743	F094-IgE Pear Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605098	F094-IgG Pear Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602744	F095-IgE Peach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605364	F095-IgG4 Peach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602745	F096-IgE Avocado Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605100	F096-IgG Avocado Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602759	F147-IgE Flounder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605107	F147-IgG Flounder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605375	F147-IgG4 Flounder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602765	F182-IgE Lima Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605111	F182-IgG Lima Bean Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602470	F201-IgE Pecan Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605114	F201-IgG Pecan Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602461	F202-IgE Cashew Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605115	F202-IgG Cashew Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602486	F203-IgE Pistachio Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605116	F203-IgG Pistachio Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602523	F204-IgE Trout Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605117	F204-IgG Trout Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602767	F205-IgE Herring Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605118	F205-IgG Herring Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602529	F207-IgE Clam Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605119	F207-IgG Clam Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602768	F208-IgE Lemon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605120	F208-IgG Lemon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602769	F209-IgE Grapefruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605122	F209-IgG Grapefruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602770	F210-IgE Pineapple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605123	F210-IgG Pineapple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602772	F211-IgE Blackberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605124	F211-IgG Blackberry	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	602773	F212-IgE Mushroom Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605125	F212-IgG Mushroom Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602774	F213-IgE Rabbit Meat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605126	F213-IgG Rabbit Meat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602775	F214-IgE Spinach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605127	F214-IgG Spinach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602776	F215-IgE Lettuce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605128	F215-IgG Lettuce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602777	F216-IgE Cabbage Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605129	F216-IgG Cabbage Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602778	F217-IgE Brussel Sprouts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605130	F217-IgG Brussel Sprouts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602779	F218-IgE Paprika/Sweet Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605131	F218-IgG Paprika/Sweet Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602781	F220-IgE Cinnamon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605133	F220-IgG Cinnamon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602782	F221-IgE Coffee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605134	F221-IgG Coffee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602783	F222-IgE Tea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605135	F222-IgG Tea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602785	F224-IgE Poppy Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605136	F224-IgG Poppy Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602786	F225-IgE Pumpkin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605137	F225-IgG Pumpkin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602790	F231-IgE Boiled Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602791	F232-IgE Ovalbumin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	602792	F233-IgE Ovomucoid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	602793	F234-IgE Vanilla Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605140	F234-IgG Vanilla Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602794	F235-IgE Lentil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605141	F235-IgG Lentil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602501	F236-IgE Whey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605142	F236-IgG Whey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602795	F237-IgE Apricot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605143	F237-IgG Apricot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602796	F242-IgE Bing Cherry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605144	F242-IgG Bing Cherry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602798	F244-IgE Cucumber Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605145	F244-IgG Cucumber Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602528	F245-IgE Egg, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605146	F245-IgG Egg, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605421	F245-IgG4 Egg, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602550	F253-IgE Pine Nut, Pignoles Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602800	F255-IgE Plum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605149	F255-IgG Plum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602530	F256-IgE Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605150	F256-IgG Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602802	F259-IgE Grape Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605152	F259-IgG Grape Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602803	F260-IgE Broccoli Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605153	F260-IgG Broccoli Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602804	F261-IgE Asparagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605155	F261-IgG Asparagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602806	F262-IgE Eggplant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605156	F262-IgG Eggplant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602760	F263-IgE Green Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605108	F263-IgG Green Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602807	F265-IgE Caraway Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605157	F265-IgG Caraway	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	602808	F268-IgE Cloves Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605158	F268-IgG Cloves Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602809	F269-IgE Basil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605159	F269-IgG Basil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602810	F270-IgE Ginger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605160	F270-IgG Ginger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602811	F271-IgE Aniseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602812	F273-IgE Thyme Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605161	F273-IgG Thyme Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602815	F277-IgE Dill Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605164	F277-IgG Dill Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602816	F278-IgE Bayleaf (Laurel) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605165	F278-IgG Bayleaf (Laurel) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602817	F279-IgE Chili Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605045	F279-IgG Chili Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602818	F280-IgE Black Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605167	F280-IgG Black Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602819	F281-IgE Curry Powder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605168	F281-IgG Curry Powder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602820	F282-IgE Nutmeg Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605169	F282-IgG Nutmeg Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602822	F283-IgE Oregano Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605171	F283-IgG Oregano Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602823	F284-IgE Turkey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605172	F284-IgG Turkey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602824	F287-IgE Kidney Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605173	F287-IgG Kidney Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602825	F288-IgE Blueberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605174	F288-IgG Blueberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602826	F289-IgE Date Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605175	F289-IgG Date Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602514	F290-IgE Oyster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605176	F290-IgG Oyster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602827	F291-IgE Cauliflower Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605177	F291-IgG Cauliflower Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602828	F293-IgE Papaya Food Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605178	F293-IgG Papaya Food Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602829	F296-IgE Carob Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602851	F297-IgE Acacia Gum Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605193	F297-IgG Acacia Gum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602538	F299-IgE Sweet Chestnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605179	F299-IgG Sweet Chestnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602526	F300-IgE Goat's Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605180	F300-IgG Goat's Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602830	F302-IgE Tangerine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605181	F302-IgG Tangerine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602831	F303-IgE Halibut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605182	F303-IgG Halibut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602832	F306-IgE Lime Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605183	F306-IgG Lime Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602833	F307-IgE Hake Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602834	F308-IgE Sardine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605184	F308-IgG Sardine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602835	F309-IgE Chick Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605185	F309-IgG Chick Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602787	F312-IgE Swordfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602837	F313-IgE Anchovy Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602838	F315-IgE Green Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605187	F315-IgG Green Bean	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	603947	F317-IgE Coriander/Cilantro Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602757	F319-IgE Red Beet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605106	F319-IgG Red Beet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602840	F320-IgE Crayfish Freshwater Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605189	F320-IgG Crayfish Freshwater Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602841	F324-IgE Hop (Food) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605190	F324-IgG Hop (Food) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	603935	F328-IgE Fig Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602718	F329-IgE Watermelon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605054	F329-IgG Watermelon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	604518	F332-IgE Mint Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605610	F333-IgE Linseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605597	F333-IgG Linseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602754	F337-IgE Sole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605104	F337-IgG Sole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602478	F338-IgE Scallop Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605073	F338-IgG Scallop Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	604506	F340-IgE Carmine Red Dye Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602764	F341-IgE Cranberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605110	F341-IgG Cranberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602756	F342-IgE Olive, Black Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605598	F342-IgG Olive, Black Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602717	F343-IgE Raspberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605047	F343-IgG Raspberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602568	F345-IgE Macadamia Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602845	F369-IgE Catfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605192	F369-IgG Catfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602857	F381-IgE Red Snapper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605194	F381-IgG Red Snapper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602858	F384-IgE Whitefish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605195	F384-IgG Whitefish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602539	F414-IgE Tilapia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602728	F415-IgE Walleye Pike Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605076	F415-IgG Walleye Pike Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	851600	Factor H (B1H) Level Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160
LABCORP	511162	Factor II (Prothrombin), DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81240
LABCORP	500582	Factor II Gene Mutation Container:Lavender-top (EDTA) tube, blue-top (sodium citrate) tube, yellow-top (ACD) tube OR buccal swab kit Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days Frozen up to 2 years	81240
LABCORP	500500	Factor II Inhibitor Profile, Comprehensive Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours	85210 85335 85730 85611 x2 85610

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500691	Factor Inhibitor Screen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours	85670 85730 85732 x3 85610
LABCORP	630373	Factor IX (Hemophilia B) Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81238
LABCORP	500014	Factor IX Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	85250
LABCORP	500443	Factor IX Inhibitor Panel Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85335 85250
LABCORP	500390	Factor IX Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85335 85730 85250 85732 x3
LABCORP	500380	Factor V Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85611 x2 85610 85335 85220 85730
LABCORP	500586	Factor V Leiden Container:Lavender-top (EDTA) tube, blue-top (sodium citrate) tube, yellow-top (ACD) tube OR buccal swab kit Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days Frozen up to 2 years	81241
LABCORP	511154	Factor V Leiden Mutation Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81241
LABCORP	503853	Factor V Leiden with Reflex to R2 Container:Lavender-top (EDTA) tube (PREFERRED) or yellow-top (ACD) tube Temperature:Maintain specimen refrigerated or at room temperature Stability: Room temperature up to 8 days	81241
LABCORP	503940	Factor V R2 DNA Analysis Container:Lavender-top (EDTA) tube (PREFERRED) OR yellow-top (ACD) tube Temperature:Maintain specimen refrigerated or at room temperature Stability: Room temperature up to 7 days Refrigerated up to 7 days	81400
LABCORP	500025	Factor VII Antigen *RUO* Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	85230
LABCORP	500371	Factor VII Inhibitor (Bethesda) Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85611 x2 85610 85230 85335 85730
LABCORP	500698	Factor VIII Antibody, ELISA Container:Blue-top (sodium citrate) tube Temperature:Freeze	85335
LABCORP	500196	Factor VIII Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerate up to 8 hours Acceptable freeze/thaw up to 3 cycles	83520
LABCORP	500697	Factor VIII Bethesda Titer Container:Blue-top (sodium citrate) tube Temperature:Freeze	85335 85240
LABCORP	500192	Factor VIII Chromogenic Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85240
LABCORP	504722	Factor VIII Chromogenic Bethesda Profile, for patients onemicizumab Container:Blue-Top (Sodium Citrate) Tube Temperature:Freeze	85335 85240 x2
LABCORP	500350	Factor VIII Inhibitor Assay Container:Blue-top (sodium citrate) tube	85730 85240 85732 x3 85335

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze Stability: Room temperature up to 4 hours	
LABCORP	117157	Factor VIII Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85730 85240 85732 x3
LABCORP	500438	Factor X Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	85260
LABCORP	500060	Factor X Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85611 x2 85610 85335 85730 85260
LABCORP	117904	Factor X, Chromogenic Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85260
LABCORP	500396	Factor XI Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85732 x3 85270 85335 85730
LABCORP	500370	Factor XII Inhibitor Panel, Comprehensive Container:Blue-top (sodium citrate) tubes Temperature:FREEZE Stability: Room temperature up to 4 hours	85280 85335 85730 85732 x3
LABCORP	500185	Factor XIII Activity*RUO* Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Refrigerate up to 24 hours Acceptable freeze/thaw up to 4 cycles	85290
LABCORP	630413	Factor XIII Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	067884	Fall with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x8
LABCORP	511352	Familial Dysautonomia, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81260
LABCORP	368600	Familial Hypercholesterolemia (FH) Screen Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	82465 83718 83721
LABCORP	450070	Familial Hyperinsulinism Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature	81401
LABCORP	284134	Familial Mutation,Target. Seq. Container:Lavender-top (EDTA) tube Temperature:Refrigerate	NOOPT
LABCORP	511212	Fanconi Anemia (Type C), DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81242
LABCORP	873075	Fatty Acid Prf.Compreh.C8-C26 Container:Red-top tube Temperature:FREEZE	82542
LABCORP	821402	Fatty Acid Profile Container:Green-top (heparin) tube or lavender-top (EDTA) tube Temperature:FREEZE	82726
LABCORP	821279	Fatty Acid Profile, Essential Container:Lavender-top (EDTA) tube, or Green top heparin tube, Red Top tube or Serum Separator(SST) Temperature:FREEZE	82542
LABCORP	081893	Fatty Acids, Free (Nonester) Container:Red-top tube or gel-barrier tube	82725

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE. The level of NEFA will increase in serum as it is allowed to stand at room temperature due to enzymatic action.	
LABCORP	100874	Fax Report	NOOPT
LABCORP	452028	FBN1 (Marfan Syndrome) Full Gene Sequencing Container:Yellow-top (ACD) tube OR Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature. Specimen can be stored for brief periods at 4C.	81408
LABCORP	139068	FDA Guid/Female no Rfx w/HTLV Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	86803 87591 87340 87491 86790 86780 87389 87801 86704
LABCORP	139065	FDA Guid/Female w/Rfx no Ct/Ng Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods.	86780 87389 87801 86704 86803 87340
LABCORP	139069	FDA Guid/Female w/Rfx w/HTLV Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	86780 87389 87801 86704 86803 87591 87340 87491 86790
LABCORP	139067	FDA Guid/Male w/Rfx no Ct/Ng Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods.	NOOPT
LABCORP	139060	FDA Guidance Female No Reflex Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	87389 87801 86704 86803 87591 87340 87491 86780
LABCORP	139061	FDA Guidance Female With Rfx Container:Gel-barrier tube or red-top tube and lavender-top EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	86780 87389 87801 86704 86803 87591 87340 87491
LABCORP	139062	FDA Guidance Male No Reflex Container:Gel-barrier tube or red-top tube and lavender-top EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen. Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	86790 86780 87389 87801 86704 86803 86644 87591 87340 87491
LABCORP	139063	FDA Guidance Male With Reflex Container:Gel-barrier tube or red-top tube and lavender-top EDTA) tube or yellow-top (ACD) tube and Gen-Probe(R) APTIMA(R) swab or urine specimen transport *NOTE: Urine must be transferred into APTIMA collection kit within 24 hours of collection. Temperature:Serum for infectious disease serology testing may be refrigerated for up to 5 days or frozen.	87491 86790 86780 87389 87801 86704 86803 86644 87591 87340

LAB	CODE	TEST NAME	CPT4 CODE
		Whole blood for NAT testing may be stored up to 72 hours at 2-25(degrees)C. Plasma may be stored up to 8 days refrigerated or may be frozen for extended periods. Urine must be transferred into APTIMA tubes and may be stored at ambient temperature (between 2(degrees)C and 30(degrees)C) for up to 30 days.	
LABCORP	164630	Febrile Antibody Profile Container:Red-top tube OR gel-barrier tube Temperature:Refrigerate	86622 x2 86757 x4
LABCORP	213092	Fecal Chymotrypsin Container:Collection kit Alternate-Sterile container Temperature:Store refrigerated	84490
LABCORP	049684	Fecal Fat and Muscle Fibers, Qualitative Container:Plastic screw-cap vial Temperature:Refrigerate at 2(degrees)C to 8(degrees)C. Do NOT freeze.	82705 89160
LABCORP	716530	Felbamate (Felbatol(R)), Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80167
LABCORP	738660	Fentanyl and Analogues, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80354
LABCORP	071543	Fentanyl and Metabolite Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Maintain specimen at room temperature. Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	770176	Fentanyl Conf, Oral Fluid Container:Quantisal - Oral fluid drug test oral specimen collection device. Contact lab for collection device. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80354
LABCORP	721565	Fentanyl Confirmation (LabCorp MedWatch(R)) Container:Urine Bottle Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80354
LABCORP	911127	Fentanyl Confirmation, Ur	80354
LABCORP	817070	Fentanyl Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	806828	Fentanyl, Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature. Sensitivity window: Head hair = up to 90 days Body hair = up to 1 year	80354
LABCORP	806834	Fentanyl, Nails Container:2 to 3 millimeters from all 10 fingers Temperature:Maintain specimen at room temperature.	80354
LABCORP	721574	Fentanyl, Urine Container:Urine Bottle Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764160	Fentanyl/Norfentanyl, Confirm Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80354
LABCORP	721575	Fentanyl/Norfentanyl, Screen Only, Urine Container:Urine Bottle	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	
LABCORP	806055	Fenugreek Seed IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	805918	Ferret Epithelium IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	038505	Fertility Panel III Container:Serum from Red-top tube Androstenedione: NOT use a gel-barrier tube. The use of gel-barrier tubes is not recommended due to slow absorption of the steroid by the gel. Depending on the specimen volume and storage time, the decrease in androstenedione level due to absorption may be clinically significant.	82627 82157 84403 83001 84146 83002
LABCORP	230376	Fetal Cell Stain Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	85460
LABCORP	909581	Fetal Duffy DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	NOOPT
LABCORP	909549	Fetal Kell DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	81403
LABCORP	909576	Fetal Kidd DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	81403
LABCORP	909556	Fetal Rh C/c DNA Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	81403
LABCORP	909531	Fetal Rh D DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	81403
LABCORP	909564	Fetal Rh E/e DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	81403
LABCORP	909561	Fetal S/s DNA Analysis Container:(Mother and Father) whole blood in lavender-top (EDTA) tube AND 2 T25 flask cultured amniocytes (Fetus) Temperature:Maintain specimen at room temperature	NOOPT
LABCORP	230999	Fetal Screen Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	85461
LABCORP	403604	FIB-4 Container:Gel-barrier tube OR red-top tube, OR green-top (heparin) tube, OR, lavender-top (EDTA) tube (plasma) AND A SEPARATE lavender-top (EDTA) tube Temperature:Room temperature	84450 84460 85049
LABCORP	402175	FIB-4 With Reflex to Enhanced Liver Fibrosis (ELF)(TM) Container:Gel-barrier tube or red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored at room temperature. Serum sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	84450 84460 85049
LABCORP	402070	FIB-4 With Reflex to NASH FibroSure(R) Container:Gel-barrier tube OR red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored room temperature. Serum sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	84450 84460 85049
LABCORP	402146	FIB-4 With Reflex to NASH FibroSure(R) Plus Container:Gel-barrier tube OR red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored room temperature. Serum	84450 84460 85049

LAB	CODE	TEST NAME	CPT4 CODE
		sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	
LABCORP	503170	Fibrin Evaluation Profile III Container:Blue-top (sodium citrate) tube Temperature:Freeze	85385 85670 x3 80503 85635 85384
LABCORP	241708	Fibrin+TT Container:Blue Top (Sodium Citrate) Tube Temperature:Frozen (Plasma)	85384 85670
LABCORP	117052	Fibrinogen Antigen Container:Lavender-top (EDTA) tube or blue-top (sodium citrate) tube Temperature:FREEZE. Stable frozen -20(degrees)C for one year IF FROZEN WITHIN 24 HOURS AFTER COLLECTION. Repeated freeze/thaw cycles are to be avoided. Alternatively, refrigerate at 2(degrees)C to 8(degrees)C for no more than eight days.	85385
LABCORP	115402	Fibrinogen Degradation Products (FDP), Plasma Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85362
LABCORP	336624	Fibrinogen Evaluation Profile Container:Blue-top (sodium citrate) tube Temperature:Freeze	85635 85384 85385 85670
LABCORP	500700	Fibrinogen Evaluation Profile III (Esoterix) Container:Blue-top (sodium citrate) tube Temperature:Freeze	85670 x3 85635 85384 85385
LABCORP	630420	Fibrinogen Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	503172	Fibrinolysis Profile II Container:Blue-top (sodium citrate) tubes Temperature:FREEZE	85379 80503 85415 x2 85362 85360 85420 85410
LABCORP	502360	Fibrinolysis Profile II (Esoterix) Container:Blue-top (sodium citrate) tubes Temperature:Freeze	85415 x2 85362 85360 85420 85410 85379
LABCORP	004380	Fibroblast Growth Factor 23 Container:Lavender-top (EDTA) tube Temperature:Refrigerate	83520
LABCORP	502042	FIIDNA+FVIIIaG+PrtCAG+PrtSAg Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Plasma, FREEZE. Maintain whole blood at room temperature. Stability: Whole blood: Room temperature up to 7 days.	83520 81240 85302 85305 85230
LABCORP	821383	Filaria Antibody (IgG4) Container:Gel-barrier tube Temperature:Room temperature	86682
LABCORP	215959	Fire Ant IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86001
LABCORP	017500	First Trimester Screen with Nuchal Translucency Container:Gel-barrier tube Temperature:Room temperature	84163 86336 84702
LABCORP	510965	FISH Follow-up Known Variant Container:All blood in sodium heparin tube (pediatric Vacutainer(R) is optimal) Temperature:Maintain specimens at room temperature.	NOCPT
LABCORP	829434	FISH for CHIC2 Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature	88275 88237 88271
LABCORP	827481	Fish Mix IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86001
LABCORP	510371	FKHR Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature.	
LABCORP	085662	Flecainide (Tambocor(TM)), Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80181
LABCORP	485010	FLT3 Mutation Analysis Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:Refrigerate If specimen is to be stored prior to shipment, store at 2 (degrees)C to 8(degrees)C.	81246 81245
LABCORP	700485	Fluconazole, Serum or plasma Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 day Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	804705	Flucytosine, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	809630	Flunitrazepam Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80346
LABCORP	808417	Flunitrazepam Screen and Confirmation, Urine (Forensic) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	808443	Flunitrazepam, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:Room temperature is adequate for shipping and/or short-term storage (three days); specimens may also be refrigerated or frozen.	80346
LABCORP	510960	Fluorescence in situ Hybridization (FISH), PrenatalAneuploid Evaluation, Chorionic Villus Sampling Container:CVS transport tube available from the cytogenetics laboratory (call 800-533-0567, ext 4065 or 3300); sterile specimen container with transport media Temperature:Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do not freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	NOCPT
LABCORP	828472	Fluorescent treponema Ab, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Maintain specimen at room temperature Stability: Room temperature up to 2 days Refrigerate up to 5 days Frozen up to 1 year	86780
LABCORP	070060	Fluoride, Serum Container:Royal blue-top (EDTA) tube OR royal blue-top without EDTA Temperature:Maintain specimen at room temperature. Samples may also be refrigerated (serum/plasma or whole blood) or frozen (serum/plasma only).	82735
LABCORP	070052	Fluoride, Urine Container:Plastic urine container; no preservative. Do not use glass container. Temperature:Maintain specimen at room temperature.	82570 82735
LABCORP	090068	Fluoride, Water Container:Plastic container. Do NOT collect sample in glass. Temperature:Refrigerate	NOCPT
LABCORP	183120	Fluoroquinolone-resistant Gram-negative Rod DetectionCulture Container:Bacterial swab transport Temperature:Maintain specimen at room temperature.	87081
LABCORP	706838	Fluoxetine (Prozac(R)), Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	811064	Fluoxetine Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80332

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	706887	Fluphenazine (Prolixin(R)), Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80342
LABCORP	808455	Flurazepam and Desalkylflurazepam, Serum or Plasma Container:Red-top tube or green-top (heparin) tube Temperature:Freeze immediately; ship on dry ice.	80346
LABCORP	810762	Fluvoxamine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	266015	Folate, RBC Container:TWO full lavender-top (EDTA) tubes Temperature:FREEZE whole blood transport tube and room temperature whole blood specimen.	85014 82747
LABCORP	285700	Folate, RBC and Serum Container:Gel-barrier tube is preferred. Red top tube is acceptable AND (2) lavender-stopped (EDTA) tubes. Temperature:FREEZE whole blood transport tube and refrigerate all other specimens.	85014 82747 82746
LABCORP	028480	Follicle-Stimulating Hormone (FSH) and Luteinizing Hormone(LH) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83001 83002
LABCORP	649095	Food #1 (61) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x59 86005 x2
LABCORP	602989	Food Allergy Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	804031	Food Mix 16 IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	604631	Food Prof w/Component Rflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	067827	Food with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x13
LABCORP	067819	Food without IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x13
LABCORP	063990	Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x13
LABCORP	826763	Formaldehyde IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86001
LABCORP	825767	Formic Acid, Serum/Plasma Container:Red top tube, gray-top, or Green-top (heparin) Tube Temperature:Refrigerate	83921
LABCORP	820643	Formic Acid, Urine Container:Plastic urine container Temperature:Frozen Stability: Room temperature: Not stable Refrigerated: Not stable Frozen: 3 months	83921 82570
LABCORP	138362	Foscarnet Resistance HSV (Phenotype) Container:Isolate growing in a permissive cell line (ie. MRC-5 or A549) or primary sample in viral transport media (VTM) Temperature:Maintain isolate at room temperature. Refrigerate viral transport media with swab. Submit as soon as possible, but within 5 days of collection.	87252 87253
LABCORP	790610	Fosphenytoin (as Phenytoin), Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended.	80185

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	
LABCORP	510300	Fragile X Syndrome, DNA Analysis, Prenatal with SouthernBlot Analysis Container: Sterile plastic conical tube OR two confluent T25 flasks for fetal testing.	81243
LABCORP	511919	Fragile X Syndrome, PCR with Reflex to Southern Blot Container: Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature: Room temperature	81243
LABCORP	511655	Fragile X, PCR and Southern Blot Analysis Container: Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature: Room temperature	81244 81243
LABCORP	823263	Francisella tularensis Abs Container: Gel-barrier tube or red-top tube Temperature: FREEZE Stability: Refrigerated: 4 days Frozen: 30 days	86668 x2
LABCORP	146688	Free Androgen Index (FAI) Container: Red-top tube or gel-barrier tube Temperature: Room temperature	84270 84403
LABCORP	909176	Free DHEA Profile Container: Red-top tube or gel-barrier tube Temperature: FREEZE	83519 82626
LABCORP	909180	Free DHEA, Urine Container: Urine bottle Temperature: Maintain specimen at room temperature. Frozen acceptable	83519
LABCORP	500430	Free Estradiol with SHBG Container: Gel-barrier tube or red-top tube Temperature: FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 180 days	82670 84270 82681
LABCORP	121260	Free K+L Lt Chains, Qn, 24 hr U Container: Plastic urine container Temperature: Stable at room temperature 25(degrees)C for up to seven days; stable refrigerated at 2(degrees)C to 8(degrees)C for up to four weeks; longer when FROZEN at -20(degrees)C or lower.	83521 x2
LABCORP	070763	Free Phenytoin, Serum Container: Red-top tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature: Room Temperature	80186
LABCORP	001875	Fructose, Semen Analysis Container: Clean screw-cap container Temperature: FREEZE at -20(degrees)C.	82757
LABCORP	502280	FSH, Pediatric Container: Gel-barrier tube or lavender-top (EDTA) tube Temperature: FREEZE	83001
LABCORP	502333	FSH+LH, Pediatric Container: Gel-barrier tube or red-top tube Temperature: FREEZE Stability: Room temperature up to 1 day Refrigerated up to 2 days Frozen up to 200 days	83001 83002
LABCORP	502417	FSH+LH+Bioavailable TestT Container: Gel-barrier tube OR red-top tube Temperature: FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	83001 83002 84410
LABCORP	004960	FSH+LH+E2 Container: Gel-barrier tube is preferred. Red top tube is acceptable. Temperature: Refrigerate	83001 82670 83002
LABCORP	502517	FSH+LH+E2+E1+SHBG Container: Red-top tube OR gel-barrier tube Temperature: Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 1 year	82679 83001 82670 83002 84270
LABCORP	034280	FSH+LH+Prog+E2 Container: Gel-barrier tube is preferred. Red top tube is acceptable.	84144 83001 82670 83002

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	502250	FSH+LH+Prog+E2+E1 Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	82679 84144 83001 82670 83002
LABCORP	502530	FSH+LH+Prog+E2+E1+SHBG Container:Gel-barrier tube OR red-top tube Temperature:FROZEN Stability: Room temperature up to 2 days Refrigerate up to 2 days Frozen up to 1 year	83002 84270 82679 84144 83001 82670
LABCORP	502577	FSH+TestT+DHEA S+Prog+E2+Te... Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 1 year	83001 82670 82642 84402 82627 84403 82679 84144
LABCORP	501729	FSH+TestT+DHEA S+Prog+E2+Te... Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 20 months	84403 82679 84144 83001 82670 84270 84402 82627
LABCORP	502669	FSH+TestT+LH+DHEA S+E2+Test... Container:Gel-barrier tube OR red top tube Temperature:FREEZE Stability: Room temperature up to 24 hours Refrigerated up to 24 hours Frozen up to 1 year	82679 83001 82670 83002 82642 84270 84402 82627 84410
LABCORP	502513	FSH+TestT+LH+DHEA S+Prog+E2... Container:Red-top tube OR gel-barrier tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 1 year	84402 82627 84410 82679 84144 83001 82670 83002 84270
LABCORP	236938	FSH+TestT+LH+DHEA S+Prog+E2... Container:Gel-Barrier Tube	82679 84144 83001 82670 83002 84270 82672 82627 84410
LABCORP	164284	Fungal Antibodies, Quantitative Double Immunodiffusion Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86606 x3 86612
LABCORP	182493	Fungal Culture, Yeast Culture for Vaginitis Container:Copan double swab in Amies liquid medium or Amies agar gel Temperature:Maintain specimen at room temperature or refrigerated temperature for up to 72 hours.	87102
LABCORP	823855	Fungal Disease Ab PI, CF (CSF) Container:Sterile container Temperature:Room temperature	86698 x2 86612 86606
LABCORP	819340	Fungitell (CSF) Container:Sterile container Temperature:Frozen	NOCPT
LABCORP	823423	Fungitell(titer) Container:Sterile container or Gel-barrier tube Temperature:FREEZE	NOCPT
LABCORP	008136	Fungus Stain Container:Sterile leakproof container or swab Temperature:Maintain specimen at room temperature.	87206
LABCORP	808335	Furosemide, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	809649	Furosemide, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	827123	Fusarium Solani IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	602859	FX01-IgE Food Mix (Nuts) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	602860	FX02-IgE Food Mix (Seafoods) Container:Red-top tube or gel-barrier tube	86005

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602622	FX05-IgE Food Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	605643	FX22-IgE Food Mix Nuts 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	605728	FX22-IgG Food Mix Nuts 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	006025	Fya/Fyb Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	602866	G001-IgE Sweet Vernal Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602464	G002-IgE Bermuda Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602867	G003-IgE Orchard Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602549	G004-IgE Fescue, Meadow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602543	G005-IgE Rye Grass, Perennial Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605198	G005-IgG Rye Grass, Perennial Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602506	G006-IgE Timothy Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602868	G007-IgE Reed, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602496	G008-IgE Bluegrass, Kentucky Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602869	G009-IgE Red Top, Bentgrass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602503	G010-IgE Johnson Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605199	G010-IgG Johnson Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602871	G011-IgE Brome, Smooth Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602872	G012-IgE Rye Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605200	G012-IgG Rye Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602873	G013-IgE Velvet Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602874	G014-IgE Oat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602875	G015-IgE Wheat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605201	G015-IgG Wheat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602876	G016-IgE Foxtail, Meadow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602534	G017-IgE Bahia Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605202	G017-IgG Bahia Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	603930	G070-IgE Rye Grass, Wild Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602880	G071-IgE Canary, Reed Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602881	G201-IgE Barley Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602882	G202-IgE Corn, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	790394	Gabapentin, Urine Container:Plastic urine container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	146035	GAD/ICA512/Insulin Ab H.S. Container:Red-top tube or gel-barrier tube	86341 x2 86337
LABCORP	084558	Galactokinase Container:Lavendar-top (EDTA) tube, green-top (heparin) tube or yellow-top (ACD) tube Temperature:Refrigerate	82759
LABCORP	872518	Galactose, P Container:Green-top (sodium heparin) tube Temperature:FREEZE	82760
LABCORP	807826	Galactose, Quant. Urine Container:Plastic urine container Temperature:FREEZE	82760
LABCORP	806520	Galactose-1-Phosphate in RBCs Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate whole blood or Frozen packed RBC	84378
LABCORP	650001	Galactose-Alpha-1,3-Galactose (Alpha-Gal), IgE, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	806505	Galactosemia DNA Testing Container:Lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Refrigerate	81401
LABCORP	806515	Galactosemia Panel Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube	82775 81401

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	004110	Galectin-3 Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Room temperature Stability: Room temperature up to 22 days Refrigerated up to 22 days Frozen up to 12 months Stable x9	82777
LABCORP	140080	Galectin-3 With B-Type Natriuretic Peptide Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube AND lavender-top (EDTA) tube Temperature:Room temperature first specimen of serum OR plasma and FREEZE second specimen of plasma.	83880 82777
LABCORP	142005	Galectin-3 with NT-proBNP Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82777 83880
LABCORP	817740	Galop Autoantibody Test Container:Red-top tube Temperature:Frozen	NOCPT
LABCORP	738796	Gamma-Hydroxybutyric Acid (GHB), Screen and Confirmation,Serum or Plasma Container:Red-top tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	738802	Gamma-Hydroxybutyric Acid (GHB), Screen with Confirmation(Mass Spectrometry), Whole Blood Container:Gray-top (sodium fluoride) tube OR green-top (heparin) tube Temperature:Maintain specimen at room temperature Note: Room temperature is adequate for shipping and/or short-term storage (up to 3 days); specimens may also be refrigerated or frozen.	80307
LABCORP	738792	Gamma-Hydroxybutyric Acid (GHB), Screen With Confirmation,Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	821240	Ganciclovir, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	830721	Ganglioside Abs, IgG/IgM Container:Gel barrier tube Temperature:Refrigerated	83516 x6
LABCORP	208850	Gastrin (10 Specimens) Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x10
LABCORP	302591	Gastrin (11 Specimens) Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x11
LABCORP	208827	Gastrin, Serum, 2 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x2
LABCORP	038745	Gastrin, Serum, 3 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x3
LABCORP	039438	Gastrin, Serum, 4 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x4
LABCORP	038752	Gastrin, Serum, 5 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x5
LABCORP	204644	Gastrin, Serum, 6 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x6
LABCORP	034934	Gastrin, Serum, 7 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x7
LABCORP	211268	Gastrin, Serum, 8 Specimens Container:Red-stopper tube or serum-separator tube Temperature:Freeze	82941 x8

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	183480	Gastrointestinal Profile, Stool, PCR Container:Para-Pak(R) C&S Orange (Cary-Blair) Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87507
LABCORP	510870	Gastrointestinal Stromal Tumors (GISTs), c-KIT MutationAnalysis Container:Slides OR blocks Temperature:Maintain blocks and slides at room temperature.	81272 88381
LABCORP	510985	Gastrointestinal Stromal Tumors (GISTs), c-KIT MutationAnalysis With Reflex to PDGFRA Mutation Analysis Container:Slides OR blocks Temperature:Maintain blocks and slides at room temperature.	88381 81272
LABCORP	510860	Gastrointestinal Stromal Tumors (GISTs), PDGFRA MutationAnalysis Container:Slides OR blocks Temperature:Maintain blocks and slides at room temperature.	81314 88381
LABCORP	451780	Gaucher Disease Enzyme Analysis (Glucocerebrosidase) Container:Adult: Two 10 mL lavender-top (EDTA) tubes. Pediatric: One lavender-top (EDTA) tube. Temperature:Refrigerate after collection. Transport to the testing laboratory using cool packs. Do NOT allow the sample to freeze. Time-sensitive; specimens must be received within four days of collection; please collect/ship Monday through Thursday ONLY.	84155 82963
LABCORP	511048	Gaucher Disease, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81251
LABCORP	826517	Gel Diff.Whole Cow Milk Prec. Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86331
LABCORP	827274	Gelatin Porcine IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	724776	General Tox Drug Profile, Urine, 15 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	724803	General Tox Drug Profile, Urine, 8 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	451416	GeneSeq(R): Cardio - Early-onset Coronary Artery Disease/Familial Hypercholesterolemia Profile Container:Yellow-top (ACD) tube OR Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81406 x2 81479 81401
LABCORP	451432	GeneSeq(R): Cardio - Familial Aortopathy Profile Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81410
LABCORP	451412	GeneSeq(R): Cardio - Familial Arrhythmia Profile Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81413
LABCORP	451422	GeneSeq(R): Cardio - Familial Cardiomyopathy Profile Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81439
LABCORP	451402	GeneSeq(R): Cardio - Familial Congenital Heart DiseaseProfile Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479 81407 81405
LABCORP	452040	GeneSeq(R): Cardio - Familial Hypercholesterolemia Profile Container:Yellow-top (ACD) tube OR Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature. Specimen can be stored for brief periods at 4C.	81401 81406 x2 81479
LABCORP	452053	GeneSeq(R): Cardio - Gene Specific Sequencing Container:Yellow-top (ACD) tube OR Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature. Specimen can be stored for brief periods at 4C.	NOOPT
LABCORP	451441	GeneSeq(R): Cardio - Noonan Syndrome/RASopathies ProfileProfile Container:Whole blood: Yellow-top (ACD) tube OR Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81442

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	630068	GeneSeq(R)PLUS Container:Yellow-top (ACD-A) tube or lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCPPT
LABCORP	630085	GeneSeq(R)PLUS without VUS Container:Yellow-top (ACD-A) tube or lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCPPT
LABCORP	630102	GeneSeq(R)PLUS without VUS, Prenatal Container:Sterile plastic conical tube or two confluent T-25 flasks. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCPPT
LABCORP	630119	GeneSeq(R)PLUS, Prenatal Container:Sterile plastic conical tube or two confluent T-25 flasks. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCPPT
LABCORP	501452	Genetic and Acquired Thromb... Container:Lavender-top (EDTA) tube AND blue-top (sodium citrite) tube Temperature:Maintain whole blood at room temperature, freeze plasma/ serum Stability: Whole blood: Room temperature up to 7 days Refrigerated up to 7 days Plasma: Room temperature up to 2 hours Refrigerated up to 4 hours Frozen up to 1 month	85303 85613 x2 81240 81241 85598 85306 86147 x3 85300
LABCORP	630452	Genetic Platelet Disorders Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81408 81406 81404
LABCORP	501496	Genetic Thrombophilia - Basic Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube AND blue-top (sodium citrite) tube Temperature:Maintain whole blood at room temperature, freeze plasma Stability: Whole blood: Room temperature up to 7 days Refrigerated up to 7 days Plasma: Room temperature up to 2 hours Refrigerated up to 4 hours Frozen up to 1 month	85303 81240 81241 85306 85300
LABCORP	180089	Genital Mycoplasma Profile, NAA, Swab Container:APTIMA(R) unisex or vaginal swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87798 x2 87563
LABCORP	180040	Genital Mycoplasma Profile, NAA, Urine Container:APTIMA(R) urine transport Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87798 x2 87563
LABCORP	551725	GenoSure PRIme(R) EDI Container:Lavender-top (EDTA) or plasma preparation tube (PPT(TM)) Temperature:FREEZE for shipment or long-term storage.	NOCPPT
LABCORP	551870	GenoSure(R) Integrase EDI Container:Lavender-top (EDTA) or plasma preparation tube (PPT(TM)) Temperature:Freeze	NOCPPT
LABCORP	550370	GenoSure(R) MG Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87901 87900
LABCORP	551660	GenoSure(R) MG EDI Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	NOCPPT
LABCORP	041681	Germ Cell Tumor Profile I Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	84702 82105
LABCORP	102277	Gestational Diabetes Screen (ACOG Recommendations) Container:Gel-barrier tube (1) OR gray-top (sodium fluoride/potassium oxalate plasma) tube (1) Temperature:Maintain specimen at room temperature[1]	82950
LABCORP	313700	Gestational Glucose (X2) Container:Gel-barrier tube or gray-top (sodium fluoride/potassium oxalate plasma) tube Temperature:Room temperature	82950 82947
LABCORP	503322	GHBP+HGH+IGF1+IGF2+IGFBP3 Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 34 months	83520 83519 x2 84305 83003
LABCORP	819210	Ghrelin Total, Plasma Container:GI Preservative tube	83519

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Frozen	
LABCORP	183535	GI Bacteria, Stool, PCR Container:Para-Pak(R) C&S Orange (Cary-Blair) Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87506
LABCORP	183555	GI Bacteria+Parasites, PCR Container:Para-Pak(R) C&S Orange (Cary-Blair) Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87507
LABCORP	183564	GI Bacteria+Viruses, PCR Container:Para-Pak(R) C&S Orange (Cary-Blair) Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87507
LABCORP	183550	GI Custom 4, Stool, PCR Container:Para-Pak(R) C&S Orange (Cary-Blair) Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87507
LABCORP	183540	GI Parasites, Stool, PCR Container:Para-Pak(R) orange or sterile container with Cary-Blair preservative liquid medium Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87505
LABCORP	183577	GI Parasites+Viruses, PCR Container:Para-Pak(R) orange or sterile container with Cary-Blair preservative liquid medium Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87506
LABCORP	183545	GI Viruses, Stool, PCR Container:Para-Pak(R) orange or sterile container with Cary-Blair preservative liquid medium Temperature:Refrigerate. Room temperature storage and transport up to four days is acceptable.	87505
LABCORP	511414	GJB2 Sequencing, Family-targeted (Single Exon Sequencing -Known Mutation) Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube; sterile plastic conical tube, two confluent T-25 flasks for fetal testing or LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)Celsius	81253
LABCORP	511405	GJB2 Sequencing, Full Gene Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube; sterile plastic conical tube, two confluent T-25 flasks for fetal testing OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)Celsius	81252
LABCORP	504662	GL-3, plasma Container:Plasma from Green Top Tube Temperature:After centrifugation, plasma should be aliquoted and shipped frozen.	NOcpt
LABCORP	201255	Glia(IgA/G)+tTG(IgA/G) Container:Gel Barrier Tube	86258 x2 86364 x2
LABCORP	324381	Glia(IgG/A)+IgA+T-TRAN Container:gel-barrier tube	86258 x2 86364 82784
LABCORP	808391	Glipizide, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	100768	Glomerular Filtration Rate, Estimated (eGFR) Container:Gel-barrier tube, transport tube, or green-top (heparin) tube; do NOT use EDTA or oxalate anticoagulants. Temperature:Maintain specimen at room temperature.[1]	82565
LABCORP	520194	Glomerulonephritis (GNP) Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86160 x2 86225 86038 86036 83516 x3
LABCORP	004622	Glucagon, Plasma Container:Lavender-top (EDTA) tube, (chilled) Temperature:FREEZE	82943
LABCORP	121003	Glucose 6-Phosphate Dehydrogenase (G6PD), Quantitative,Blood and Hemoglobin Container:Two lavender-top (EDTA) tubes or one green-top (heparin) tube AND one lavender-top (EDTA) tube or one yellow-top (ACD) tube AND one lavender-top (EDTA) tube Temperature:Hemoglobin: Stable refrigerated for 72 hours. G6PD: Stable refrigerated for seven days.	85018 82955
LABCORP	001917	Glucose 6-Phosphate Dehydrogenase (G6PD), Quantitative,Blood and Red Blood Cell Count (RBC) Container:Two lavender-top (EDTA) tubes; or one green-top (heparin) tube AND one lavender-top (EDTA) tube; or one yellow-top (ACD) tube AND one lavender-top (EDTA) tube Temperature:RBC: Stable refrigerated for 72 hours. G6PD: stable refrigerated for seven days.	82955 85041

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	831147	Glucose Phos Isomerase Enzy, WB Container: Yellow-top (ACD) Tube (Preferred) ; Lavender Top Acceptable Temperature: Refrigerated	84087
LABCORP	211193	Glucose Tolerance (3 Sp BI/Ur) Container: Transfer tubes(3) urine containers(3) Temperature: Refrigerate	81005 x3 82951
LABCORP	203216	Glucose Tolerance (4 Sp BI/Ur) Container: Transfer tubes(4) urine containers(4) Temperature: Refrigerate	82951 82952 81005 x4
LABCORP	203232	Glucose Tolerance (6 Sp BI/Ur) Container: Transfer tubes(6) urine containers(6) Temperature: Refrigerate	81005 x6 82951 82952 x3
LABCORP	203240	Glucose Tolerance (7 Sp BI/Ur) Container: Transfer tubes(7) urine containers(7) Temperature: Refrigerate	81005 x7 82951 82952 x4
LABCORP	203257	Glucose Tolerance (8 Sp BI/Ur) Container: Transfer tubes(8) urine containers(8) Temperature: Refrigerate	81005 x8 82951 82952 x5
LABCORP	203224	Glucose Tolerance Test (GTT), Blood/Urine, 5 Specimens Container: Serum-separator tubes (5) or gray-stopper (sodium fluoride/potassium oxalate plasma) tubes (5) and urine containers (5) Temperature: Refrigerate	82952 x2 81005 x5 82951
LABCORP	392259	Glucose/Insulin (4 Spec) Container: Red top tube or gel-barrier tube	83525 x4 82951 82952
LABCORP	146723	Glucose/Insulin Resp (3 Spec) Container: Red-top tube or gel-barrier tube Temperature: Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	82951 83525 x3
LABCORP	090415	Glucose/Insulin Resp (6 Spec) Container: Red top tube or gel-barrier tube Temperature: Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	83525 x6 82951 82952 x3
LABCORP	090423	Glucose/Insulin Resp (7 Spec) Container: Red-top tube or gel-barrier tube Temperature: Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	82951 82952 x4 83525 x7
LABCORP	090431	Glucose/Insulin Resp (8 Spec) Container: Red top tube or gel-barrier tube Temperature: Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	82951 82952 x5 83525 x8
LABCORP	054130	Glucose/Insulin Response Profile (Five Specimens) Container: Red top tube or gel-barrier tube Temperature: Refrigerate Stability: Room temperature up to 1 day Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle = x3	82951 82952 x2 83525 x5
LABCORP	830930	Glutamic Acid Decarb. Ab, CSF Container: Sterile container Temperature: Frozen	86341
LABCORP	007700	Glutathione, Total Container: Yellow-top ACD-B tube (acid citrate dextrose) or yellow-top ACD-A tube Temperature: Room Temperature	82978
LABCORP	164125	Gluten Sensitivity Antibodies Cascade Container: Red-top tube or gel-barrier tube Temperature: Room temperature	83516
LABCORP	123027	Gluten, Fecal, Quantitative Container: Clean, screw-capped, plastic vial with no preservatives Temperature: Refrigerate.	83520
LABCORP	808530	Glyburide, Serum or Plasma Container: Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	123850	GlycA Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate; stable for 14 days. Stable at room temperature for 60 hours or FROZEN for 24 months. Freeze/thaw cycles: x3	0024U
LABCORP	123030	Glycated Albumin Container:Gel-barrier tube Temperature:Refrigerate	82985
LABCORP	511290	Glycogen Storage Disease 1a Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube, two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	81250
LABCORP	500115	GlycoMark(R) Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature	84378
LABCORP	502226	GlycoMark(R) and Hb A1c Container:Lavender-top (EDTA) tube OR green top (lithium heparin) tube OR gray top (sodium fluoride) tube AND gel barrier tube OR red top tube OR EDTA plasma Temperature:Refrigerate Stability: whole blood: Room temperature: 14 days Refrigerated: 14 days Frozen: 14 days Freeze/thaw cycle: Stable x3 Serum or plasma: Room temperature: 7 days Refrigerated: 14 days Frozen:14 days Freeze/thaw cycle: Stable x6	84378 83036
LABCORP	905034	Glycosaminoglycans,Ur,(GAGS) Container:Plastic urine container Temperature:FREEZE. (IMMEDIATELY; NO FREEZE THAW CYCLES PERMITTED) Stability: Frozen up to 2 weeks	83864
LABCORP	140385	GM1 IgG Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	140250	GM1 IgG/M Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520 x2
LABCORP	140280	GM1 IgM Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	805249	GM-CSF (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	805251	GM-CSF (serum)* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	804948	Gold, Blood Container:Royal blue-top (sodium EDTA) tube Temperature:Refrigerate	80375
LABCORP	790750	Gold, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	804955	Gold, Urine Container:Plastic urine container Temperature:Frozen	80375
LABCORP	504563	Golimumab and Anti-Golimumab Antibody, DoseASSURE(TM) GOL Container:Serum-gel tube, red-top tube, or lavender top (EDTA) tube Temperature:Refrigerate or FREEZE	82397 80299
LABCORP	502421	Gonadotropin-releasing Hormone Container:Trasylol(R) collection kit (Obtain no 33328 through LabCorp branch locations) Temperature:FREEZE	83727
LABCORP	186212	Gonococcus Prequot, NAA Container:Gen-Probe Aptima swab transport or Gen-Probe Aptima Specimen transfer kit with 1.0 mL of PreservCyt fluid (do not use swabs provided with Aptima kit) Temperature:Ambient temperature (between 2 degrees C and 20 degrees C) Specimens must be tested within 7 days of collection.	87591

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	180820	Gram S+Lower Resp Cult(Non-Sp) Container: Sterile screw-cap container and slide	87205 87070
LABCORP	399116	Gram S+U Cult Container: Gray Top Vacutainer for Urine Culture, Slide	NOCPT
LABCORP	067983	Grass with IgE Container: Red-top tube or gel-barrier tube Temperature: Room temperature	82785 86003 x3
LABCORP	067975	Grass without IgE Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003 x3
LABCORP	180800	Group A Streptococcus Detection, NAA Container: ESwab only (Copan Liquid Amies Elution Swab transport) (PeopleSoft No. 130839) Temperature: Throat swabs in liquid Amies (ESwab) are transported to the laboratory at room temperature within 48 hours after specimen collection, or can be refrigerated for up to six days.	87651
LABCORP	188130	Group B Streptococcus Colonization Detection Culture Container: Bacterial culture transport swab Temperature: Maintain specimen at room temperature.	87081
LABCORP	188135	Group B Streptococcus Colonization Detection Culture with Reflex to Susceptibilities Container: Bacterial culture transport swab Temperature: Maintain specimen at room temperature.	87081
LABCORP	188139	Group B Streptococcus Colonization Detection, NAA With Reflex to Susceptibilities Container: Bacterial culture transport swab Temperature: Specimen is stable for 24 hours at room temperature. If arrival at lab will extend beyond 24 hours, then refrigerate.	87150 87081
LABCORP	501007	Growth Assessment V Container: Red-top tube or gel-barrier tube Temperature: Frozen Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 34 months	83520 84305
LABCORP	819011	Growth Horm. Releas. Horm(GH-RH) Container: Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature: FREEZE	83519
LABCORP	500647	Growth Hormone (ICMA) Container: Red-top tube or gel-barrier tube Temperature: Freeze Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 200 days	83003
LABCORP	504591	Growth Hormone Binding Protein Container: Gel-barrier Tube; Red-top Tube Temperature: Refrigerate	83520
LABCORP	630527	Growth Hormone Deficiency Genetic Panel Container: Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81406 81405 x3 81404 x2 81479
LABCORP	500632	Growth Hormone, RIA (Endocrine Science) Container: Gel-barrier tube Temperature: Freeze Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	83003
LABCORP	038866	Growth Hormone, Serum (9 Spec) Container: Red-stopper tube or serum-separator tube Temperature: Refrigerate	83003 x9
LABCORP	026898	Growth Hormone, Serum, 2 Specimens Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	83003 x2
LABCORP	038844	Growth Hormone, Serum, 3 Specimens Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	83003 x3
LABCORP	045997	Growth Hormone, Serum, 4 Specimens Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	83003 x4
LABCORP	038836	Growth Hormone, Serum, 5 Specimens Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	83003 x5

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	004267	Growth Hormone, Serum, 6 Specimens Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83003 x6
LABCORP	038869	Growth Hormone, Serum, 7 Specimens Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83003 x7
LABCORP	208835	Growth Hormone, Serum, 8 Specimens Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83003 x8
LABCORP	038867	Growth Hormone,Serum (10 Spec) Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	83003 x10
LABCORP	038868	Growth Hormone,Serum (11 Spec) Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	83003 x11
LABCORP	500144	Growth Hormones Antibodies Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86277
LABCORP	501220	Growth Receptor Test Group I Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 180 days	83520 83519 84305 83003
LABCORP	846022	Guaifenesin (Gly. Guaiacolate) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room Temperature: 2 days Refrigerated: 30 days Frozen: 24 months	80375
LABCORP	805933	Gum Guar IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	805916	Gum Tragacanth IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	602884	GX01-IgE Grass Pollen Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	602885	GX02-IgE Grass Pollen Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	064881	GX02-IgE Grass Screen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	196255	Gynecologic Pap Test (Image-guided), Liquid-basedPreparation and Chlamydia/Gonococcus/Trichomonas, NAA WithReflex to Cobas(R) High-risk HPV With HPV Genotypes 16 and18 When ASC-U, ASC-H, LSIL, HSIL, AGUS Container:ThinPrep(R) vial or ThinPrep(R) vial with optional Aptima(R) swab collection kit (for Chlamydia/Gonococcus/Trichomonas) Temperature:Maintain liquid-based cytology and Aptima(R) swab transport specimens at room temperature. Pap processing must be performed within 21 days of collection. ThinPrep(R) vial may be stored for six months after the date of collection prior to performing the Cobas(R) HPV test. ThinPrep(R) specimens should not be frozen. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus/ Trichomonas; if the Aptima(R) swab transport is used, it must be tested within 60 days.	88175 87491 87591 87661
LABCORP	199337	Gynecologic Pap Test (Image-guided), Liquid-basedPreparation and Chlamydia/Gonococcus/Trichomonas, NAA WithReflex to Human Papillomavirus (HPV) (Aptima(R)) When ASC-U,ASC-H, LSIL, HSIL, AGUS With Reflex to HPV Genotypes 16 and18,45 Container:ThinPrep(R) vial Temperature:Maintain specimen at room temperature. Specimens must be processed for testing within 21 days of collection for Pap.	87591 87661 88175 87491
LABCORP	193085	Gynecologic Pap Test-Age-based Guideline for Cervical CancerScreening (Cobas(R) method) Container:ThinPrep(R) vial Temperature:Maintain liquid-based cytology specimens at room temperature. Pap processing must be performed within 21 days of collection. ThinPrep(R) vial may be stored up to six months after the date of collection prior to performing the COBAS(R) HPV test. ThinPrep(R) specimens should not be frozen.	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	193090	Gynecologic Pap Test-Age-based Guideline for CervicalCancer Screening (Cobas(R) method) and STDs Container:ThinPrep(R) vial Temperature:Maintain liquid-based cytology specimens at room temperature. Pap processing must be performed within 21 days of collection. ThinPrep(R) vial may be stored up to six months after the date of collection prior to performing the COBAS(R) HPV test. ThinPrep(R) specimens should not be frozen. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus.	NOCPT
LABCORP	193095	Gynecologic Pap Test-Age-based Guideline for CervicalCancer Screening (Cobas(R) method) Plus Chlamydia/Gonococcus Container:ThinPrep(R) vial Temperature:Maintain liquid-based cytology specimens at room temperature. Pap processing must be performed within 21 days of collection. ThinPrep(R) vial may be stored up to six months after the date of collection prior to performing the COBAS(R) HPV test. ThinPrep(R) specimens should not be frozen. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus.	NOCPT
LABCORP	193100	Gynecologic Pap Test-Age-based Guideline for CervicalCancer Screening (Cobas(R) method) PlusChlamydia/Gonococcus/Trichomonas Container:ThinPrep(R) vial Temperature:Maintain liquid-based cytology specimens at room temperature. Pap processing must be performed within 21 days of collection. ThinPrep(R) vial may be stored up to six months after the date of collection prior to performing the COBAS(R) HPV test. ThinPrep(R) specimens should not be frozen. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus/Trichomonas.	NOCPT
LABCORP	163675	H.Pylori,IgA/IgM Abs Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature	86677 x2
LABCORP	163659	H.PYLORI,IGG/IGA ABS Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86677 x2
LABCORP	227494	H.Pylori,IGG/IGM ABS Container:Gel Barrier Tube	86677 x2
LABCORP	602982	H001-IgE House Dust(Greer) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602546	H002-IgE House Dust Hollister Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	138271	Haemophilus influenzae B, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86317
LABCORP	806705	Hair Corporate Container:Contact lab for collection kit. Temperature:Maintain specimen at room temperature	80307
LABCORP	806698	Hair Standard Container:Hair collection kit Temperature:Maintain specimen at room temperature	80307
LABCORP	804445	HairStat-ETG Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80307
LABCORP	070482	Haloperidol (Haldol(R)), Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80173
LABCORP	835027	Hantavirus Antibodies, ELISA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature. Stability: Room Temperature: 7 days	86790 x2
LABCORP	240354	HAVAb+HAVIgM+HBcAb+HBcIgM+H... Container:gel-barrier, polypropylene screw-capped frozen transport tube	86704 80074 86708 86706
LABCORP	252240	HBB Deletion/Duplication Analysis Container:Lavender top (EDTA) OR yellow-top (ACD) OR sterile plastic conical tube OR two confluent T-25 flasks for fetal testing Temperature:Maintain specimen at room temperature.	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	200477	HBeAb+Ag Container:Gel-Barrier Tube	86707 87350
LABCORP	144547	HBV Baseline Evaluation, HCV Direct-acting Antivirals Container:Gel-barrier tube, red top tube, OR lavender-top (EDTA) tube Temperature:HBsAg, anti-HBs, anti-HBc Total: ROOM TEMPERATURE (PREFERRED) up to 14 days. Refrigerated up to 14 days. Frozen up to 14 days. HBV DNA: FROZEN (PREFERRED) up to 12 weeks. Refrigerated up to 6 days. Room temperature up to 24 hours.	86706 86704 87340
LABCORP	818542	HDL-P (Total) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for 14 days.	83704
LABCORP	502060	Heart Disease and Stroke Risk Container:Blue-top (sodium citrate) tube AND Urine container AND red-top tube OR gel-barrier tube. Please contact Esoterix for special urine collection tube or order through PeopleSoft # *23711. Temperature:Freeze	82570 85240 84431 86141 83695 85384 85246 83090
LABCORP	500140	Heart Disease and Stroke Risk Profile Container:Blue-top (sodium citrate plasma) tube and serum gel tube or lavender-top (EDTA) tube or red-top tube Temperature:FREEZE plasma, refrigerate serum.	86141 83695 85384 85246
LABCORP	250281	Heavy Metals Profile II, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82300 82570 83825 82175 83655
LABCORP	845052	Heinz Body Stain Container:Lavender-top (EDTA) tube, K2 EDTA pink or green-top (heparin) tube Temperature:Refrigerate	85445 85441
LABCORP	163170	Helicobacter pylori Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86677
LABCORP	162289	Helicobacter pylori Antibodies, IgG Container:Red-top tube, gel-barrier tube or serum transfer tube Temperature:Maintain specimen at room temperature.	86677
LABCORP	163204	Helicobacter pylori Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86677
LABCORP	163683	Helicobacter pylori Antibodies, IgM, IgG, IgA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86677 x3
LABCORP	180885	Helicobacter pylori Culture Container:Anaerobic transport, aerobic/anaerobic bacterial swab transport system, CLO vial, urea agar medium, C&S transport (Cary Blair/orange Para-Pak) Temperature:Maintain specimen at room temperature.	87081 87205
LABCORP	259317	Helper/Suppressor and Natural Killer Cell Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A or ACD-B) tube. Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86357 86360 86359
LABCORP	480260	Hematolymphoid/Plasma Cell Neoplasia Assessment (HNA),Immunophenotyping by Flow Cytometry Container:Green-top (sodium heparin) tube (preferred), lavender-top (EDTA) tube, or yellow-top (ACD) tube for whole blood or bone marrow (accepted, not preferred); lavender-top (EDTA body fluids) tube; fresh tissue in lymph node transport bottle containing RPMI Temperature:Non-New York state specimens: Maintain specimen at room temperature. New York state specimens: Ship with a refrigerated (not frozen) gel pack in shipper kit.	NOCP
LABCORP	005300	Hematopathology Consultation, Peripheral Smear Container:Lavender-top (EDTA) tube AND glass slides Temperature:Maintain specimen at room temperature.	85060
LABCORP	121060	Hemoglobin (Hb) A(2), Quantitative Container:Lavender-top (EDTA) tube Temperature:Refrigerate at 2 degrees Celsius to 8 degrees Celsius.	83020
LABCORP	005330	Hemoglobin (Hb) Solubility With Reflex to HemoglobinopathyFractionation Cascade, Blood Container:Lavender-top (EDTA) tube; capillary puncture: three microhematocrit tubes. NOTE: Because this profile reflexes to Hemoglobinopathy Fractionation Cascade [121690] when positive, only a	85660

LAB	CODE	TEST NAME	CPT4 CODE
		Lavender-top (EDTA) tube is allowed. Temperature:Room temperature	
LABCORP	121072	Hemoglobin (Hb), Fetal, Quantitative Container:Lavender-top (EDTA) tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	83020
LABCORP	080176	Hemoglobin (Hgb), Free, Qualitative, Urine Container:Routine BD urinalysis tube or urine container of freshly voided random urine Temperature:Refrigerate	81003
LABCORP	827562	Hemoglobin, Unstable Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature: unacceptable Refrigerate: 7 days Frozen: unacceptable	83068
LABCORP	121690	Hemoglobinopathy Fractionation Cascade Container:Lavender-top (EDTA) tube Temperature:Refrigerate at 2 degrees Celsius to 8 degrees Celsius.	83020
LABCORP	121363	Hemoglobinopathy Fractionation Cascade With Reflex to Alpha-Thalassemia Container:Lavender-top (EDTA) tubes AND red-top tube or gel-barrier tube Temperature:Serum: Room temperature Whole Blood: Refrigerate	82728 85027 83020
LABCORP	630477	Hemophagocytic Lymphohistocytosis (HLH) Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81403 81479 81406 x2 81405 81404 x2
LABCORP	831468	Hemophilia A(F8) Invers. w/Rfx Container:Lavender-top (EDTA) tube OR Yellow-Top (ACD) Tube Temperature:Refrigerated	81403
LABCORP	088757	Hemoquant, Feces Fecal Hgb Container:Screw capped container Temperature:Refrigerate	84126
LABCORP	357913	Hep A(Rflx To IgM) Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature	86708
LABCORP	824808	Heparin Ab IgG Container:Blue-top (sodium citrate) tube Temperature:Room Temperature	86022
LABCORP	500187	Heparin Cofactor II*RUO* Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerate up to 48 hours	85130
LABCORP	150031	Heparin-induced Platelet Antibody With Reflex to SerotoninRelease Assay Container:Red-top tube or gel-barrier tube Temperature:Freeze	86022
LABCORP	144226	Hepatitis A Virus (HAV) Antibody, Total with reflex to IgM Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube, Serum Transfer Tube, Plasma Transfer Tube Temperature:Room temperature	86708
LABCORP	160101	Hepatitis B Core Antibody, Total with reflex to IgM Container:Gel-barrier transport, red top tube, OR lavender-top (EDTA) tube Temperature:Room temperature	86704
LABCORP	006530	Hepatitis B Surface Antibody, Quantitative Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature	86317
LABCORP	144072	Hepatitis B Surface Antibody, Quantitative, HBIG Assessment Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature.	86317
LABCORP	007130	Hepatitis B Surface Antigen, Quantitative, Monitor Container:Gel Barrier Tube, PPT(TM) Tube or Lavender-Top (EDTA) Tube Temperature:Freeze at -20C and ship frozen.	82397
LABCORP	551722	Hepatitis B Virus (HBV) DNA, Quantitative Real-time PCR WithReflex to HBV Genotype Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube, or PPT. Do NOT use green-top (heparin) or yellow-top (ACD) tube	87517

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE.	
LABCORP	551735	Hepatitis B Virus (HBV) DNA, Quantitative Real-time PCR With Reflex to HBV Genotype Plus Drug Resistance Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube, or PPT. Do NOT use green-top (heparin) or yellow-top (ACD) tube Temperature:FREEZE.	87517
LABCORP	550605	Hepatitis B Virus (HBV) FibroSure(R) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Specimen can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours and frozen at -70(degrees)C for seven days. Frozen samples are stable for one freeze/thaw cycle.	81599
LABCORP	551710	Hepatitis B Virus (HBV) Genotype Container:Gel-barrier tube, yellow-top (ACD) tube, lavender-top (EDTA) tube or PPT. Temperature:FREEZE	87912
LABCORP	551750	Hepatitis B Virus (HBV) Genotyping Plus Drug Resistance Container:Gel-barrier tube, yellow-top (ACD) tube, lavender-top (EDTA) tube or PPT. Temperature:FREEZE.	87912 87900
LABCORP	144149	Hepatitis B Virus (HBV) Patient Management Container:Gel-barrier tube, red top tube, OR lavender-top (EDTA) tube Temperature:All test except DNA: REFRIGERATED (PREFERRED) up to 7 days. Frozen up to 14 days. Room temperature up to 7 days. HBV DNA: FROZEN (PREFERRED) up to 12 weeks. Refrigerated up to 6 days. Room temperature up to 24 hours.	87340
LABCORP	144523	Hepatitis B Virus (HBV) Prenatal Screen With Reflex to HBVDNA Container:Gel-barrier tube, red top tube, OR lavender-top (EDTA) tube Temperature:HBsAg: Room temperature up to 14 days. Refrigerated up to 14 days. Frozen up to 7 days. HBV DNA: FROZEN (PREFERRED) up to 12 weeks. Refrigerated up to 6 days. Room temperature up to 24 hours.	87340
LABCORP	144510	Hepatitis B Virus (HBV) Prenatal Screen, HBsAg Container:Gel-barrier tube, red top tube, OR lavender-top (EDTA) tube Temperature:Room temperature	87340
LABCORP	144473	Hepatitis B Virus (HBV) Screening and Diagnosis Container:Gel-barrier tube, red top tube, OR lavender-top (EDTA) tube Temperature:Room temperature	86704 87340 86706
LABCORP	551745	Hepatitis B Virus (HBV), Quantitative, DNA (Abbott RealTime) Temperature:FREEZE. Stable at room temperature for six hours (whole blood) or one day after centrifugation. Stable refrigerated for up to 3 days after centrifugation. Freeze for long term storage.	87517
LABCORP	551620	Hepatitis B Virus (HBV), Quantitative, DNA Real-time PCR,(Graphical) Container:Gel-barrier tube, lavender-top (EDTA) tube, or plasma preparation tube (PPT(TM)) Temperature:FREEZE (preferred) or refrigerate. Stable at room temperature for 24 hours or refrigerated for six days. Stable frozen for 12 weeks.	87517
LABCORP	144127	Hepatitis C Virus (HCV) Antibody Cascade to Quantitative PCR and Genotyping Container:Gel-barrier tube, lavender-top (EDTA) tube, OR plasma preparation tube (PPT) Temperature:Antibody Test: REFRIGERATED (PREFERRED) up to 14 days, Frozen up to 14 days, room temperature up to 14 days. PCR Test: FROZEN (PERFERRED) up to 6 weeks, refrigerated up to 72 hours, room temperature up to 24 hours.	86803
LABCORP	550123	Hepatitis C Virus (HCV) FibroSure(R) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Specimen can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours and frozen at -70(degrees)C for seven days. Frozen samples are stable for one freeze/thaw cycle.	81596
LABCORP	550540	Hepatitis C Virus (HCV) GenoSure(R) NS3/4A Container:Ship in plasma preparation tube (PPT(TM)) OR screw-capped polypropylene frozen transport tube. Temperature:FREEZE	87902 87900
LABCORP	550603	Hepatitis C Virus (HCV) Genotype 3 NS5A Drug Resistance Assay Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87902 87900
LABCORP	550555	Hepatitis C Virus (HCV) Genotyping With 1a Subtype Reflex to Hepatitis C Virus (HCV) GenoSure(R) NS3/4A Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:Maintain frozen at -20(Degrees)C.	87902
LABCORP	550615	Hepatitis C Virus (HCV) Genotyping With 1a Subtype Reflex to Hepatitis C Virus (HCV) NS5A Drug	87902

LAB	CODE	TEST NAME	CPT4 CODE
		Resistance Assay Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	
LABCORP	550475	Hepatitis C Virus (HCV) Genotyping, Nonreflex Container:Gel-barrier tube, lavender-top (EDTA) tube, OR plasma preparation tube (PPT(TM)) Temperature:Freeze (preferred) or refrigerate.	87902
LABCORP	550705	Hepatitis C Virus (HCV) GT1a NS5A Profile Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87522
LABCORP	550325	Hepatitis C Virus (HCV) NS5A Drug Resistance Assay Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87902 87900
LABCORP	550505	Hepatitis C Virus (HCV) NS5B Drug Resistance Assay Container:Ship in plasma preparation tube (PPT(TM)) OR screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87902 87900
LABCORP	550870	Hepatitis C Virus (HCV) RNA, Diagnosis Container:Gel-barrier tube, lavender-top (EDTA) tube, or plasma preparation tube (PPT(TM)) Temperature:Freeze (preferred) or refrigerate.	87522
LABCORP	550100	Hepatitis C Virus (HCV), Quantitative, RNA PCR (Graphical)With Reflex to Genotyping Container:Gel-barrier tube, lavender-top (EDTA) tube, or plasma preparation tube (PPT(TM)) Temperature:Freeze (preferred) or refrigerate. Stable at room temperature for 24 hours or refrigerated for 72 hours. Stable frozen for six weeks.	87522
LABCORP	550066	Hepatitis C Virus (HCV), Quantitative, RNA PCR (Graphical)With Reflex to Hepatitis C Virus (HCV) GenoSure(R) NS3/4A Container:Lavender-top (EDTA) tube, Plasma Preparation Tube (PPT), Gel-barrier tube Temperature:FREEZE	87522
LABCORP	550333	Hepatitis C Virus (HCV), Quantitative, RNA PCR (Graphical)With Reflex to Hepatitis C Virus (HCV) NS5A Drug Resistance Assay Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87522
LABCORP	550554	Hepatitis C Virus (HCV), Quantitative, RNA PCR (Graphical)With Reflex to Hepatitis C Virus (HCV) NS5B Drug Resistance Assay Container:Ship in plasma preparation tube (PPT(TM)) OR screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87522
LABCORP	550090	Hepatitis C Virus (HCV), Quantitative, RNA PCR (Nongrapical)With Reflex to Genotyping Container:Gel-barrier tube, lavender-top (EDTA) tube, or plasma preparation tube (PPT(TM)) Temperature:Freeze (preferred) or refrigerate. Stable at room temperature for 24 hours or refrigerated for 72 hours. Stable frozen for six weeks.	87522
LABCORP	550349	Hepatitis C Virus (HCV), Quantitative, RNA PCR(Nongraphical) With Reflex to Hepatitis C Virus (HCV) NS5ADrug Resistance Assay Container:Ship in plasma preparation tubes (PPT(TM)) or screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87522
LABCORP	550577	Hepatitis C Virus (HCV), Quantitative, RNA PCR(Nongraphical) With Reflex to Hepatitis C Virus (HCV) NS5BDrug Resistance Assay Container:Ship in plasma preparation tube (PPT(TM)) OR screw-capped polypropylene frozen transport tubes. Temperature:FREEZE	87522
LABCORP	550072	Hepatitis C Virus (HCV), Quantitative, RNA PCR(Nongraphical) With Reflex to Hepatitis C Virus (HCV)GenoSure(R) NS3/4A Container:Lavender-top (EDTA) tube, Plasma Preparation Tube (PPT), Gel-barrier tube Temperature:FREEZE	87522
LABCORP	822906	Hepatitis D qRT-PCR (plasma) Container:Lavender-top (EDTA) tube Temperature:Room temperature	87798
LABCORP	822923	Hepatitis D qRT-PCR (serum) Container:Red-top tube	87798

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	820201	Hepatitis D Virus (HDV) Total Container:Gel-barrier tube Temperature:FREEZE	86692
LABCORP	820189	Hepatitis E Virus (HEV) IgG Container:Gel-barrier tube Temperature:FREEZE	86790
LABCORP	820199	Hepatitis E Virus (HEV) IgG/M Container:Gel-barrier tube Temperature:FREEZE	86790 x2
LABCORP	820186	Hepatitis E Virus (HEV) IgM Container:Gel-barrier tube Temperature:FREEZE	86790
LABCORP	483305	HER-2 IHC With Reflex To FISH Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature	88360
LABCORP	483320	HER-2 Immunohistochemistry (IHC) Breast With Reflex toFluorescence in situ Hybridization (FISH) if 0, 1+, or 2+ byIHC Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	88360
LABCORP	483289	HER-2 Immunohistochemistry (IHC) Breast With Reflex toFluorescence in situ Hybridization (FISH) if 2+ by IHC Container:Paraffin block transport pouch OR slide mailer Temperature:Maintain specimen at room temperature.	88360
LABCORP	483360	HER-2 Immunohistochemistry (IHC) Gastric With Reflex toFluorescence in situ Hybridization (FISH) if 2+ by IHC Container:Paraffin block transport pouch OR slide mailer Temperature:Maintain specimen at room temperature.	88360
LABCORP	483333	HER-2/CEP17 FISH, Breast With Reflex to Immunohistochemistry(IHC) if Group 2, 3, 4 by FISH Container:Paraffin block transport pouch OR slide mailer Temperature:Maintain specimen at room temperature.	88377
LABCORP	483248	HER-2/CEP17, Fluorescence in situ Hybridization (FISH) Container:Paraffin block transport pouch OR slide mailer. Temperature:Maintain specimen at room temperature.	88377
LABCORP	483340	HER-2/neu FISH, Gastric, Paraffin Container:Paraffin block transport pouch OR slide mailer. Temperature:Maintain specimen at room temperature.	88377
LABCORP	480376	HER-2/neu IHC, Breast Paraffin Container:Paraffin block transport pouch OR slide mailer. Temperature:Maintain specimen at room temperature.	88360
LABCORP	480226	HER-2/neu Immunohistochemistry (IHC), Gastric Paraffin Container:Paraffin block transport pouch OR slide mailer Temperature:Maintain specimen at room temperature.	88360
LABCORP	480136	HER-2/neu, Quantitative, ELISA Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83950
LABCORP	123020	Hereditary Angioedema (HAE) Container:Gel-barrier tube (preferred) or red-top tube. NOTE: Since specimen must be drawn on ice, plain red-top tubes will not clot as well as the use of clot-activated gel tubes. Temperature:Frozen sample should not be stored at room temperature (15 degrees C to 30 degrees C) for longer than six hours. Required room temperature samples are stable for three days, frozen samples for 14 days.	86160 x2
LABCORP	511345	Hereditary Hemochromatosis, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81256
LABCORP	480192	Hereditary Hemorrhagic Telangiectasia (HHT)(Known Mutation) Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Room temperature Specimen Stability: Room temperature up to 5 days	NOCPT
LABCORP	480216	Hereditary Hemorrhagic Telangiectasia (HHT), Prenatal Container:Amniocytes in 2 T25 flask of cultured amniotic cells. CVS in sterile tissue - culture medium. Direct amnio in conical tube. Amniocytes must be received at Impact Genetics within 48 hours of	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
		collection. Do NOT freeze. Temperature:Room temperature Specimen Stability: Room temperature up to 7 days	
LABCORP	480074	Hereditary Hemorrhagic Telangiectasia (HHT), Proband Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Temperature:Room temperature Specimen Stability: Room temperature up to 7 days	NOCP
LABCORP	511635	Hereditary Nonpolyposis Colorectal Cancer (HNPCC): MLH1(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	511750	Hereditary Nonpolyposis Colorectal Cancer (HNPCC): MSH2(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	511765	Hereditary Nonpolyposis Colorectal Cancer (HNPCC): MSH6(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	511776	Hereditary Nonpolyposis Colorectal Cancer (HNPCC): PMS2(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	790560	Heroin Confirmation, Serum, Plasma, or Whole Blood Container:Serum or plasma: red-top, or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Whole blood: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:Refrigerate; specimen may also be frozen.	80361 80356
LABCORP	737933	Heroin Metabolite (6-AM), Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	139367	Herpes Simplex Virus (HSV) and Varicella Zoster Virus (VZV)Profile (Lesions), PCR Container:Universal transport medium Temperature:Room temperature	87798 87529 x2
LABCORP	008250	Herpes Simplex Virus (HSV) Culture and Typing Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium; body fluids and tissue samples may be submitted in viral transport media or in a sterile leakproof container. Temperature:Refrigerate	87255
LABCORP	164897	Herpes Simplex Virus (HSV) Type 1-Specific Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Specimen is stable for two days at room temperature, seven days refrigerated and twenty-one days froizen at -25(degrees)C to -10(degrees)C.	86695
LABCORP	163033	Herpes Simplex Virus (HSV) Type 2-Specific Antibodies, IgGwith reflex to supplemental testing Container:Red-top tube, gel-barrier tube, or serum transfer tube Temperature:Refrigerate	86696
LABCORP	138594	Herpes Simplex Virus (HSV) Types 1 and 2, Amniotic Fluid,DNA PCR Container:Sterile container Temperature:FREEZE(preferred) OR refrigerate	87529 x2
LABCORP	188056	Herpes Simplex Virus (HSV) Types 1 and 2, NAA Container:APTIMA(R) unisex, APTIMA(R) vaginal swab transport, swab in Universal or Viral Transport Media (UTM/VTM) or ThinPrep(R) liquid cytology vial Temperature:Maintain specimen at ambient or refrigerated temperature.	87529 x2
LABCORP	138487	Herpes Simplex Virus (HSV) Type-Specific Immunoblot Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84181
LABCORP	832100	Herpesvirus 6 (HHV-6) IgM IFA Container:Red-top tube Temperature:Frozen	86790
LABCORP	841155	Herpesvirus-8 IgG Antibody Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86790
LABCORP	830829	Heterotrophic Plate Count Container:Sterile container with Thiosulfate neutralizer Temperature:Refrigerated, ship cool pack	NOCP

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	820475	Hexachlorobenzene, Blood Container:Lavender-top (EDTA) tube Temperature:Refrigerate	82441
LABCORP	820469	Hexachlorobenzene, S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	82441
LABCORP	117838	Hexagonal Phase Phospholipid Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85598
LABCORP	500566	Hexagonal Phospholipid Neutral Container:Blue-top (sodium citrate) tube Temperature:Stability: Room temperature up to 4 hours	85598
LABCORP	824000	HGEM, S Container:Red-top Tube Temperature:Refrigerated	83918
LABCORP	138973	HHV-6 IgG/M Antibodies, Quant Container:Serum Gel Tube	86790 x2
LABCORP	821841	HHV-6 IgM and IgG Ab IFA Container:Red-top tube Temperature:FREEZE	86790 x2
LABCORP	819325	HHV6 qPCR (BAL) Temperature:FREEZE or room temperature	87533
LABCORP	807861	HHV6 qPCR (Serum) Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	87533
LABCORP	841767	HHV-7 IgG + IgM Ab Panel, IFA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86790 x2
LABCORP	816328	HHV8 qPCR (Whole blood) Container:Lavender-top (EDTA) tube Temperature:Refrigerate	87799
LABCORP	500460	High Molecular Weight Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85293
LABCORP	805103	High Potency Opioids, Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80364
LABCORP	805117	High Potency Opioids, Nails Container:Contact lab for Hair collection kit. Temperature:Maintain specimen at room temperature.	80364
LABCORP	001925	High-Density Lipoprotein Cholesterol (HDL) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube; do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.[1]	83718
LABCORP	048462	Hirsutism Profile Container:Red-top tube Do NOT use a gel-barrier tube. The use of gel- barrier tubes is not recommended due to slow absorption of the steroid by the gel. Temperature:Refrigerate	82627 82157 84403
LABCORP	500066	Hirsutism Test Group I (Endocrine Sciences) Container:Gel-barrier tube or red-top tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	84270 84402 82627 84403
LABCORP	144600	Histamine Determination, Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	83088
LABCORP	144618	Histamine Determination, Urine Container:Plastic urine container without preservative Temperature:Room Temperature	83088
LABCORP	081315	Histamine Determination, Whole Blood	83088

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Green-top (heparin) tube required. (Do NOT use EDTA) Temperature:FREEZE	
LABCORP	500900	Histology Specimen Container:Tissue block or slide	NOCP
LABCORP	831213	Histoplasma Ab by CF & ID Container:Serum Separator (Gel) Tube Temperature:Refrigerated	86698 x3
LABCORP	828827	Histoplasma Abs by CF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86698 x2
LABCORP	914415	Histoplasma Ag Quantitative Container:Urine bottle OR gel-barrier tube Temperature:Room temperature	87385
LABCORP	164319	Histoplasma Antibodies, Quantitative, by DID Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86698
LABCORP	164304	Histoplasma capsulatum Antibodies, Complement Fixation Container:Red-top tube or gel-barrier tube	86698 x2
LABCORP	138635	Histoplasma capsulatum Antibodies, Complement Fixationand Immunodiffusion Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86698 x3
LABCORP	830902	Histoplasma spp Abs, by ID Container:Gel-barrier tube Temperature:Refrigerate	86698
LABCORP	083935	HIV p24 Antigen/Antibody With Reflex to Confirmation Container:Gel-barrier tube or Red-top tube Temperature:Refrigerate. Sample may be stored for two days at room temperature. For shipping, it is recommended that serum be refrigerated.	87389
LABCORP	816321	HIV-2 QPCR Container:Gel-barrier tube OR Lavender-top (EDTA) tube Temperature:FREEZE	87538
LABCORP	167107	HLA A A*02:01-specific Container:Lavender-top (EDTA) tube Temperature:Maintain whole blood specimen at room temperature.	81381
LABCORP	167331	HLA A CWD Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81380
LABCORP	167377	HLA A High Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81380
LABCORP	167131	HLA A,B,C CWD Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81379
LABCORP	176088	HLA A,B,C Profile (High Resolution) Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81379
LABCORP	167128	HLA A,B,C,DRB1 CWD Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81378
LABCORP	176076	HLA A,B,C,DRB1 Profile (High Resolution) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81378
LABCORP	167352	HLA B CWD Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit).	81380

LAB	CODE	TEST NAME	CPT4 CODE
		When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	
LABCORP	167391	HLA B High Resolution Container: Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81380
LABCORP	167292	HLA B Intermediate Resolution Container: Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81373
LABCORP	167389	HLA B*51 Disease Association Container: Lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81373
LABCORP	167351	HLA B*58:01, Allopurinol Hypersensitivity Container: Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs, please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain whole blood at room temperature or refrigerate. Keep buccal swabs dry and at room temperature.	81381
LABCORP	167366	HLA C CWD Resolution Container: Lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81380
LABCORP	167405	HLA C High Resolution Container: Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81380
LABCORP	167316	HLA C Intermediate Resolution Container: Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature: Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81373
LABCORP	168050	HLA Class 1 Antibody & HLA Class 2 Antibody Screen Container: Red-tube top or gel-barrier tube Temperature: Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	86828
LABCORP	168058	HLA Class 1 Antibody Identification Container: Red-tube top or gel-barrier tube Temperature: Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	86832
LABCORP	167386	HLA Class 1,2 AbScr CL12RFX Container: Red-tube top or gel-barrier tube Temperature: Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	86828
LABCORP	176056	HLA Class I Antibody C1q Binding Assay Container: Red-top tube or gel-barrier tube Temperature: Refrigerated heat or cold; serum may be frozen.	86832
LABCORP	168052	HLA Class I Antibody, Panel-reactive Antibody (PRA) Container: Red-tube top or gel-barrier tube Temperature: Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	86830
LABCORP	176106	HLA Class II Antibody C1q Binding Assay Container: Red-top tube or gel-barrier tube Temperature: Refrigerated heat or cold; serum may be frozen.	86833
LABCORP	168060	HLA Class II Antibody Identification Container: Red-tube top or gel-barrier tube Temperature: Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	86833
LABCORP	168056	HLA Class II Antibody, Panel Reactive Antibody Container: Red-tube top or gel-barrier tube	86831

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature. Protect from extreme heat or cold; serum may be frozen.	
LABCORP	236951	HLA DPA1 (HR)+HLA DPB1 (HR) Container:Lavender Top (EDTA) Tube	81382 x2
LABCORP	167284	HLA DPA1 High Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167335	HLA DPB1 CWD Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167323	HLA DPB1 High Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167146	HLA DQA1 and DQB1 Intermediate Resolution Container:Lavender-top (EDTA) tube or 4 buccal swabs in a sealed envelope (buccal swab kit). If submitting buccal swabs, please use the kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Room temperature and PROTECT FROM LIGHT.	81376 x2
LABCORP	167297	HLA DQA1 High Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167161	HLA DQA1 Intermediate Resolution Container:Lavender-top (EDTA) tube or 4 buccal swabs in a sealed envelope (buccal swab kit). If submitting buccal swabs, please use the kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Room temperature. PROTECT FROM EXTREME HEAT OR COLD.	81376
LABCORP	167095	HLA DQB1 CWD Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167232	HLA DQB1 High Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	167100	HLA DR15 (DR2) Immunosuppressive Response Association in Myelodysplastic Syndrome (MDS) Container:Lavender-top (EDTA) tube Temperature:Maintain blood specimen at room temperature. Keep buccal swabs dry and at room temperature.	81377
LABCORP	167147	HLA DRB1 CWD Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	176098	HLA DRB1 CWD Resolution, DRB3,4,5 Intermediate Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81376 81382
LABCORP	176082	HLA DRB1 High Resolution, DRB3,4,5 Intermediate Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81376 81382
LABCORP	167259	HLA DRB1 Intermediate Resolution Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81376
LABCORP	167357	HLA DRB3,4,5 High Resolution Container:Lavender-top (EDTA) tube; Buccal Swab kit container; Blood Spot Card; Extracted DNA in container used by client, typically a small tube. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81382

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	167390	HLA-A29 Uveitis - Birdshot Chorioretinopathy Container:Lavender-top (EDTA) tube Temperature:Maintain whole blood specimen at room temperature.	81381
LABCORP	167245	HLA-DRB1,3,4,5 Intermediate Resolution Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81376 x2
LABCORP	505026	HNK1 (CD57) Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86356 86357
LABCORP	716290	Homocysteine, Urine Container:Plastic urine container Temperature:Refrigerate	83090
LABCORP	120253	Homovanillic Acid (HVA), 24-Hour Urine Container:Plastic urine container (6N HCl is optional) Temperature:Maintain specimen at room temperature. STABLE for 14 days at room temperature, refrigerated, or frozen.	83150
LABCORP	120246	Homovanillic Acid (HVA), Random Urine Container:Plastic urine container (6N HCl is optional) Temperature:Maintain specimen at room temperature. STABLE for 14 days at room temperature, refrigerated, or frozen.	82570 83150
LABCORP	659987	House Dust Screen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	500314	HPA-1a (PLA 1 Platelet Antigen) Genotyping (PLA 2Polymorphism Detection) Container:Blue-top (sodium citrate) tube, lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days	81105
LABCORP	242625	HRT Female Post Pellet Container:Gel Barrier Tube	84403 83001 82670
LABCORP	248671	HRT Female Post Pellet If Prescribed Thyroid Rx WithoutTPO Thyroid Peroxidase Container:Gel Barrier Tube	84403 84439 84443 83001 82670 84481
LABCORP	248645	HRT Female Post Pellet Thyroid Rx Container:Gel Barrier Tube	84439 84443 83001 82670 84481 86376 84403
LABCORP	248634	HRT Female Pre Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	82306 84403 82607 80053 84439 84443 83001 82670 85025 84481 86376
LABCORP	248622	HRT Male Post Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	84402 84403 82670 85025
LABCORP	248683	HRT Male Post Pellet If Prescribed Thyroid Rx WithoutTPO Thyroid Peroxidase Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	82670 85025 84481 84402 84403 84439 84443
LABCORP	248665	HRT Male Post Pellet Thyroid Rx Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	82670 85025 84481 86376 84402 84403 84439 84443
LABCORP	248692	HRT Male Pre Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	84443 84153 82670 85025 84481 86376 84402 82306 84403 82607 80053 84439
LABCORP	815892	HSV 1 & 2 qPCR (Plasma) Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:FREEZE	87530 x2
LABCORP	818779	HSV 1 and 2 qPCR (BAL) Temperature:FREEZE	87530 x2
LABCORP	828551	HSV 1/2 Ab IgG/IgM CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86694 x2
LABCORP	828534	HSV 1/2 Ab IgM, CSF	86694

LAB	CODE	TEST NAME	CPT4 CODE
		Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	
LABCORP	828928	HSV 1/2 Ab Screen IgG, CSF Container:Sterile container Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86694
LABCORP	823653	HTLV 1/2 Qual RT PCR-whole bld Container:Lavender-top (EDTA) Tube Temperature:Room temperature	87798
LABCORP	828821	HTLV I/II Ab, WB, CSF Container:CSF (Cerebrospinal Fluid) Temperature:FREEZE Stability: Room temperature up to 1 week Refrigerate up to 1 week Frozen indefinitely	86689
LABCORP	828531	HTLV I-II Abs, CSF Container:CSF (Cerebrospinal Fluid) Temperature:FREEZE Stability: Refrigerate up to 1 week Frozen indefinitely	86790
LABCORP	800605	Human Anti Giardia Lamblia Pnl Container:Red-top tube or gel-barrier tube Temperature:FREEZE or refrigerated Stability: Refrigerate up to 7 days Frozen up to 60 days	86674 x3
LABCORP	800602	Human Anti-Giardia Lamblia IgG Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Refrigerate up to 7 days Frozen up to 60 days	86674
LABCORP	140657	Human Antimouse Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520
LABCORP	004416	Human Chorionic Gonadotropin (hCG), Beta Subunit,Quantitative Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84702
LABCORP	480038	Human Chorionic Gonadotropin (hCG), Beta Subunit,Quantitative, (Serial Monitor) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84702
LABCORP	481700	Human Epididymis Protein 4, Serial Monitor Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room Temperature up to 5 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycle = X3	86305
LABCORP	164763	Human Granulocytic Ehrlichiosis (HGE), IgG, by IFA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86666
LABCORP	164672	Human Granulocytic Ehrlichiosis (HGE), IgG, IgM, by IFA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86666 x2
LABCORP	161075	Human Herpesvirus 6 (HHV-6) Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86790
LABCORP	138479	Human Herpesvirus 6 (HHV-6), DNA PCR Container:Sterile container (CSF), lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Whole blood is STABLE at room temperature or refrigerated for up to seven days; do NOT freeze. CSF is STABLE at room temperature or refrigerated for up to seven days, FROZEN for up to 90 days.	87532
LABCORP	553100	Human Immunodeficiency Virus (HIV-1) Trofile(R)(Monogram(R) Coreceptor Tropism) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	NOOPT
LABCORP	139825	Human Immunodeficiency Virus 1 & 2 (HIV-1/HIV-2),Qualitative, RNA Container:Lavender-Top (EDTA) Tube, BD SST Tube, BD Vacutainer PPT Plasma Preparation Tube Temperature:FROZEN Sample may be stored for 24 hours at room temperature. It is recommended that serum or plasma be refrigerated or frozen for shipment.	87538 87535
LABCORP	551965	Human Immunodeficiency Virus 1 (HIV-1) DNA SequencingIntegrase Container:Lavender-top (EDTA) tube	NOOPT

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE.	
LABCORP	551730	Human Immunodeficiency Virus 1 (HIV-1) DNA SequencingProtease-Reverse Transcriptase Container:Lavender-top (EDTA) tube Temperature:FREEZE.	NOCPPT
LABCORP	551776	Human Immunodeficiency Virus 1 (HIV-1) GenoSure Archive(R) Container:Lavender-top (EDTA) tube Temperature:FREEZE.	NOCPPT
LABCORP	552020	Human Immunodeficiency Virus 1 (HIV-1) GenoSure Archive(R)Plus Trofile(R) DNA Container:Lavender-top (EDTA) tube Temperature:FREEZE.	NOCPPT
LABCORP	551700	Human Immunodeficiency Virus 1 (HIV-1) GenoSure PRLme(R) Container:Lavender-top (EDTA) or plasma preparation tube (PPT(TM)) Temperature:FREEZE for shipment or long-term storage.	NOCPPT
LABCORP	552014	Human Immunodeficiency Virus 1 (HIV-1) GenoSure PRLme(R)Plus Trofile(R) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE for shipment or long-term storage.	NOCPPT
LABCORP	551871	Human Immunodeficiency Virus 1 (HIV-1) GenoSure(R) Integrase Container:Lavender-top (EDTA) or plasma preparation tube (PPT(TM)) Temperature:FREEZE	NOCPPT
LABCORP	550240	Human Immunodeficiency Virus 1 (HIV-1) PhenoSense Entry (R)(Monogram (R) Fuzeon Resistance) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87903
LABCORP	551920	Human Immunodeficiency Virus 1 (HIV-1) PhenoSense GT(R) PlusIntegrase (Monogram(R) Phenotype + Genotype) Container:Plasma Transfer Tube Temperature:FREEZE	87901 87900 87906 87904 x16 87903
LABCORP	551690	Human Immunodeficiency Virus 1 (HIV-1) PhenoSense GT(R)(Monogram(R) Phenotype/Genotype) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87903 87901 87900 87904 x12
LABCORP	551800	Human Immunodeficiency Virus 1 (HIV-1) PhenoSense(R)(Monogram(R) Phenotype) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87903 87904 x12
LABCORP	550230	Human Immunodeficiency Virus 1 (HIV-1) PhenoSenseIntegrase(R) (Monogram(R) Integrase Inhibitor Resistance) Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87903
LABCORP	829670	Human Immunodeficiency Virus 1 (HIV-1) Trofile(R) DNA(Monogram(R) Coreceptor Tropism), Whole blood Container:Lavender-top (EDTA) tube Temperature:FREEZE	NOCPPT
LABCORP	553355	Human Immunodeficiency Virus 1 (HIV-1) Trofile(R) Select Container:PLASMA: Lavender-top(EDTA); WHOLE BLOOD: Lavender-top(EDTA) Temperature:FREEZE	NOCPPT
LABCORP	550422	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to HIV-1 GenoSure(R) MG Container:Ship in a screw-cap polypropylene frozen transport tube. Temperature:FREEZE. STABLE at room temperature for up to one day or refrigerated for up to five days. FREEZE for long-term storage.	87536
LABCORP	550330	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to PhenoSense Entry(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense Entry(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550510	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to PhenoSense GT(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense GT(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550250	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to	87536

LAB	CODE	TEST NAME	CPT4 CODE
		PhenoSense Integrase(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense Integrase(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	
LABCORP	550520	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to PhenoSense(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550390	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Graphical) With Reflex to Trofile(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample is required for Trofile(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550432	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Nongraphical) With Reflex to HIV-1 GenoSure(R) MG Container:Ship in a screw-cap polypropylene frozen transport tube. Temperature:FREEZE. STABLE at room temperature for up to one day or refrigerated for up to five days. FREEZE for long-term storage.	87536
LABCORP	550360	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Nongraphical) With Reflex to PhenoSense Entry(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense Entry(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550450	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Nongraphical) With Reflex to PhenoSense GT(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense GT(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550470	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Nongraphical) With Reflex to PhenoSense(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550310	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, Real-time PCR (Nongraphical) With Reflex to Trofile(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for Trofile(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day and refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550880	Human Immunodeficiency Virus 1 (HIV-1), Quantitative, RNA(Abbott RealTime) Container:Ship in a screw-cap polypropylene frozen transport tube or centrifuged PPT(TM) tubes. Temperature:FREEZE Stability: Room temperature: Six hours or one day after centrifugation Refrigerated: 24 hours or five days after centrifugation Frozen: for long term storage	87536
LABCORP	550420	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Graphical) Container:Lavender-top (EDTA) tube or plasma preparation tube (PPT(TM)) Temperature:Freeze (preferred) or refrigerate. Stable at room temperature for 24 hours or refrigerated for six days. Stable frozen for six weeks.	87536
LABCORP	550630	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Graphical) With Reflex to HIV-1 GenoSurePRIme(R) Container:Lavender-top (EDTA) or plasma preparation tubes (PPT(TM)). Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. A separate frozen sample is required for GenoSure PRIme portion of the test. Frozen sample preferred for viral load assay but also stable at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550920	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Graphical) With Reflex to HIV-1 GenoSurePRIme(R) or GenoSure Archive(R) Container:Lavender Top (EDTA) Tube, Screw-capped Polypropylene Frozen Transport Tube. Temperature:Freeze	87536

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	550655	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Nongraphical) With Reflex to HIV-1 GenoSurePRIme(R) Container:Lavender-top (EDTA) or plasma preparation tubes (PPT(TM)). Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. A separate frozen sample is required for GenoSure PRIme portion of the test. Frozen sample preferred for viral load assay but also stable at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	550675	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Nongraphical) With Reflex to HIV-1 GenoSurePRIme(R) or GenoSure Archive(R) Container:Lavender Top (EDTA) Tube, Screw-capped Polypropylene Frozen Transport Tube. Temperature:Freeze	87536
LABCORP	550280	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Nongraphical) With Reflex to PhenoSenseIntegrase(R) Container:Ship in two or more screw-cap polypropylene frozen transport tubes. Temperature:FREEZE. Separate frozen sample required for PhenoSense Integrase(R) portion of the test. Frozen sample is preferred for the viral load assay but is also STABLE at room temperature for one day or refrigerated for five days. FREEZE for long-term storage.	87536
LABCORP	283891	Human Placental Lactogen Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Refrigerate up to 24 hours Frozen up to 90 days	83632
LABCORP	163246	Human T-Cell Lymphotropic Virus 1, 2 (HTLV-1/HTLV-2),Qualitative Container:Gel-barrier tube, lavender-top (EDTA) tube, blue-top (sodium citrate) tube, red-top tube, or green-top (either lithium or sodium heparin) tube Temperature:Room temperature for six months.	86790
LABCORP	164277	Human T-Cell Lymphotropic Virus 1, 2 (HTLV-1/HTLV-2)Antibodies, Preliminary Test With Confirmation Container:Red-top tube, gel-barrier tube, or lavender-top (EDTA) tube Temperature:Refrigerate. Stable refrigerated for 14 days or frozen six months.	86790
LABCORP	164129	Human T-Cell Lymphotropic Virus 1, 2 (HTLV-1/HTLV-2)Differentiation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube. OR yellow-top (ACD) tube Temperature:Refrigerate or freeze (Pour serum or plasma into plastic pour-off tube before freezing). STABLE 2(degrees)C to 8(degrees)C for seven days or -20(degrees)C for longer storage.	86688 86687
LABCORP	329656	HVA24h+VMA24U	83150 84585
LABCORP	829680	Hyaluronic Acid, Serum Container:Gel-barrier tube, red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate	83520
LABCORP	820972	Hydrocarbon Ox Volatile Pnl,B Container:Gray-top (Sodium Fluoride) tube OR Lavender-top (EDTA) tube Temperature:Refrigerate	84600 80320
LABCORP	808166	Hydrochlorothiazide, Serum or PLasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790611	Hydrochlorothiazide, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	803301	Hydrocodone & Metabolite, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80361
LABCORP	071526	Hydrocodone and Metabolite Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80361
LABCORP	071542	Hydromorphone Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant.	80361

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	
LABCORP	814715	Hydromorphone, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	716175	Hydroxyzine Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for 12 days at room temperature, for 12 days refrigerated, and for 13 days frozen.	80375
LABCORP	811653	Hydroxyzine, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	067710	Hymenoptera Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	606220	Hymenoptera Venom Allergy (HVA) with Components Profile Container:Gel-barrier tube/Serum transfer tube Temperature:Room Temperature	86008 x8 83520 86003 x3
LABCORP	503200	Hypercoag Panel Consultative Container:Red-top tube, lavender-top (EDTA) tube or yellow-top (ACD) tube AND blue-top (sodium citrate) tube Temperature:Freeze serum and plasma. Maintain whole blood at room temperature. Stability: Whole blood: Room temperature up to seven days.	86146 x3 86147 x2 85300 85613 x2 81240 85598 85302 80503 85305 85230 83090 85730 85307 85240 85732 x2
LABCORP	252449	Hyper-IgE Syndrome (HIES): STAT3 (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252680	Hyper-IgE Syndrome (HIES): STAT3 (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	252425	Hyper-IgM Syndrome (HIGM): (AICDA for HIGM2) (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252663	Hyper-IgM Syndrome (HIGM): (AICDA for HIGM2) (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252432	Hyper-IgM Syndrome (HIGM): (CD40 [TNFRSF5] for HIGM3) (FullGene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252670	Hyper-IgM Syndrome (HIGM): (CD40 [TNFRSF5] for HIGM3) (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252435	Hyper-IgM Syndrome (HIGM): (CD40LG [TNFSF5] for HIGM1) (FullGene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81404
LABCORP	252673	Hyper-IgM Syndrome (HIGM): (CD40LG [TNFSF5] for HIGM1)(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	813044	Hyperoxaluria Panel, Urine Container:Urine bottle Temperature:FREEZE	82542
LABCORP	500713	Hyperthyroid, TSH Suppression Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	84436 84480 84479 84443
LABCORP	501106	Hypoglycemia Test Group I Container:Red-top tube (preferred) or gel-barrier tube Temperature:FREEZE Stability: Serum: Room temperature up to 6 hours Refrigerated up to 1 day Frozen	83003 83525 82947 82533

LAB	CODE	TEST NAME	CPT4 CODE
		up to 200 days	
LABCORP	252539	Hypohidrotic Ectodermal Dysplasia With Immune Deficiency(HED-ID): IKBKG (NEMO) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252744	Hypohidrotic Ectodermal Dysplasia With Immune Deficiency(HED-ID): IKBKG (NEMO) (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81479
LABCORP	630292	Hypophosphatasia and Hypophosphatemic Rickets Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81479 81406 81404
LABCORP	500490	Hypothyroid Test Group Container:Gel-barrier tube, Red-top tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	84479 84443 84436
LABCORP	602886	I001-IgE Honeybee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605203	I001-IgG Honeybee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602887	I002-IgE Hornet, White Face Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605205	I002-IgG Hornet, White Face Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602889	I003-IgE Yellow Jacket Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605206	I003-IgG Yellow Jacket Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602890	I004-IgE Paper Wasp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605207	I004-IgG Paper Wasp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602891	I005-IgE Hornet, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605208	I005-IgG Hornet, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602488	I006-IgE Cockroach, German Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602892	I008-IgE Moth Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602893	I070-IgE Fire Ant (Invicta) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602894	I071-IgE Whole Body: Mosquito Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602895	I073-IgE Midge Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602898	I204-IgE Horsefly Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602897	I205-IgE Bumblebee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605209	I205-IgG Bumblebee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602481	I206-IgE Cockroach, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	141531	IA2 Autoantibodies (Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86341
LABCORP	502920	IAA+GAD 65 Container:Red-top tube or gel-barrier tube Temperature:Frozen Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	86341 86337
LABCORP	827301	Ibuprofen - BasoFunction HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	808462	Ibuprofen, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	808038	Ibuprofen, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80329
LABCORP	481484	IDH1/IDH2 Mutation Analysis Container:Lavender-top (EDTA) tube, green-top (heparin) tube, yellow-top (ACD) tube, FFPE tissue block and slide container Temperature:Refrigerate. Maintain FFPE blocks/slides at room temperature	88381 81120 81121
LABCORP	236310	IFE U+Kappa/Lambda Qn U+Prot U Container:24 Hour Urine Container, Urine Bottle	84156 86335 83521 x2
LABCORP	805257	IFN-y (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	805259	IFN-y (serum)* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	818624	IgA Deficiency Panel Container:Red-top tube or Gel barrier tube Temperature:Refrigerate	82784 83520
LABCORP	805290	IgA Low Range Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82784
LABCORP	831707	IgA Pemphigus Container:Gel-barrier tube or red-top tube Temperature:Room temperature	88346
LABCORP	831723	IgA, IgG Endomysial Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86256 x2
LABCORP	520072	IgA, Immunoglobulin A (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	82784
LABCORP	350976	IgA+tTG(IgA) Container:Gel-Barrier Tube	82784 86364

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	327274	IgA+t-Tran Container:Gel-Barrier Tube Temperature:Refrigerate	82784 86364
LABCORP	601841	IgE + Allergens (10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x10
LABCORP	602394	IgE + Allergens (22) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	601847	IgE + Allergens (3) Fish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x3
LABCORP	601842	IgE + Allergens (6) Shellfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x6
LABCORP	671859	IgE Food Panel I Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x10
LABCORP	604757	IgE Hazelnut Component Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x4
LABCORP	604443	IgE Walnut Component Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x2
LABCORP	605851	IgE+Allergen Mold Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 82785
LABCORP	604870	IgE+Allergens (12) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x12
LABCORP	601288	IgE+Allergens (12) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x12
LABCORP	605798	IgE+Allergens (14) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x14
LABCORP	604626	IgE+Allergens (22) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	601038	IgE+Allergens (25) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25
LABCORP	607216	IgE+Allergens (25) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25
LABCORP	604859	IgE+Allergens (26) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	605984	IgE+Allergens (27) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27 82785
LABCORP	604745	IgE+Allergens (30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x30
LABCORP	605919	IgE+Allergens (34) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x34
LABCORP	605916	IgE+Allergens (59) Foods Container:Red-top tube or gel-barrier tube	82785 86008 86003 x58

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	662882	IgE+Allergens Zone 1(29) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29 82785
LABCORP	662965	IgE+Allergens Zone 10(27) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x27
LABCORP	662973	IgE+Allergens Zone 11(27) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x27
LABCORP	663013	IgE+Allergens Zone 15(26) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	663021	IgE+Allergens Zone 16(32) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x32
LABCORP	663039	IgE+Allergens Zone 17(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	663054	IgE+Allergens Zone 19(30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30 82785
LABCORP	662833	IgE+Allergens Zone 2(30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30 82785
LABCORP	662890	IgE+Allergens Zone 3(27) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x27 82785
LABCORP	662902	IgE+Allergens Zone 4(30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x30
LABCORP	662916	IgE+Allergens Zone 5(30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x30
LABCORP	662924	IgE+Allergens Zone 6(29) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x29
LABCORP	662932	IgE+Allergens Zone 7(30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x30 82785
LABCORP	662940	IgE+Allergens Zone 8(31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x31
LABCORP	603071	IgE+Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10 82785
LABCORP	657619	IgE+Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11 82785
LABCORP	672875	IgE+Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x11
LABCORP	672319	IgE+Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11 82785
LABCORP	600854	IgE+Allergens(14) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x14
LABCORP	600135	IgE+Allergens(15)	86003 x15 82785

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	672867	IgE+Allergens(16) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	603219	IgE+Allergens(17) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x17
LABCORP	603206	IgE+Allergens(2) Molds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 82785 86001
LABCORP	603220	IgE+Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x20
LABCORP	603109	IgE+Allergens(20)Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x20
LABCORP	600298	IgE+Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23 82785
LABCORP	602224	IgE+Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	600683	IgE+Allergens(26) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	672799	IgE+Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x5
LABCORP	603023	IgE+Allergens(7) Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x7
LABCORP	370402	IgE+IgD Container:Gel-Barrier Tube	82784 82785
LABCORP	665349	IgE+Latex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003
LABCORP	665372	IgE+Latex Comp Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x12
LABCORP	500644	IGF Binding Protein (IGFBP-3) Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerate	83520
LABCORP	500485	IGF-1 Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	84305
LABCORP	503660	IGF-1, Pediatric with Z-Score Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	84305
LABCORP	501683	IGF1+IGFII+IGFBP3 Container:Red-top tube or gel-barrier tube Temperature:Frozen Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 7 months	83520 83519 84305
LABCORP	330819	IGFBP3+IGF-1	83520 84305
LABCORP	604689	IgG Allergens (19) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x19

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	603297	IgG Allergens (22) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x22
LABCORP	605792	IgG Allergens (4) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x4
LABCORP	680256	IgG Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x10
LABCORP	680019	IgG Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x20
LABCORP	680264	IgG Allergens(6) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x6
LABCORP	203836	IgG Index and Synthesis Rate Container:Red-top tube or gel-barrier tube AND sterile container for CSF Temperature:Room temperature	82040 82042 82784 x2
LABCORP	334012	IgG Subclasses Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82787 x4
LABCORP	520108	IgG, Immunoglobulin G (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	82784
LABCORP	605828	IgG4 Allergens (19) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x19
LABCORP	113753	IgVH Somatic Hypermutation Container:Lavender-top (EDTA) tube, green-top (heparin) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature; STABLE for three to five days.	81263
LABCORP	805261	IL-12p70 (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	805263	IL-12p70 (serum)* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	805265	IL-13 (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	805267	IL-13 (serum)* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	812130	IL-17 (plasma)* Container:Green-top (heparin) tube Temperature:FREEZE	83520
LABCORP	805253	IL-1b (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	805255	IL-1b (serum)* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	805269	IL-5 (plasma)* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	520210	ILDdx Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86200 86431 86036 83516 x7 86235 x4 86038
LABCORP	007468	Imipramine Container:Red-top tube, lavender-top tube (EDTA) tube OR green-top (heparin) tube. DO NOT USE A	80299

LAB	CODE	TEST NAME	CPT4 CODE
		GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	
LABCORP	176120	ImmuKnow (R) Container:Green-top (sodium heparin) tube ONLY Temperature:Maintain specimen at room temperature (ie, 18 to 28 degrees C) ONLY. Specimen stable 30 hours; > 30 hours specimen NOT viable. Do NOT refrigerate or freeze specimen.	86352
LABCORP	054494	Immune Complexes Profile Container:Red-top tube or gel-barrier tube Temperature:FREEZE at -70(degrees)C or store on dry ice within six hours of collection. Specimen is stable for 14 days if stored at -70(degrees)C. Storage of specimens at -20(degrees)C will yield erroneous results.	86332 x2
LABCORP	096933	Immune Complexes, C1q Binding Container:Red-top tube or gel-barrier tube Temperature:FREEZE prior to transport. Samples may be stored at 2(degrees)C to 8(degrees)C for seven days prior to testing.	86332
LABCORP	123014	Immune Complexes, C3d Circulating Container:Red-top tube or gel-barrier tube; lavender-top (EDTA) tube is also acceptable. Temperature:FREEZE at -70(degrees)C or store on dry ice within six hours of collection. Specimen is stable for 14 days if stored at -70(degrees)C. Storage of specimens at -20(degrees)C will yield erroneous results.	86332
LABCORP	389151	Immune Deficiency Profile VII Container:A dedicated, UNOPENED, gel-barrier tube and yellow-top (ACD-A whole blood) tube and lavender-top (EDTA whole blood) tube Temperature:Maintain specimen at room temperature.	86360 86359 87389
LABCORP	150201	Immune Deficiency Profile VIII Container:Red-top tube or gel-barrier tube AND yellow-top (ACD whole blood) tube AND lavender-top (EDTA whole blood) tube Temperature:Refrigerated and FROZEN serum. Maintain whole blood specimen at room temperature.	82232 86360 86359 86332
LABCORP	003467	Immunofixation (IFE) and Protein Electrophoresis, 24-HourUrine Container:12-mL plastic transport tube (LabCorp No. 23597) without preservative Temperature:Refrigerate	84156 86335 84166
LABCORP	122390	Immunofixation (IFE) and Protein Electrophoresis, RandomUrine Container:12-mL plastic transport tube (LabCorp No. 23597) without preservative Temperature:Refrigerate	84156 86335 84166
LABCORP	001438	Immunofixation (IFE) and Protein Electrophoresis,Cerebrospinal Fluid Container:Sterile container Temperature:Refrigerate	86335 84166 84157
LABCORP	001685	Immunofixation (IFE), Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86334 82784 x3
LABCORP	120256	Immunofixation (IFE), Serum, Protein Electrophoresis (PE),Serum, and Quantitative Free Kappa and Lambda Light Chains(FLC) Plus Ratio, Serum Container:Red-top tube or gel-barrier tube Temperature:IFE: Refrigerated. PE AND FLC: Room temperature	84155 86334 82784 x3 84165 83521 x2
LABCORP	123034	Immunofixation (IFE), Urine Container:Plastic urine container, no preservative Temperature:Room temperature	86335
LABCORP	123218	Immunofixation, Daratumumab-Specific, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82784 x3 86334
LABCORP	123062	Immunofixation, Isatuximab-Specific, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86334 82784 x3
LABCORP	123540	Immunoglobulin A (IgA) Heavy and Light Chain (HLC) Pairs,Kappa and Lambda With Ratio Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83521 x2
LABCORP	100115	Immunoglobulin A, Quantitative, Cerebrospinal Fluid Container:Sterile container Temperature:Room temperature	82784

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	123050	Immunoglobulin A, Subclass 1 Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	82787
LABCORP	123051	Immunoglobulin A, Subclass 2 Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	82787
LABCORP	123049	Immunoglobulin A, Subclasses (1-2) Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	82787 x2 82784
LABCORP	002162	Immunoglobulin D, Quantitative, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82784
LABCORP	123550	Immunoglobulin G (IgG) Heavy and Light Chain (HLC) Pairs,Kappa and Lambda With Ratio Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83521 x2
LABCORP	002238	Immunoglobulin G Index Container:Red-top tube or gel-barrier tube AND sterile (CSF) container Temperature:Room temperature	82042 82784 x2 82040
LABCORP	085928	Immunoglobulin G Synthesis Rate, Cerebrospinal Fluid Container:Red-top tube or gel-barrier tube AND sterile (CSF) container Temperature:Room temperature	82040 82042 82784 x2
LABCORP	123225	Immunoglobulin G, Monitoring of Primary ImmunodeficiencyTreatment Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82787 x4 82784
LABCORP	012211	Immunoglobulin G, Quantitative, Cerebrospinal Fluid Container:Sterile container Temperature:Room temperature	82784
LABCORP	160507	Immunoglobulin G, Subclass 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82787
LABCORP	160515	Immunoglobulin G, Subclass 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82787
LABCORP	160523	Immunoglobulin G, Subclass 3 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82787
LABCORP	123560	Immunoglobulin M (IgM) Heavy and Light Chain (HLC) Pairs,Kappa and Lambda With Ratio Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83521 x2
LABCORP	100123	Immunoglobulin M, Quantitative, Cerebrospinal Fluid Container:Sterile container Temperature:Room temperature	82784
LABCORP	211003	Immunoglobulins IgA, IgG, IgM, Cerebrospinal Fluid Container:CSF (Cerebrospinal Fluid) Transfer Tube Temperature:Room temperature	82784 x3
LABCORP	484006	Immunohistochemical (Diagnostic) Staining Program Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	NOcpt
LABCORP	800039	Indigo Carmine - BasoFun. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	828223	Indomethacin - BasoFunc. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	084343	Indomethacin (Indocin) Container:Red-top tube, lavender-top (EDTA) tube fluoride) tube Temperature:Refrigerate Stability: Room temperature: 7 days Refrigerated: 15 days Frozen: 15 days	80299
LABCORP	160068	Infectious Mono,WB (CV Waived) Container:Lavendar-top (EDTA) tube; fingerstick blood can also be used	86308

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	512053	Infertility - Male, Y Deletion Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Do NOT freeze.	81479
LABCORP	162045	Inflammatory Bowel Disease (IBD) Expanded Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86671 86036 83516 x3
LABCORP	164830	Inflammatory Bowel Disease (IBD) Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86671 x2 86037
LABCORP	096073	Influenza A Abs, CF Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86710
LABCORP	096487	Influenza A and B Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86710 x2
LABCORP	186064	Influenza A and B, Direct Immunoassay Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium; sterile leakproof container. Temperature:Refrigerate	87804 x2
LABCORP	140163	Influenza A, Influenza B and Respiratory Syncytial Virus,NAA Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), or saline. Anterior nasal swab in saline. saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated specimens acceptable (if received for testing within 72 hours of collection). Room temperature swabs are acceptable (if recieved within 24 hours of collection).	87631
LABCORP	828523	Influenza A/B Virus Abs, G/M Container:Gel-barrier tube or sterile conical/capped tube Temperature:Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86710 x4
LABCORP	185060	Influenza A+B Ag, DFA w/Rflx Container:Virus transport medium for swab AND plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature. For reflex test, swab specimens should be placed into viral transport medium and kept cold at all times.	87275 87276
LABCORP	186197	Influenza A+B Ag, EIA W/Reflex Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium; sterile leakproof container.	87804 x2
LABCORP	096081	Influenza B Abs, CF Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86710
LABCORP	820971	Inhalants Panel,Solvents,Blood Container:Gray-top (sodium fluoride) tube Temperature:Refrigerate	80320 84600
LABCORP	825504	Inhalants Pnl, Halocarbons, B Container:Gray-top (sodium fluoride) tube Temperature:Refrigerate	84600
LABCORP	365500	Inherited Thrombophilias of Pregnancy Panel Container:Blue-top (sodium citrate) tube, lavender-top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal kit Temperature:FREEZE plasma, maintain whole blood and buccal swab kit at room temperature or refrigerate	85307 85306 85300 85303 81240
LABCORP	451920	Inheritest(R) Carrier Screen, Ashkenazi JewishPanel (48 Genes) Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	81329 81412 81257 81243
LABCORP	451950	Inheritest(R) Carrier Screen, ComprehensivePanel (144 Genes) Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	81443 81243 81329

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	451960	Inheritest(R) Carrier Screen, Society-guidedPanel (14 Genes) Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	81255 81361 81200 81242 81220 81243 81209 81251 81260 81330 81329 81257 81290
LABCORP	452172	Inheritest(R) CF/SMA Panel Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	NOCP
LABCORP	451964	Inheritest(R) Core Panel Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	NOCP
LABCORP	451910	Inheritest(R) Gene Specific Sequencing Container:Whole Blood: Yellow-top (ACD-A) tube or Lavender-top (EDTA) tube; ; for prenatal specimens: sterile plastic conical tube or two confluent T-25 flasks Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	NOCP
LABCORP	630049	Inheritest(R)500 PLUS Panel Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain at room temperature or refrigerate at 4 (degrees) Celsius	NOCP
LABCORP	630217	Inheritest(R)500 PLUS with Reproductive Partners Report Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4 (degrees) Celsius	NOCP
LABCORP	333501	Inhibin A+B Container:Gel Barrier Tube	83520 86336
LABCORP	511966	InSight Fluorescence in situ Hybridization (FISH), PrenatalAneuploid Evaluation, Amniotic Fluid with Reflex toMicroarray or Chromosome Analysis Container:Sterile plastic conical tube Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	511894	InSight: Prenatal Amnio Aneuploid FISH testing forChromosomes 13, 18, 21 and XY Container:Sterile plastic conical tube Temperature:Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do not freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	NOCP
LABCORP	213660	Insulin and C-Peptide, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84681 83525
LABCORP	829732	Insulin Human IgG Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86001
LABCORP	312114	Insulin, 2 Hour	83525
LABCORP	501561	Insulin, Free and Total Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83525 83527
LABCORP	141770	Insulin-like Growth Factor 2 (IGF-2)(Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83519
LABCORP	010540	Insulin-Like Growth Factor-1 (IGF-1) with Z-Score Container:Red-top tube or gel barrier tube Temperature:Refrigerate	84305
LABCORP	140822	Insulin-like Growth Factor-binding Protein 1 (IGFBP-1) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	500133	Insulin-like Growth Factor-binding Protein 2 (IGFBP-2)(Endocrine Sciences) Container:Red-top tube, gel-barrier tube, or lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	140850	Intact N-Terminal Propeptide of Type I Procollagen Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82523

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	017100	Integrated 1 Container:Gel-barrier tube Temperature:Room temperature	84163
LABCORP	017170	Integrated 2 Container:Gel-barrier tube Temperature:Room temperature	86336 84702 82105 82677
LABCORP	451953	IntelliGEN(R) Myeloid Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate	81450
LABCORP	252519	Interferon-gamma Receptor Deficiency: IFNGR1 (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252727	Interferon-gamma Receptor Deficiency: IFNGR1 (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252522	Interferon-gamma Receptor Deficiency: IFNGR2 (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81479
LABCORP	252730	Interferon-gamma Receptor Deficiency: IFNGR2 (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252525	Interferon-gamma Receptor Deficiency: Two-gene Profile(IFNGR1, IFNGR2) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	140820	Interleukin-10, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140920	Interleukin-10, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	142455	Interleukin-2 Soluble Receptor Alpha Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	140812	Interleukin-2, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140912	Interleukin-2, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140814	Interleukin-4, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140914	Interleukin-4, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	805271	Interleukin-5 (IL-5) Serum* Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	140916	Interleukin-6, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycle: x3	83529
LABCORP	140818	Interleukin-8, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 7 days Frozen up to	83520

LAB	CODE	TEST NAME	CPT4 CODE
		14 days Freeze/Thaw Cycles: x2	
LABCORP	140918	Interleukin-8, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 7 days Frozen up to 14 days Freeze/Thaw Cycles:x2	83520
LABCORP	167116	Intermediate Resolution HLA A,B,C Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81372
LABCORP	167096	Intermediate Resolution HLA A,B,C,DR1/3/4/5, DQ Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81370
LABCORP	167108	Intermediate Resolution HLA A,B,DR1/3/4/5 Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81371
LABCORP	167190	Intermediate Resolution HLA DQB1 Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81376
LABCORP	167120	Intermediate Resolution HLA DR1/3/4/5, DQ Container:Lavender-top (EDTA) tube or four (4) buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature; protect from extreme heat or cold. Do NOT freeze.	81375
LABCORP	520202	Interstitial Lung Disease Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516 x7 86235 x3
LABCORP	365200	Intrauterine Fetal Demise/Stillborn Follow-up Panel Container:Blue Top (Sodium Citrate) Tube, Plasma Transfer Tube, Gel- Barrier Tube, Lavender Top (EDTA) Tube Temperature:Serum AND Whold blood, Room Temperature; Plasma, Frozen	86592 84443 85732 86147 x2 85025 85613 86747 x2
LABCORP	365300	Intrauterine Fetal Demise/Stillborn Panel (Extended) Container:Gel-Barrier Tube, Blue Top (Sodium Citrate) Tube, Plasma Transfer Tube, Lavender Top (EDTA) Tube Temperature:Serum AND whold blood, room temp; plasma, freeze	86747 x2 86592 84443 85732 85306 86147 x2 85300 85303 85025 85613 81240 81241 83090
LABCORP	503174	Intrinsic Path Coag Factor Container:Blue-top (sodium citrate) tube Temperature:Freeze	85240 85250 85270 85280 80503
LABCORP	500705	Intrinsic Pathway Coag Factor Container:Blue-top (sodium citrate) tube Temperature:Freeze	85270 85280 85240 85250
LABCORP	500033	Intrinsic Pathway Coagulation Factor Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85280 85240 85250 85270
LABCORP	070222	Iodine, 24 Hour Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	83789
LABCORP	070163	Iodine, Random Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	83789
LABCORP	070034	Iodine, Serum or Plasma Container:Royal blue-top (EDTA) tube OR royal blue-top without EDTA Temperature:Maintain specimen at room temperature.	83789
LABCORP	070172	Iodine, Urine with Creatinine Ratio Container:Plastic urine container, without preservative Temperature:Maintain specimen at room temperature.	82570 83789
LABCORP	808834	Ipecac Use Marker, Serum or Plasma Container:Red-top tube or green-top (heparin) tube	80323

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	
LABCORP	809595	Ipecac Use Markers, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80323
LABCORP	087238	Iron, 24 Hour Urine Container:Acid washed or trace metal free plastic tube. Tubes may be obtained from National Medical Services Temperature:Refrigerate Stability: Room temperature up to 30 days Refrigerate up to 30 days Frozen up to 30 days	83540
LABCORP	081073	Iron, Urine Container:Acid washed or trace metal free plastic container. Tubes may be obtained from National Medical Services Temperature:Refrigerate Stability: Room temperature up to 30 days Refrigerate up to 30 days Frozen up to 30 days	83540
LABCORP	500757	Islet Cell Dysfunction Group 1 Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Room temperature up to 6 hours Refrigerated up to 1 day Frozen up to 200 days	83525 84206
LABCORP	500759	Islet Cell Dysfunction Grp II Container:Gel-barrier tube OR red-top tube Temperature:Freeze Stability: Room temperature up to 6 hours Refrigerated up to 1 day Frozen up to 200 days	82947 84206 83525
LABCORP	630988	Isocyanates Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	096164	Isohemagglutinin Titer Container:Lavender-top (EDTA) tube Temperature:Refrigerate	86940
LABCORP	821467	Isolated Dystonia Evaluation Container:Lavender-top (EDTA) tube Temperature:Room temperature.	NOcpt
LABCORP	808376	Isoniazid, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	017681	Isopropanol Container:Gray-top (sodium fluoride) tube (preferred) or red-top tube. Submit original unopened tube Temperature:Refrigerate	80320
LABCORP	910627	Isopropyl Alcohol Container:Gray-top (sodium fluoride) tube (preferred) or red-top tube. Submit original unopened tube.	80320
LABCORP	700833	Itraconazole, Serum or plasma Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate	80189
LABCORP	489200	JAK2 V617F Mutation Analysis, Qualitative Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Ship specimen at room temperature. Specimen should arrive in the laboratory within 48 hours of collection. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C. Indicate date and time of collection on the test request form.	81270
LABCORP	489421	JAK2 V617F Mutation Analysis, Qualitative, with Reflex to CALR Mutation Analysis, JAK2 Exon 12-15 Mutation Analysis and MPL Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Refrigerate. Ship specimen at room temperature. Specimen should arrive in the laboratory within 48 hours of collection. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C. Indicate date and time of collection on the test request form.	81270
LABCORP	489410	JAK2 V617F Mutation Analysis, Qualitative, with Reflex to CALR Mutation Analysis and MPL Mutation Analysis. Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Refrigerate. Ship specimen at room temperature. Specimen should arrive in the laboratory within 48 hours of collection. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C. Indicate date and time of collection on the test request form.	81270

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	481020	JAK2 V617F Mutation Analysis, Quantitative Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Ship at room temperature. If specimen is to be stored prior to shipment, store at 2(degree)C to 8(degree)C.	81270
LABCORP	489422	JAK2 V617F Mutation Analysis, Quantitative with Reflex toCALR Mutation Analysis, JAK2 Exon 12-15 Mutation Analysisand MPL Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Ship at room temperature. If specimen is to be stored prior to shipment, store at 2(degree)C to 8(degree)C.	81270
LABCORP	489418	JAK2 V617F Mutation Analysis, Quantitative, With Reflex toCALR Mutation Analysis and MPL Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Ship at room temperature. If specimen is to be stored prior to shipment, store at 2(degree)C to 8(degree)C.	81270
LABCORP	489417	JAK2 V617F Mutation Analysis, Quantitative, With Reflex toJAK2 Exon 12-15 Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Ship at room temperature. If specimen is to be stored prior to shipment, store at 2(degree)C to 8(degree)C.	81270
LABCORP	826359	Jalapeno Pepper, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	139340	JC Virus DNA, PCR, Cerebrospinal Fluid Container:Sterile container for CSF Temperature:Room temperature or refrigerated for up to 7 days. Frozen up to 90 days.	87798
LABCORP	139380	JC Virus DNA, PCR, Urine Container:Sterile urine container, no preservative Temperature:FROZEN (preferred) OR refrigerate	87798
LABCORP	820115	JCV qPCR (Plasma) Container:Lavender-top (EDTA) tube Temperature:Room temperature or frozen	87799
LABCORP	820121	JCV qPCR (Serum) Container:Red-top tube Temperature:Room temperature or frozen	87799
LABCORP	511295	Jewish Ancestry Reproductive Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD) tube Temperature:Refrigerate yellow-top tube. Maintain lavender-top tube at room temperature.	83080 81200 81220
LABCORP	006030	Jka/Jkb Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	511490	Joubert Syndrome Type II Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Room temperature 4(degrees)C	81479
LABCORP	828292	Juniper Mix IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	602660	K072-IgE Ispaghula Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	064675	K072-IgE Ispaghula Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602662	K075-IgE Isocyanate TDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650036	K075-IgE Isocyanate TDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	650044	K076-IgE Isocyanate MDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602663	K076-IgE Isocyanate MDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602665	K077-IgE Isocyanate HDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650051	K077-IgE Isocyanate HDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650069	K078-IgE Ethylene Oxide Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602666	K078-IgE Ethylene Oxide Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602667	K079-IgE Phthalic anhydride Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650077	K079-IgE Phthalic Anhydride Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650267	K080-IgE Formaldehyde Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602668	K080-IgE Formaldehyde Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602963	K081-IgE Ficus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602669	K082-IgE Latex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605018	K082-IgG Latex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602747	K083-IgE Cottonseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605102	K083-IgG Cottonseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602766	K084-IgE Sunflower Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605112	K084-IgG Sunflower Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602671	K087-IgE Alpha-Amylase Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	630542	Kallmann Syndrome Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81405 81479 81407 81406
LABCORP	500128	Kaolin Clotting Time (KCT) Container:Blue-top (sodium citrate) tube	85347

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze Stability: Room temperature up to 4 hours	
LABCORP	844809	Kennedy Disease Mutation Anal. Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81401
LABCORP	764258	Ketamine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	790620	Ketamine and Metabolite, Quantitative, Serum or Plasma Container:Red-top tube or gray-top (sodium fluoride) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80357
LABCORP	806506	Ketamine Confirmation, Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80357
LABCORP	806500	Ketamine Confirmation, Nails Container:Contact lab for Hair collection kit. Temperature:Maintain specimen at room temperature.	NOOPT
LABCORP	700477	Ketoconazole, Serum or Plasma Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 day Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	806443	Ketone Bodies Panel, S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:FROZEN Stability: Room temperature: Not stable Refrigerated: 4 days Frozen(-20(C)): 4 days Frozen(-40(C)): 1 month	82010 x3
LABCORP	846177	Ketone Panel, Urine Container:Plastic urine container Temperature:Freeze Stability: Frozen up to 14 days	82542
LABCORP	261289	Kidney Stone Risk w/o Review Container:Urine containers (2), serum gel tube (2), serum gel tube (1) -centrifuge and send unopened, Lavender-top (EDTA) tube (1)- centrifuge, transfer and send at refrigerated temperature. Temperature:FREEZE urine and serum transfer tubes. Refrigerate plasma transfer tube. DO NOT FREEZE serum gel tube.	82507 83615 84156 84392 82330 83935 84105 84300 84450 83970 80069 83735 x2 82570 x2 82131 84560 82340 83945 81003 84550 82247 82652
LABCORP	306266	Kidney Stone Urine Test Combination With SaturationCalculations Container:Urine container Temperature:Freeze	82436 82131 84560 82340 83945 81003 82507 82140 84392 83935 84105 84300 84133 83735 82570
LABCORP	168141	Killer Immunoglobulin-like Receptors (KIR) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	485126	KIT (D816V) Digital PCR Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:Refrigerate. Stable for 72 hours at room temperature or refrigerated.	81273
LABCORP	481075	KRAS Gene Extended Mutation Analysis Container:FFPE tissue blocks or slides. Temperature:Maintain blocks and slides at room temperature.	88381 81276 81275
LABCORP	480875	K-ras Gene Mutation Analysis, IVD Container:Slides, Blocks Temperature:Maintain specimen at room temperature up to 4 weeks at 15-30 degrees Celsius	88381 81275
LABCORP	791750	Kratom (Mitragynine), Screen and Confirmation, Urine Container:Plastic urine bottle without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	261388	KS Limited Retest w/o Review Container:Urine container(2) Temperature:Frozen	84105 82030 84300 83735 82570 x2 84560 82340 83945 81003 82507 84392

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	107110	KT/V Effective Container:Serum-separator tube Temperature:Maintain specimen at room temperature or refrigerate. Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycle: x3	NOCPT
LABCORP	620044	Lactate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	83605
LABCORP	023804	Lactate and Pyruvate Container:2 Gray-top (sodium fluoride) tube Temperature:Refrigerate	84210 83605
LABCORP	001842	Lactate Dehydrogenase (LD) Isoenzymes Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature. Do NOT freeze. Do NOT refrigerate for more than three days.	83615 83625
LABCORP	812030	Lactic Acid, Body Fluid Container:Sterile container Temperature:FREEZE	83605
LABCORP	122408	Lactic Acid, CSF Container:Clean sterile tube Temperature:Refrigerate for up to 15 days or freeze. Stable at room temperature up to 3 days.	83605
LABCORP	120543	Lactic/Pyruvic Ratio Container:Gray-Top (Sodium Fluoride) Tube	84210 83605
LABCORP	046300	Lactose Tolerance Test Container:Gray-top (sodium fluoride) tube Temperature:Maintain specimen at room temperature.	82951 82952 x2
LABCORP	827375	Ladybee. Asian (Har. Axy.) IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	485150	LAG3 IHC Melanoma Container:Paraffin Block OR Slide Temperature:Room temperature	NOCPT
LABCORP	819019	Lanreotide(Somatuline(R))Depot Container:Gel-barrier tube, lavender-top (EDTA) tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 3 days Refrigerate up to 1 month Frozen up to 6 months	80299
LABCORP	665380	Latex Comp Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	650390	Latex-specific IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	284456	Laxatives Panel (Qual), Urine Container:Plastic urine bottle Temperature:Refrigerate	80376
LABCORP	247302	LCM Virus Ab, IgG Container:Gel-barrier tube or red-top tube Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year (avoid repeat freeze/thaw cycles)	86727
LABCORP	284040	LCM Virus Ab, IgG, CSF Container:Sterile container Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86727
LABCORP	291021	LD Isoenzymes w/Interpretation Container:Red-top tube Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate. LD5 is least stable with 13% lost at room temperature after 48 hours, 18% lost at refrigerated temperatures.	83625 83615
LABCORP	001883	LD Reflex Container:Gel-barrier tube is preferred. Red-top tube or green-top (heparin) tube is acceptable. Do NOT use EDTA plasma.	83615
LABCORP	123828	LDL-P	83704

LAB	CODE	TEST NAME	CPT4 CODE
		Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for 12 days.	
LABCORP	006034	Lea/Leb Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	038171	Lead Standard Profile Container:Royal Blue-Top (EDTA) Tube Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	84202 83655
LABCORP	038170	Lead Standard Profile, Whole Blood Container:Royal blue-top (EDTA) tube or tan-top lead-free tube; submit original tube. Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	83655 84202
LABCORP	735001	Lead, Blood (Rflx ZPP) Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube; submit original tube. Temperature:Maintain specimen at room temperature	83655
LABCORP	717012	Lead, Blood (Venipuncture) Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube OR BD lavender-top Microtainer(TM) NGMBT (REF 365974) OR BD lavender-top Microtainer(TM) MAP (REF 363706); submit original tube Temperature:Maintain specimen at room temperature	83655
LABCORP	791280	Lead, Blood, Filter Paper Container:Filter Paper Collection Card (PS# 107973 or 111742) Temperature:Maintain specimen at room temperature Stability: Room temperature up to 6 months	83655
LABCORP	084434	Lead, Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Maintain specimen at room temperature Stability undetermined	83655
LABCORP	007633	Lead, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	83655 82570
LABCORP	070181	Lead, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 83655
LABCORP	700433	Lead, Whole Blood (Maternal) Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube; submit original unopened tube Temperature:Maintain specimen at room temperature.	83655
LABCORP	831984	Leflunomide Metabolite S/P Container:Red-Top Tube or Lavender-top (EDTA) tube Temperature:Room temperature	80193
LABCORP	831987	Leflunomide Pre-Pregnancy S/P Container:Red-Top Tube or Lavender-top (EDTA) tube Temperature:Room temperature	80193
LABCORP	188227	Legionella Culture and Legionella pneumophila, DFA Container:Sterile container Temperature:Specimen should be kept at 2(degrees)C to 8(degrees)C.	87070 87278
LABCORP	164616	Legionella pneumophila Antibody Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature.	86713
LABCORP	823633	Legionella RT PCR Panel (BAL) Container:Sterile container Temperature:Room temperature	87801 87541
LABCORP	823637	Legionella RT PCR Pnl (pl-fl) Container:Sterile container Temperature:Room temperature	87801 87541
LABCORP	823641	Legionella RT PCR Pnl (sputum) Container:Sterile container Temperature:Room temperature	87801 87541

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	823649	Legionella RT PCR Pnl(NP swab) Container: Sterile container Temperature: Room temperature	87801 87541
LABCORP	823645	Legionella RT PCR Pnl-trac asp Container: Sterile container Temperature: Room temperature	87801 87541
LABCORP	086868	Legionella Species Culture Container: Sterile container Temperature: Refrigerate. Specimens should be kept at 2(degrees)C to 8 (degrees)C and transport to the laboratory within 24 hours of collection.	87070
LABCORP	817508	Leishmania Antibody, IgG Container: Gel-barrier tube Temperature: Refrigerate	86717
LABCORP	500716	Leptin Container: Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature: Freeze Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 200 days	83520
LABCORP	830035	Leptospira IgM Container: Gel-barrier tube Temperature: Refrigerate	86720
LABCORP	824049	Leukocyte Adhesion Def. Type 1,B Container: Lavender-top (EDTA) Tube Temperature: Room temperature	88184 88185 x2
LABCORP	823959	Leukostrat(R)CDx FLT3 Mutation Container: Green-top (heparin) tube Temperature: Refrigerate	0023U
LABCORP	831775	Leukotriene E4, 24 hr, U Container: Urine Bottle, no preservative Temperature: Refrigerated	82542
LABCORP	911186	Levetiracetam (Keppra), S Container: Red-top tube, lavender-top (EDTA) tube, or green-top (heparin) tube. Do not use a gel-barrier tube. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant.	80177
LABCORP	810499	Levodopa (L-DOPA) Container: Red-top tube or lavender-top (EDTA) tube Temperature: FREEZE Stability: Room Temperature: Not stable Refrigerated: Not stable Frozen: 6 days	80299
LABCORP	851543	Levofloxacin, HPLC Container: Red-top tube Temperature: FREEZE	80299
LABCORP	824784	LGV Diff.Ab.Panel, MIF Container: Serum Separator (Gel) Tube Temperature: Room temperature Stability: Room Temperature: 7 days Refrigerated: 14 days Frozen: 30 days	86632 x4 86631 x8
LABCORP	828238	Lidocaine BasoFunction Container: Green-top (sodium heparin) tube: submit original tube Temperature: Maintain specimen at room temperature	86343
LABCORP	851592	Linezolid Level Container: Red-top tube Temperature: FREEZE	80299
LABCORP	829034	Lipase, Fluid Container: Standard Transport Tube Temperature: Refrigerated. Stability: Room temperature up to 1 weeks Refrigerate up to 1 week Frozen 2 months	83690
LABCORP	830769	Lipid Analysis, BF Container: Sterile container Temperature: Freeze	84311 82664 84478
LABCORP	363676	Lipid Cascade w/Rflx to ApoliB Container: Gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature	80061

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	123836	Lipid Cascade With Reflex to Lipoprotein Particle Assessmentby NMR (With Graph if Reflexed) Container:LIPID PROFILE: Gel-barrier transport, green-top (heparin), OR lavender-top (EDTA) tube. LIPOPROTEIN REFLEX: One of the following: NMR LipoTube (black-and-yellow-top tube), preferred, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. TWO SPECIMENS MUST BE SUBMITTED WITH THIS PROFILE, ONE FOR THE LIPID PROFILE AND ANOTHER FOR THE LIPOPROTEIN REFLEX TESTING. Temperature:LIPID PROFILE: Room temperature: Gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube. Stable at room temperature for six hours or refrigerated for 10 days. Frozen is NOT acceptable. LIPOPROTEIN REFLEX: Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061
LABCORP	361946	Lipid Cascade With Reflex to Lipoprotein Particle Assessmentby NMR (Without Graph) Container:LIPID PROFILE: Gel-barrier transport, green-top (heparin), OR lavender-top (EDTA) tube. LIPOPROTEIN REFLEX: One of the following: NMR LipoTube (black-and-yellow-top tube), preferred, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. TWO SPECIMENS MUST BE SUBMITTED WITH THIS PROFILE, ONE FOR THE LIPID PROFILE AND ANOTHER FOR THE LIPOPROTEIN REFLEX TESTING. Temperature:LIPID PROFILE: Room temperature: Gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube. Stable at room temperature for six hours or refrigerated for 10 days. Frozen is NOT acceptable. LIPOPROTEIN REFLEX: Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061
LABCORP	235036	Lipoprotein Phenotyping Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	80061 83700
LABCORP	120188	Lipoprotein(a) Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube, green-top (heparin) tube, OR blue-top (citrate) tube Temperature:Room temperature	83695
LABCORP	123283	Lipoprotein-Associated Phospholipase A2 Activity Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Refrigerate, stable for 14 days. Stable at room temperature for 24 hours and frozen up to 18 months. Ship refrigerated on cool packs.	83698
LABCORP	272685	Listeria Abs, CSF Container:Sterile capped tube Temperature:Room temperature	86723
LABCORP	815951	Listeria Antibody, CF Container:Red-top tube or gel-barrier tube Temperature:Refrigerate (Kool Pack)	86723
LABCORP	846398	Lithium, RBCs Container:Royal blue-top (Sodium EDTA) tube Temperature:Refrigerate	80178
LABCORP	809523	Lithium, Urine Container:Metal-free plastic urine container or metal-free transfer tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80178
LABCORP	910343	Litholink CKD Program Container:Not applicable	NOcpt
LABCORP	831680	Liver Cytosol Type 1 Abs Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86376
LABCORP	824580	Liver-Kidney Microsome Ab,IgG Container:Serum Separator (Gel) Tube Temperature:Refrigerated	NOcpt
LABCORP	806073	Lobster Spiny/Langust IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	224510	Loratadine + Metabolite Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80299

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	808025	Lorazepam Confirmation, Quantitative, Urine Container:Plastic urine container, no preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80346
LABCORP	808465	Lorazepam, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	910374	Low Bone Density Program Container:Not applicable	NOCPT
LABCORP	811240	Loxapine and 8-Hydroxyloxapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	330731	LP Container:Gel Barrier Tube	80061
LABCORP	809488	LSD (Lysergide), Urine Container:Urine transfer tube without preservative Temperature:Maintain specimen at room temperature	NOCPT
LABCORP	790840	LSD Confirmation, Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80323
LABCORP	808577	LSD Screen and Confirmation, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:FREEZE. PROTECT FROM LIGHT.	80307
LABCORP	071159	LSD Screen, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	831752	Lupin IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	216515	Lupus (SLE) Analysis Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Room Temperature	83516 86160 86235 x5 86225 86038 86381 86376 86015 86255
LABCORP	520195	Lupus Activity Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86160 x2 86225
LABCORP	503209	Lupus Anticoag Confirm Consult Container:Blue-top (sodium citrate) tube citrated platelet free plasma AND red-top tube or gel-barrier tube Temperature:Freeze	85732 x2 86146 x3 86147 x2 85610 85613 x2 85670 85598 80503 85597 85730
LABCORP	503190	Lupus Anticoag/Cardiol Ab Cons Container:Blue-top (sodium citrate) tube AND red-top tube or gel-barrier tube Temperature:Freeze	86146 x3 86147 x2 85610 85613 x2 85670 85598 80503 85730 85732 x2
LABCORP	117054	Lupus Anticoagulant Comprehensive Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85732 85705 85613 85670
LABCORP	500070	Lupus Anticoagulant Profile (Consultative) Container:Blue-top (sodium citrate) platelet free plasma tubes AND red-top tube or gel-barrier tube Temperature:FREEZE	85732 x2 86146 x3 86147 x2 85610 85613 x2 85670 85598 85597 85730
LABCORP	503366	Lupus Anticoagulant Reflexive Container:Blue-top (sodium citrated) tubes Temperature:FREEZE	85730
LABCORP	500711	Lupus Anticoagulant/Cardiolipin Antibody (Esoterix) Container:Blue-top (sodium citrate) tubes AND red-top tube or gel-barrier tube Temperature:FREEZE	85598 85730 85732 x2 86146 x3 86147 x2 85610 85613 x2 85670

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520342	Lupus Diagnostic Profile Container:Serum from a gel tube or red top tube Temperature:Refrigerate Room Temperature: 1 day Refrigerated: 8 days Frozen: 8 days	86160 x2 86235 x5 86225 86038
LABCORP	054619	LUPUS PROFILE Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86235 x2 86225 86038
LABCORP	520203	Lupus Renal Activity Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516 86160 x2 86225
LABCORP	000877	Lupus-Collagen Disease Panel Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86160 86235 86038
LABCORP	500094	Luteinizing Hormone (LH) ECL Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 2 days Frozen up to 200 days	83002
LABCORP	026971	Luteinizing Hormone (LH), 2 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x2
LABCORP	039230	Luteinizing Hormone (LH), 3 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x3
LABCORP	026955	Luteinizing Hormone (LH), 4 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x4
LABCORP	039248	Luteinizing Hormone (LH), 5 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x5
LABCORP	211227	Luteinizing Hormone (LH), 6 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x6
LABCORP	095448	Luteinizing Hormone (LH), 7 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x7
LABCORP	211276	Luteinizing Hormone (LH), 8 Specimens Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	83002 x8
LABCORP	502286	Luteinizing Hormone, Pediatric Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:FREEZE	83002
LABCORP	138685	Lyme Disease (Borrelia burgdorferi), Real-time PCR Container:Sterile plastic container (CSF, synovial fluid), lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:CSF and synovial fluid are STABLE at room temperature or refrigerated for up to seven days, frozen for up to 90 days. Whole blood is STABLE at room temperature or refrigerated for up to seven days; do NOT freeze.	87476
LABCORP	160457	Lyme Disease, Line Blot, Cerebrospinal Fluid Container:Sterile plastic tube Temperature:Refrigerate	86617 x2
LABCORP	817624	Lymph Subset 4, Pct/Ratio BAL Container:Sterile container Temperature:Refrigerate	86356 x3
LABCORP	505321	Lymphocyte Activity Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86360 86359 86356 86357

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	820154	Lymphocyte Subset 6 Container:Lavender-top (EDTA) tube, green-top (heparin) tube, hemogard tubes are preferred. Temperature:Room temperature	86357 86360 86359 86355 86356 x2
LABCORP	820824	Lymphocyte Subset Panel 7 Container:Lavender-top (EDTA) tube or green-top (heparin) tube, hemogard tubes are preferred Temperature:Critical room temperature	NOCPT
LABCORP	827149	Lys-Aspirin - BasoFuncio. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	402300	Lysosomal Acid Lipase (LAL) Deficiency Container:Lavender-top or tan-top (EDTA) tubes (whole blood) or Whatman Protein Saver Card 903 (dried blood spot) Temperature:WHOLE BLOOD: Refrigerated transport must arrive at testing facility within 4 days of collection. DRIED BLOOD SPOT: Maintain specimen at room temperature.	82657
LABCORP	819260	Lysosomal Enzyme Panel Container:Green-top (heparin) tube Temperature:Room temperature	82657
LABCORP	080713	Lysozyme, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	85549
LABCORP	824009	M tuberculosis Complex PCR Container:Sterile container, urine bottle, stool container Temperature:Refrigerated	87556
LABCORP	602502	M001-IgE Penicillium chrysogen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605213	M001-IgG Penicillium chrysogen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602462	M002-IgE Cladosporium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605214	M002-IgG Cladosporium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605215	M003-IgG Aspergillus fumigatus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602562	M004-IgE Mucor racemosus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605216	M004-IgG Mucor racemosus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602548	M005-IgE Candida albicans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605217	M005-IgG Candida albican Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602455	M006-IgE Alternaria alternata Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605218	M006-IgG Alternaria alternata Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602556	M007-IgE Botrytis cinerea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605219	M007-IgG Botrytis cinerea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602561	M008-IgE Setomelanomma rostrat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605221	M008-IgG Setomelanomma rostart Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602560	M009-IgE Fusarium proliferatum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602899	M010-IgE Stemphylium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605223	M010-IgG Stemphylium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602555	M011-IgE Rhizopus nigricans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605224	M011-IgG Rhizopus nigricans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602900	M012-IgE Aureobasidi pullulans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605225	M012-IgG Aureobasidi pullulans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602552	M013-IgE Phoma betae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605226	M013-IgG Phoma betae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602559	M014-IgE Epicoccum purpur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605227	M014-IgG Epicoccum purpur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602566	M015-IgE Trichoderma viridae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605228	M015-IgG Trichoderma viridae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602901	M016-IgE Curvularia lunata Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605229	M016-IgG Curvularia lunata Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602918	M024-IgE Stachybotrys atra Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605242	M024-IgG Stachybotryus atra Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602909	M046-IgE Bipolaris Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602675	M080-IgE Staph enterotoxin A Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602915	M201-IgE Tilletia Tritici Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602558	M202-IgE Acremonium kiliense Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602564	M205-IgE Trichophyton rubrum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605239	M205-IgG Trichophyton rubrum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602916	M207-IgE Aspergillus niger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605240	M207-IgG Aspergillus niger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602917	M208-IgE Chaetomium globosum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605241	M208-IgG Chaetomium globosum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	806832	Macroamylase Determination Container:Gel-barrier tube or red-top tube Temperature:Refrigerate	84999 82150
LABCORP	500324	Macroprolactin Container:Gel-barrier tube, red-top tube, lavender-top (EDTA) tube, serum transfer tube, OR green-top (heparin) tube Temperature:FREEZE	84146 x2
LABCORP	831715	MAG Antibody, IgG Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86256
LABCORP	831726	MAG Antibody, IgM CSF Container:Sterile container Temperature:Room temperature	86255
LABCORP	820604	Magnesium, Fecal Container:Stool container Temperature:Refrigerate	83735
LABCORP	086488	Magnesium, Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services. Temperature:Maintain specimen at room temperature. Stability undetermined	83735
LABCORP	080283	Magnesium, RBC Container:Green-top (heparin) tube or lavender-top (EDTA) tube or royal blue-top (EDTA) tube or tan-top lead free tube. Temperature:Room Temperature	83735
LABCORP	806003	Mahi Mahi IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	724195	Manganese, Blood Container:Royal blue-top (EDTA) tube; submit original tube. Temperature:Maintain specimen at room temperature.	83785

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	845713	Manganese, Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Maintain specimen at room temperature Stability undetermined	83785
LABCORP	071589	Manganese, Plasma Container:Royal blue-top (EDTA) tube Temperature:Maintain specimen at room temperature.	83785
LABCORP	790540	Manganese, RBC and Plasma Container:Royal blue-top (EDTA) metal-free tube; metal-free transfer tubes Temperature:Refrigerate, must be received within 5 days.	83785
LABCORP	071597	Manganese, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 83785
LABCORP	004900	Mannose-binding Lectin (MBL) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycle: stable x3	83520
LABCORP	511310	Maple Syrup Urine Disease Carrier Test, DNA Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C.	81205 81400
LABCORP	808468	Maprotiline, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	806054	Marjoram IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	503210	Markers of Coag Activation Con Container:Blue-top (sodium citrate) tube Temperature:Freeze	83520 x2 85379 80503
LABCORP	500604	Markers of Coagulation Activation (Esoterix) Container:Blue-top (sodium citrate) tube Temperature:Freeze	83520 x2 85379
LABCORP	511402	Maternal Cell Contamination Container:Lavender-top (EDTA) or yellow-top (ACD) tube OR Labcorp buccal swab kit, sterile plastic conical tube or two confluent T-25 flasks for fetal testing Temperature:Maintain specimen at room temperature or refrigerate.	81265
LABCORP	451941	MaterniT Genome Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420 81422 81479
LABCORP	452104	MaterniT21 Genome Add On Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479
LABCORP	452114	MaterniT21 Genome Add On Redraw Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479
LABCORP	452106	MaterniT21 Genome No Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479 81420
LABCORP	451951	MaterniT21 PLUS Core (chr21,18,13) NO Gender	81420

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	
LABCORP	451927	MaterniT21 PLUS Core (chr21,18,13,sex) Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	451931	MaterniT21 PLUS Core + ESS Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	451937	MaterniT21 PLUS Core + ESS + SCA Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	452122	MaterniT21 PLUS Core + ESS + SCA, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit. Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen: Do Not Freeze	81420
LABCORP	452136	MaterniT21 PLUS Core + ESS, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	451934	MaterniT21 PLUS Core + SCA Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	452112	MaterniT21 PLUS Core + SCA, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit. Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen: Do Not Freeze	81420
LABCORP	630568	Maturity-Onset Diabetes of the Young (MODY) 4-Gene Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial	81405 x2 81404 81406 x2
LABCORP	630513	Maturity-Onset Diabetes of the Young (MODY) Expanded GeneticPanel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81407 81406 x2 81405 x2 81404 x3 81403 81479
LABCORP	825561	MCC Studies Container:Two Lavender top (EDTA) tubes.	81265
LABCORP	808851	MDMA (Methylenedioxyamphetamine), Serum, Plasma, orWhole Blood Container:Serum or plasma: Red-top tube or gray-top (sodium fluoride) tube. Gel-barrier tubes are not recommended. Whole blood: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80359
LABCORP	737741	MDMA Confirmation (LabCorp MedWatch(R)) Container:Plastic Urine Container	80359

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	
LABCORP	071318	MDMA Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80359
LABCORP	722118	MDMA Screen and Confirmation, Urine (Additional Charge) Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	722117	MDMA Screen and Confirmation, Urine (No Additional Charge) Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	701873	MDMA Screen Only, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737740	MDMA, Screen with Confirmation, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	828689	Measles (Rubeola) Ab IgG, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86765
LABCORP	828679	Measles (Rubeola) Ab, IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86765
LABCORP	096560	Measles (Rubeola) Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86765
LABCORP	160218	Measles (Rubeola) Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature For storage longer than 4 days, freeze the specimen.	86765
LABCORP	186247	Measles Viral Culture Container:Swab in viral transport medium at 2 to 8 degrees C. Urine in a sterile, leak-proof container at 2 to 8 degrees C Temperature:Refrigerated at 2 to 8 degrees C.	87252 87254
LABCORP	085290	Meclizine (Antivert) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	252285	MECP2 Deletion/Duplication Analysis Container:Lavender-top (EDTA), yellow-top (ACD) tube OR LabCorp buccal swab kit; sterile plastic conical tube OR two confluent T-25 flasks for fetal testing Temperature:Maintain specimen at room temperature.	NOCP
LABCORP	511286	MECP2 Sequencing, Family-targeted (Single Exon Sequencing-Known Mutation) Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerated at 4 (degrees) celsius.	81303
LABCORP	511277	MECP2 Sequencing, Full Gene Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerated at 4 (degrees) celsius.	81302
LABCORP	764888	Medical Professional Profile (11 Drugs), Screen andConfirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	764875	Medical Professional Profile (12 Drugs), Screen and Confirmation, Urine Container: Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature: Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	701734	Medication Assisted Treatment (MAT) Amphetamines, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80359 80324
LABCORP	701732	Medication Assisted Treatment (MAT) Barbiturates, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80345
LABCORP	701279	Medication Assisted Treatment (MAT) Buprenorphine, Norbuprenorphine, and Naloxone MS Confirmation, Urine Container: Plastic urine container without preservative Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80362 80348
LABCORP	701736	Medication Assisted Treatment (MAT) Carisoprodol, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80369
LABCORP	701739	Medication Assisted Treatment (MAT) Cocaine Metabolite, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80353
LABCORP	701737	Medication Assisted Treatment (MAT) Ethyl Glucuronide/Ethyl Sulfate MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80321
LABCORP	701735	Medication Assisted Treatment (MAT) Expanded Benzodiazepines, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80346
LABCORP	701740	Medication Assisted Treatment (MAT) Fentanyl, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80354
LABCORP	701731	Medication Assisted Treatment (MAT) Heroin Metabolite (6-Acetylmorphine), MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80356
LABCORP	701747	Medication Assisted Treatment (MAT) Marijuana Metabolite (Carboxy-THC), MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80349
LABCORP	701738	Medication Assisted Treatment (MAT) Methadone, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80358
LABCORP	701742	Medication Assisted Treatment (MAT) Opiates, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80361
LABCORP	701745	Medication Assisted Treatment (MAT) Oxycodone, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80365
LABCORP	701743	Medication Assisted Treatment (MAT) Phencyclidine, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	83992
LABCORP	701746	Medication Assisted Treatment (MAT) Propoxyphene, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80367
LABCORP	701744	Medication Assisted Treatment (MAT) Tapentadol, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80372
LABCORP	701781	Medication Assisted Treatment (MAT) Tramadol, MS Confirm, Urine Container: Urine Bottle Temperature: Ambient	80373
LABCORP	845227	Medium Chain Acyl-CoA Dehydrog Container: Lavender-top (EDTA) tube, yellow-top (ACD) tube or pink-top (K2ETDA) tube	81401

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	010421	Melanocyte-stimulating Hormone (MSH) Container:Lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	817516	Melatonin, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	817519	Melatonin, Urine Container:Urine bottle Temperature:Refrigerate	80375
LABCORP	845008	Memory B Cells Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature	88184 88185 x2
LABCORP	501218	Menopausal Transition Profile I - Postmenopausal (EndocrineSciences) Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 2 days Frozen up to 200 days	84144 83001 82670 83002
LABCORP	336572	Menorrhagia Profile Container:Blue-top (sodium citrate) tube Temperature:Freeze	85270 85246 85610 85245 85730 85240
LABCORP	503426	Menorrhagia Profile (Esoterix) Container:Blue-top (sodium citrate) tube Temperature:Freeze	85246 85610 85670 x2 85245 85730 85240 85250
LABCORP	796675	Meperidine Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	808473	Meperidine and Normeperidine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	761050	Meperidine Confirmation (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80362
LABCORP	910631	Meperidine Confirmation, Ur	80362
LABCORP	007534	Meperidine, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	716258	Meperidine/Normep Conf, MS, UR Container:Plastic urine container Temperature:Refrigerate	80362
LABCORP	733738	Meperidine/Normeperidine, Screen Only, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature	80307
LABCORP	761060	Meperidine/Normeperidine, Screen with Confirmation, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	790350	Mephedrone, MDPV and Methylone, Screen With Confirmation,Urine Container:Urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	811257	Mephentyoin and Normehyentyoin, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	791464	Mephobarbital+Phenobarbital Container:Red-top tube, green-top (heparin) tube, purple-top (EDTA) tube, grey-top (sodium oxalate) tube. Temperature:Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen.	80184 80345
LABCORP	070391	Meprobamate Container:Red-stopper tube or lavender-stopper (EDTA plasma) tube or green-stopper (heparinized plasma) tube. Transfer separated serum or plasma to a plastic transport tube. Do not use a serum-separator tube; the use of serum-separator tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room temperature	80369
LABCORP	761738	Meprobamate Confirm, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80369
LABCORP	808377	Mercaptopurine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	070194	Mercury Random Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 83825
LABCORP	085324	Mercury, Blood Container:Royal blue-top (EDTA) tube; submit original tube. Temperature:Maintain specimen at room temperature.	83825
LABCORP	878500	Mercury, Hair Container:Other (Miscellaneous) Tube Temperature:Maintain specimen at room temperature. Refrigerate and frozen is also acceptable.	83825
LABCORP	810259	Mercury, Serum or Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83825
LABCORP	080972	Mercury, Tissue Container:Plastic container acid washed or trace metal free Temperature:Refrigerate	83825
LABCORP	070298	Mercury, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	83825
LABCORP	007773	Mercury, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 83825
LABCORP	734111	Mercury, Urine	82570 83825
LABCORP	790378	Mescaline, Urine Container:Plastic urine container without preservative. Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	086496	Mescaline,Screen, Serum/Plasma Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80307
LABCORP	808479	Mesoridazine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	335884	Metabolic Syndrome Profile Container:Gel-barrier tube, transport tube, or green-top (heparin) tube AND gray-top (sodium fluoride) tube Temperature:Maintain specimen at room temperature.	83718 84478 82947
LABCORP	825075	Metal/Metalloids Hair Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Maintain specimen at room temperature Stability undetermined	82300 83825 82175 83655 82495

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	804559	Metals/Metalloids Hair Panel 1 Container:Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Maintain specimen at room temperature Stability undetermined	83825 82175 83655
LABCORP	847368	Metals/Metalloids Nails Pnl 3 Container:Plastic container, acid washed or trace metal free. Plastic acid washed or trace metal free tubes can be obtained from National Medical Services. Temperature:Maintain specimen at room temperature Stability undetermined	82300 83825 82175 83655 82495
LABCORP	806324	Metals/Metalloids Panel 2, BI Container:Royal blue-top (EDTA) tube Temperature:Refrigerate	82300 83885 83785 83018
LABCORP	004234	Metanephrines, Fractionated, Quantitative, 24-Hour Urine Container:Plastic urine container with no preservative or 6N HCl. Temperature:Room Temperature	83835
LABCORP	004044	Metanephrines, Pheochromocytoma Evaluation Container:Random urine transport tube with no preservative or 6N HCl. Temperature:Room Temperature	83835 82570
LABCORP	500480	Metanephrines, Urine, Total Container:Plastic urine container with/or without 6N HCL preservative Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 14 days Frozen up to 14 years Freeze/Thaw Cycle: Stable x3	83835 82570
LABCORP	804122	Metformin, Serum/Plasma Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80299
LABCORP	828671	Metformin, Urine Container:Plastic urine container Temperature:Refrigerate	80375
LABCORP	701847	Methadone Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	702096	Methadone and metabolite, with ratio, plasma Container:Green Top (Heparin) Tube or Lavender Top (EDTA) Tube Temperature:FREEZE immediately, ship frozen on dry ice.	80299
LABCORP	700603	Methadone and Mtb,ToxAssure,UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80358
LABCORP	910636	Methadone Confirmation, Ur	80358
LABCORP	007784	Methadone Peak Level, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate	80299
LABCORP	809756	Methadone Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	007781	Methadone, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	815330	Methadones, Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80358
LABCORP	809360	Methamphetamine Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80324

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	714766	Methamphetamines D and L, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80324 80374
LABCORP	721600	Methamphetamines D and L, Urine (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80324
LABCORP	798272	Methaqualone Screen and Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	007047	Methemoglobin, Blood Container:Green-stopper (heparin) tube or lavender-stopper (EDTA) tube Temperature:Refrigerate	83050
LABCORP	183467	Methicillin-resistant Staphylococcus aureus (MRSA)Colonization Screening Culture Container:Bacterial swab transport Temperature:Maintain specimen at room temperature.	87081
LABCORP	221097	Methimazole (Tapazole) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Refrigerate up to 14 days Frozen up to 6 months	80299
LABCORP	207591	Methocarbamol (Robaxin) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 30 days Frozen up to 4 months	80299
LABCORP	504104	Methotrexate Polyglutamates Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate Stability: Refrigerated up to 7 days	80204
LABCORP	700856	METHSUXIMIDE (CELONTIN) Container:Serum from Red Top Tube, or Plasma from Green Top (Heparin) Tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	910650	Methyl Alcohol Container:Gray-top (sodium fluoride) tube (preferred) or red-top tube. Submit original unopened tube.	80320
LABCORP	804469	Methyl Chloroform, Blood Container:Gray-top (Sodium Fluoride) tube Temperature:Refrigerate	84600
LABCORP	823940	Methyl Ethyl Ketone, Urine Container:Urine Bottle Temperature:Frozen	84600
LABCORP	825752	Methylbromide as Metabolite Container:Plastic container (Trace metal-free rinsed with deionized water), Plastic container (preservative-free) Temperature:Refrigerate	82542
LABCORP	087205	Methylbromide as Metabolite Container:(Royal blue-top Trace metal-free;EDTA) tube Temperature:Refrigerate	82542
LABCORP	738848	Methylene Chloride, Blood Container:Green-top (heparin) tube, lavender-top (EDTA) tube OR grey-top(sodium oxalate tube. Temperature:Refrigerated; specimen may also be frozen	82441
LABCORP	511238	Methylenetetrahydrofolate Reductase (MTHFR) ThermolabileVariant, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81291
LABCORP	716365	Methylmalonic Acid, Urine Container:Plastic urine container, no preservative Temperature:Room Temperature	83921
LABCORP	718731	Methylphenidate metabolite, Immunoassay, Qualitative, Urine Container:Plastic urine container without preservative	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	
LABCORP	715300	Methylphenidate, Serum or Plasma Container:Gray-top (sodium fluoride), Red-top or Green-top (heparin) tube Temperature:FREEZE; do NOT refreeze.	80360
LABCORP	207595	Metolazone, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	811547	Metoprolol, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	825612	Metronidazole (Flagyl) Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	831597	Mevalonate Acid Quantification Container:Urine bottle (No preservatives) Temperature:FREEZE	82542
LABCORP	716076	Mexiletine (Mexitol), Serum Container:Red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube. Transfer separated serum or plasma to a plastic transport tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	489280	MGMT (O(6)-Methylguanine-DNA Methyltransferase) GeneMethylation Assay Container:Paraffin Tube Temperature:Maintain blocks/slides at room temperature.	81287 88381
LABCORP	803193	MHPG, 24 Hour Urine Container:Plastic urine bottle without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82542
LABCORP	511997	Microarray-Products of Conception (POC) Reveal(R) FFPE Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	512029	Microarray-Products of Conception (POC) Reveal(R) FFPE,Data Transfer Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	512014	Microarray-Tumor Reveal(R) FFPE Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	333427	Microscopic Examination Container:Urine container(1) Temperature:Refrigerate	81015
LABCORP	828795	Microsporidia Stain Temperature:Maintain specimen at room temperature Stability: Room temperature up to 9 months Refrigerate up to 9 months Frozen: Unacceptable	87015 87207
LABCORP	808559	Midazolam, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	809660	Midazolam, Whole blood Container:Lavender-top (ETDA) tube, gray-top (sodium fluoride) tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80346
LABCORP	603849	Milk Component IgE Allergy Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x3
LABCORP	823460	Milk Cow IgG4 Container:Red-top tube Temperature:Room temperature	86001

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	603927	Milk IgE With Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	806062	Milk Sheep IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	819845	Mineral Profile, RBCs Container:Royal blue-top (EDTA) tube Temperature:Refrigerate	83018 x2 82495 82525 83785 84630 84255
LABCORP	500285	Mineralocorticoid Pediatric Profile (Endocrine Sciences) Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Freeze Stability: Room Temperature up to 2 hours Refrigerated up to 2 days Frozen up to 1 year	82542 82633 82088 82528
LABCORP	503196	Mineralocorticoid Test Group Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Refrigerated up to 2 days Frozen up to 90 days	82528 82542 82633 82088
LABCORP	088005	Minimum Inhibitory Concentration (MIC), 2 Drugs Container:Culture isolate Temperature:Maintain culture at room temperature.	87186
LABCORP	088013	Minimum Inhibitory Concentration (MIC), 3 Drugs Container:Culture isolate Temperature:Maintain culture at room temperature.	87186
LABCORP	088021	Minimum Inhibitory Concentration (MIC), More Than 3 Drugs Container:Culture isolate Temperature:Maintain culture at room temperature.	87186
LABCORP	808414	Mirtazapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	009985	Miscellaneous Testing	NOCPT
LABCORP	620108	Mitochondrial DNA Depletion Testing (Leukocyte) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. DNA - ship at room temperature after extraction	81479
LABCORP	620094	Mitochondrial DNA Depletion Testing (Muscle) Container:Sterile screw capped vial Temperature:DNA - ship at room temperature after extraction; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479
LABCORP	808159	Mitotane, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT acceptable. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	511690	MLH1 Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	512031	MLH1 Promoter Methylation Analysis Container:Tissue block and slide container Temperature:Room temperature	88381 81288
LABCORP	481472	MLH1/MSH2/MSH6/PMS2/EPCAM Somatic Tumor Mismatch RepairSequencing and Deletion/Duplication Test Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, blocks or slides Temperature:Room temperature Whole blood is stable at room temperature for five days. Fixed tissue is stable indefinitely.	88381 81445
LABCORP	500124	MMP-9 (Matrix metalloproteinase-9) Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 30 minutes	83520
LABCORP	845041	MOCA, Urine Container:Plastic urine container Temperature:Refrigerate	82542

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	824721	Modafinil/Armodafinil,S/P Container:Red-top tube, lavender-top (EDTA) tube fluoride) tube Temperature:Refrigerated Stability: Room temperature: 30 days Refrigerated: 30 days Frozen: 17 months	80299
LABCORP	183442	Modified Hodge Test Container:Isolate Temperature:Maintain specimen at room temperature.	87185
LABCORP	804035	Mold Mix 2 IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	818380	Mold Susceptibility, 5-Fluorocytosine Container:Isolate may be submitted on any medium. Slants survive transport better than plates. Temperature:Maintain specimen at room temperature.	87188
LABCORP	818383	Mold Susceptibility, Amphotericin B Container:Isolate may be submitted on any medium. Slants survive transport better than plates. Temperature:Maintain specimen at room temperature.	87188
LABCORP	818386	Mold Susceptibility, Fluconazole Container:Isolate may be submitted on any medium. Slants survive transport better than plates. Temperature:Maintain specimen at room temperature.	87188
LABCORP	818389	Mold Susceptibility, Itraconazole Container:Isolate may be submitted on any medium. Slants survive transport better than plates. Temperature:Maintain specimen at room temperature.	87188
LABCORP	818395	Mold Susceptibility, Voriconazole Container:Isolate may be submitted on any medium. Slants survive transport better than plates. Temperature:Maintain specimen at room temperature.	87188
LABCORP	247404	Molybdenum, RBC Container:Royal blue-top (potassium EDTA) tube Temperature:Refrigerate	83018
LABCORP	809484	Molybdenum, Serum or Plasma Container:Royal blue-top with or without (EDTA); metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	247800	Molybdenum, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	764383	Monitor 10 Drug Class Profile (LabCorp MedWatch(R)) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	764422	Monitor 14 Drug Class Profile (LabCorp MedWatch(R)) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	733692	Monitor Screen 10 Drug Class Profile (LabCorp MedWatch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733690	Monitor Screen 13 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770683	Monitor Screen 13 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770686	Monitor Screen 14 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	723138	Monitor Screen 14 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	
LABCORP	733726	Monitor Screen 14 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	806570	Monoamine Neurotransmitter Container:Collection kits may be obtained by calling Baylor Institute for Metabolic Disease (214)-820-4533. Temperature:FREEZE	82542
LABCORP	630258	Monogenic Hypertension Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81405 81404 81479 81406 x2
LABCORP	006536	Mononucleosis Test, Qualitative With Reflex to Titer onPositives Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86308
LABCORP	828227	Monoso. Glut. (MSG)-BasoFu.HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	883611	Morp Ana,Tumor Immuno,Comp 1st	88361
LABCORP	883612	Morp Ana,Tumor Immuno,Comp 2nd	88361
LABCORP	883613	Morp Ana,Tumor Immuno,Comp 3rd	88361
LABCORP	883614	Morp Ana,Tumor Immuno,Comp 4th	88361
LABCORP	883615	Morp Ana,Tumor Immuno,Comp 5th	88361
LABCORP	071532	Morphine Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80361
LABCORP	808024	Morphine, Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80361
LABCORP	809367	Morphine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	819003	Motilin Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:Specimens should be shipped frozen in dry ice..	83519
LABCORP	830653	Motor Neuropathy Panel Container:Gel barrier tube Temperature:Refrigerated	83516 x7 82784 x3 84165 84155 86334
LABCORP	830732	Motor Sensory Neuropathy Comp. Container:Serum Transport Tube Temperature:Refrigerated	83516 x7 82784 x3 84165 84155 86334 86255
LABCORP	830780	Motor Sensory Neuropathy Eval. Container:gel barrier tube Temperature:Refrigerated	83516 x7 86255
LABCORP	806011	Mouse IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	821865	Moxifloxacin, HPLC Container:Red-top tube or green-top (heparin) tube Temperature:FREEZE	80299
LABCORP	202444	Mozzarella Cheese IgE Container:Gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature	
LABCORP	489150	MPL Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C.	81338
LABCORP	183131	MRSA-SA Skin-Soft Tissue PCR Container:Bacterial culture transport swab w/media, bacterial culture transport swab w/liquid Stuart's medium, or Cepheid sample collection device Temperature:Refrigerate Stability: Room Temperature: 1 Day Refrigerate: 5 Days	87641 87640
LABCORP	511705	MSH2 Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	511720	MSH6 Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	511386	Mucopolipidosis Type IV Mutation Detection Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81290
LABCORP	123200	Multiple Myeloma Cascade With Reflex to sIFE and sFLC Container:Red-top tube or gel-barrier tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84165 84155
LABCORP	510904	Multiple Myeloma Enriched Microarray and Multiple MyelomaFISH Container:Green-top (sodium heparin) tube with bone marrow aspirate. Temperature:Maintain specimen at room temperature.	81277
LABCORP	510195	Multiple Myeloma Enrichment SNP Microarray-Oncology(Reveal(R)) Container:Green-top (heparin) tube (preferred), lavender-top (EDTA) tube, sterile container containing sterile saline, Ringer's lactate or Hanks' balanced salt solution, OR transport medium provided by the cytogenetic laboratory. Temperature:Maintain specimen at room temperature.	81277
LABCORP	123390	Multiple Sclerosis (MS) Profile With Myelin Basic Protein,Cerebrospinal Fluid Container:Plastic transport tubes Temperature:Room temperature	82042 82784 x2 82040 83916 83873
LABCORP	160499	Mumps Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86735
LABCORP	186150	Mumps Viral Culture Container:Virus transport medium for swabs Temperature:Refrigerate.	87254
LABCORP	828683	Mumps Virus Ab, IgG, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86735
LABCORP	828681	Mumps Virus Ab, IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86735
LABCORP	262295	Mumps(IgG/M) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86735 x2
LABCORP	016188	Murine Typhus Antibodies, IgG Container:Red-stopper tube or serum-separator tube Temperature:Refrigerated for up to five days. Freeze serum for long term storage.	86757
LABCORP	012393	Muscle Fiber, Stool Container:Screw-capped plastic vial Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	89160
LABCORP	451382	Mutation Specific Sequencing, Blood Container:Whole blood: Yellow-top (ACD-A) tube OR lavender-top (EDTA) tube Saliva: One 2 mL tube from the Oragene(R) DNA OG-500 saliva kit Temperature:Maintain specimen at room temperature.	81403

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	451385	Mutation Specific Sequencing, Prenatal Sequencing Container:Amniotic fluid: T-25 flask, laboratory-provided 15 mL orange-top polypropylene tube. CVS: T-25 flask, laboratory-provided screw-top tubes with sterile transport medium Temperature:Maintain specimen at room temperature.	81403
LABCORP	602922	MX01-IgE Mold Mix 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	510945	MYCN Oncology FISH Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	182832	Mycobacterium avium Complex Susceptibility - Broth Dilution Container:Conventional or broth medium, tightly sealed, in etiologic agent packaging. Temperature:Maintain media at room temperature.	87186
LABCORP	182840	Mycobacterium marinum Susceptibility (AST) - Broth Dilution Container:Conventional or broth medium, tightly sealed, in etiologic agent packaging. Temperature:Maintain media at room temperature.	87186
LABCORP	183510	Mycobacterium tuberculosis Complex Detection and RifampinResistance by Nucleic Acid Amplification (NAA) WithCAP-mandated culture, Nonsputum Container:Sterile cup; CSF (cerebrospinal fluid); sterile screw-capped vial Temperature:Refrigerate. Store at a maximum of 35 degrees C for up to three days and then at 2-8 degrees C for up to seven days. Specimen may be stored frozen (below minus 70 degrees C).	87116 87556 87798
LABCORP	183506	Mycobacterium tuberculosis Complex Detection and RifampinResistance by Nucleic Acid Amplification (NAA) WithoutCAP-mandated culture, Nonsputum Container:Sterile cup; CSF (cerebrospinal fluid); sterile screw-capped vial Temperature:Refrigerate. Store at a maximum of 35 degrees C for up to three days and then at 2-8 degrees C for up to seven days. Specimen may be stored frozen (below minus 70 degrees C).	87556 87798
LABCORP	183469	Mycobacterium tuberculosis Complex Detection and RifampinResistance, NAA with CAP-mandated Culture Container:Sterile screw capped vial or sterile cup; seal securely Temperature:Refrigerate. Store at a maximum of 35 degrees Celcius for up to three days and then 2 to 8 degrees Celcius for up to seven days. Specimen may be stored frozen (below -70 degrees Celcius).	87798 87116 87556
LABCORP	182576	Mycobacterium tuberculosis Susceptibility, Broth Dilutionwith Confirmation Container:Conventional or broth medium, tightly sealed, in etiologic agent packaging. Temperature:Maintain media at room temperature.	87188 x5
LABCORP	716795	Mycophenolic Acid and Metabolite Container:Red-top tube OR lavender-top (EDTA) tube. Temperature:Room Temperature	80180
LABCORP	800622	Mycoplasma fermentans Container:Yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	87798
LABCORP	180076	Mycoplasma genitalium, NAA, Swab Container:APTIMA(R) unisex or vaginal swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87563
LABCORP	180025	Mycoplasma genitalium, NAA, Urine Container:APTIMA(R) urine transport Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87563
LABCORP	800621	Mycoplasma hominis Container:Yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	87798
LABCORP	823310	Mycoplasma IgA Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Frozen up to 4 months	86738
LABCORP	800625	Mycoplasma penetrans Container:Yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	87798
LABCORP	800626	Mycoplasma pneumoniae Container:Yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	87581
LABCORP	086876	Mycoplasma pneumoniae (Respiratory) Culture Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate	87109

LAB	CODE	TEST NAME	CPT4 CODE
		transport medium Temperature:Refrigerate at 2(degrees)C to 8 (degrees)C	
LABCORP	163741	Mycoplasma pneumoniae Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86738
LABCORP	138420	Mycoplasma pneumoniae, DNA PCR Container:Universal transport media (swab) OR sterile container (BAL/ bronchial wash/aspirate, NP wash/aspirate, CSF) Temperature:BAL/wash/aspirates and swabs are STABLE at room temperature, refrigerated, OR frozen for up to 7 days. CSF is STABLE at room temperature OR refrigerated for up to 7 days, and frozen for up to 90 days.	87581
LABCORP	115005	MYD88 Mutation Detection PCR Container:EDTA lavender top tube, Heparin (green top) tube, sterile container Temperature:If a specimen is unsuitable or is suspected of being contaminated by another specimen, the specimen is rejected. Unsuitable specimens include, but are not limited to: sample >48 hours old; frozen whole blood, serum or marrow; a leaking tube; clotted blood or marrow; a grossly hemolyzed specimen or otherwise visibly degraded or unsuitable; and specimens containing suspicious foreign material.	81305
LABCORP	123006	Myeloperoxidase (MPO) Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Refrigerate	83876
LABCORP	511444	Myeloproliferative Neoplasms With Hypereosinophilia(MPN/HES), FISH Container:Green top (sodium heparin) tube: pediatric Vacutainer is optimal or lavender-top (EDTA) tube (suboptimal). Adjust tube size to sample volume to avoid heparin toxicity. Temperature:Maintain the specimen at either room temperature or refrigerate. Do not freeze.	NOCP
LABCORP	511425	Myeloproliferative Neoplasms/Chronic Myelogenous Leukemia(MPN/CML), FISH Container:All bone marrow in sodium heparin tube (pediatric Vacutainer(R) is optimal) Temperature:Maintain specimens at room temperature.	NOCP
LABCORP	010405	Myoglobin, Serum Container:Gel-barrier tube (preferred) or red-top tube Temperature:Room temperature	83874
LABCORP	520080	MyoMarker 3 Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516 x9 86235 x7
LABCORP	620084	Myotonic Dystrophy 1 (DMPK) Genetic Testing (RepeatExpansion) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE.	81234
LABCORP	620087	Myotonic Dystrophy 2 (ZNF9_CNBP) Genetic Testing (RepeatExpansion) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE.	81187
LABCORP	183624	N. gonorrhoeae NAA, Confirm Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) or SurePath(TM) liquid cytology vials Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87591
LABCORP	247315	N.Meningitidis A/C/W-135/Y IgG Container:Gel-barrier tube or red-top tube Temperature:Refrigerated	86741 x4
LABCORP	205914	Na U+Cl U+K U Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84300 84133 82436
LABCORP	222000	Na U+Cl U+K U Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84300 84133 82436
LABCORP	810960	Nabumetone as Metabolite Container:Red-top tube, lavender-top (EDTA) tube fluoride) tube Temperature:Refrigerated Stability: Room Temperature: 30 days Refrigerated: 30 days Frozen: 17 months	80299
LABCORP	831560	N-Acetyl-L-Aspartic Acid,Urine Container:Plastic urine container Temperature:FREEZE	82542
LABCORP	805241	NailStat-12 Container:Contact lab for Hair collection kit.	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature.	
LABCORP	805131	NailStat-14 Container:Contact lab for Hair collection kit. Temperature:Maintain specimen at room temperature.	80307
LABCORP	805239	NailStat-9 Container:Contact lab for Hair collection kit. Temperature:Maintain specimen at room temperature.	80307
LABCORP	764175	Nalbuphine Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	701195	NALOXONE,UR,MS CONFIRM Container:Plastic urine container without preservative Temperature:Room Temperature	80362
LABCORP	818435	Naltrexone+Metab Scrn-Free S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	808374	Naproxen, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	167139	Narcolepsy Evaluation Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). If submitting buccal swabs, please use the kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature. Protect from extreme heat or cold.	81383 x2
LABCORP	550960	NASH FibroSure(R) Plus Container:Gel-barrier tube is preferred. Red-top tube is acceptable. Temperature:Specimen can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours and frozen at -70(degrees)C for seven days. Frozen samples are stable for one freeze/thaw cycle.	83883 84450 84460 84478 82465 82977 82947 83010 82172 82247
LABCORP	504960	NASHnext(TM) Container:Whole Blood: Lavender-top (EDTA) tube Serum: Gel-barrier serum tube or red-top tube Temperature:Hb A1c: Room temperature whole blood CHI3L1, A2M and miR-34A: FROZEN serum	81599
LABCORP	505510	Natalizumab and Anti-Natalizumab Antibody, DoseASSURETM NTZ Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	82397 80299
LABCORP	502500	Natural Killer Cell and Activated T-Cell Profile/IL-2r Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature.	86356 86357 86359
LABCORP	807502	Natural Killer Cell Function* Container:Yellow-top (ACD) tube Temperature:Refrigerate	86849
LABCORP	505016	Natural Killer Cell Surface Antigen (CD3(-)CD56(+)) Marker Analysis Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature.	86357
LABCORP	506049	Natural Killer Cells+CD19+Lym Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86355 86357
LABCORP	506279	Natural Killer Short Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86357
LABCORP	791006	NBOMe Hallucinogens Screen and Confirmation, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	811147	Nefazodone, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	NOCP T
LABCORP	188086	Neisseria gonorrhoeae, NAA Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) liquid cytology vial	87591

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	188748	Neisseria gonorrhoeae, Pharyngeal Swab, NAA Container:Gen-Probe(R) APTIMA(R) swab specimen transport tube Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87591
LABCORP	188730	Neisseria gonorrhoeae, Rectal Swab, NAA Container:Gen-Probe(R) APTIMA(R) swab specimen transport tube Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87591
LABCORP	450040	Nemaline Myopathy Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature	81400
LABCORP	825097	NeoCerebellar Deg. Paraneo, Re Container:Serum Separator (Gel) Tube Temperature:Refrigerated Stability: Room temperature: 72 hours Refrigerated: 28 days Frozen: 28 days	NOcpt
LABCORP	818715	Neonatal Allio.Thromb.-Patern. Container:Yellow-top tube (ACD) Temperature:Refrigerate	81106 81105 86022 x5 81112 81109 81111 81110 81108 81107
LABCORP	818682	Neonatal Alloim.Thromb.-Mater. Container:Gel-barrier tube or red-top tube and yellow-top (ACD) tube Temperature:Refrigerate	81110 81108 81107 81106 81105 86022 81112 81109 81111
LABCORP	705970	Neonatal Theophylline Profile Container:Red-top tube or green-top (heparin) tube Temperature:Refrigerate	80155 80198
LABCORP	140335	Neopterin, Serum Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerate. Protect from exposure to ultraviolet light and sunlight.	83520
LABCORP	140343	Neopterin, Urine Container:Plastic urine container Temperature:Refrigerate	83520
LABCORP	844017	Neurofibromatosis Type 1 (NF1) Container:Green-top (heparin) tube Temperature:Maintain specimen at room temperature	88271 88273 88230
LABCORP	140455	Neurofilament Light Chain, Serum Container:Red-top tube, gel-barrier tube Temperature:Room temperature	83520
LABCORP	847447	Neurokinin A (Substance K), P Container:Z preservative tube Temperature:FREEZE	83519
LABCORP	831462	Neuron Specific Enolase, CSF Container:CSF Temperature:FREEZE	86316
LABCORP	140624	Neuron-specific Enolase (NSE), Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86316
LABCORP	480137	Neuron-specific Enolase (NSE), Serum (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86316
LABCORP	847472	Neuropeptide Y Container:Z preservative tube Temperature:FREEZE	83519
LABCORP	620008	NeuroSURE Metabolites: 5-Methyltetrahydrofolate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620037	NeuroSURE Metabolites: Alpha Aminoacidic Semialdehyde,Cerebrospinal Fluid (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620009	NeuroSURE Metabolites: Neopterin (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	620010	NeuroSURE Metabolites: Neopterin/Tetrahydrobiopterin (CSF) Container: Sterile screw capped vial Temperature: Freeze as soon as possible after collection at -80 C	82542
LABCORP	620036	NeuroSURE Metabolites: Sialic Acid, Cerebrospinal Fluid (CSF) Container: Sterile screw capped vial Temperature: Freeze as soon as possible after collection	84275
LABCORP	620035	NeuroSURE Metabolites: Succinyladenosine, Cerebrospinal Fluid (CSF) Container: Sterile screw capped vial Temperature: Freeze as soon as possible after collection	82542
LABCORP	620038	NeuroSURE Metabolites: Thymidine Phosphorylase Enzyme Analysis (Blood) Container: Yellow-Top (ACD) Tube Temperature: Ship within 24 hours	82657
LABCORP	630288	NeuroSURE(R) Metabolites: Aromatic L-amino Acid Decarboxylase Enzyme Analysis (Plasma) Container: Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature: Freeze ASAP after collection at -80 degree Celsius; Ship within 24 hours.	82542
LABCORP	819433	Neurotensin Container: InterScience Z-tube Temperature: Freeze	83519
LABCORP	818694	Neutrophil Ab and HLA Screen Container: Gel-barrier tube AND lavender-top (EDTA) tube Temperature: Refrigerate (Cool Pack)	86849 86021 86808
LABCORP	818689	Neutrophil Ab Id and HLA Scn. Container: Gel-barrier tube Temperature: Refrigerate	86849 86021 86808
LABCORP	844283	Neutrophil Ab Test Level 1 Container: Gel-barrier tube or lavender-top (EDTA) tube Temperature: Refrigerate (Cool Pack)	86021
LABCORP	805245	Neutrophil Oxidative Burst* Container: Green-top (sodium heparin) tube Temperature: Maintain specimen at room temperature.	82657
LABCORP	828256	New Coccine - BasoFunction HRT Container: Green-top (sodium heparin) tube: submit original tube Temperature: Maintain specimen at room temperature	86343
LABCORP	140010	NGI SuperQual(TM) West Nile Virus RT-PCR Assay Container: Frozen transport tube OR plasma preparation tube (PPT(TM)) Temperature: FREEZE	87798
LABCORP	846824	Nickel, Hair Container: Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature: Maintain specimen at room temperature Stability: undetermined	83885
LABCORP	071571	Nickel, Plasma Container: Royal blue-top (EDTA) tube Temperature: Maintain specimen at room temperature.	83885
LABCORP	071563	Nickel, Urine Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	83885 82570
LABCORP	790396	Nickel, Whole Blood Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83885
LABCORP	737919	Nicotine (Cotinine), Screen with Confirmation, Urine Container: Plastic urine container Temperature: Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	070045	Nicotine and Metabolite, Quantitative, Urine Container: Urine container, no preservatives Temperature: Room Temperature	80323
LABCORP	716555	Nicotine Metabolite Screen, Urine Container: Urine container Temperature: Room Temperature	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	070322	Nicotine Metabolite, Serum Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	070114	Nicotine+Cotinine+Anabasine Container:Urine container, no preservatives Temperature:Maintain specimen at room temperature. Stability: Stable at room temperature, refrigerated and frozen for up to 14 days	80323
LABCORP	511329	Niemann-Pick Disease, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81330
LABCORP	819055	Nitrazepam + Metabolite, S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	080093	Nitrogen Total, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature	84999
LABCORP	806371	N-methyl-D-Aspartate Recpt IgG Container:Gel-barrier tube or red-top tube Temperature:Refrigerate	86255
LABCORP	830794	N-Methylhistamine, 24 Hr, U Container:Plastic Urine Container Temperature:Refrigerate	82542
LABCORP	830889	N-Methylhistamine,Random,U Container:Urine Bottle Temperature:Refrigerated	82542 82570
LABCORP	821075	NMO/AQP4 FACS, S Container:Gel-barrier tube Temperature:Refrigerate	86053
LABCORP	821273	NMO/AQP4-IgG, CSF Rfx Container:Sterile container Temperature:Refrigerate	86052
LABCORP	123646	NMR LipoProf noIR+Graph Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	83704 80061
LABCORP	806885	NMR LipoProfile Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	83704 80061
LABCORP	123497	NMR LipoProfile(R) With Insulin Resistance Markers WithoutLipids (With Graph) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	83704
LABCORP	884209	NMR LipoProfile(R) With Insulin Resistance MarkersWithout Lipids (Without Graph) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	83704
LABCORP	123810	NMR LipoProfile(R) With Lipids (With Graph) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061 83704

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	123638	NMR LipoProfile(R) With Lipids and Insulin ResistanceMarkers (With Graph) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061 83704
LABCORP	123489	NMR LipoProfile(R) Without Lipids (With Graph) Container:NMR LipoTube (black-and-yellow-top tube) is the preferred container, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. Temperature:Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	83704
LABCORP	402205	Non-Alcoholic Fatty Liver Disease Advanced FibrosisRule-Out Cascade Container:Gel-barrier tube OR red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored room temperature. Serum sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	84450 85049
LABCORP	344265	Non-HDL Cholesterol Panel Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	83718 82465
LABCORP	504297	Non-Severe Hemophilia A Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	80503 85730 85240 x2
LABCORP	388103	Non-small Cell Lung Cancer (NSCLC) Therapeutic Profile:EGFR Mutation Analysis, KRAS Mutation Analysis and ALKFISH Analysis Container:Paraffin Block Temperature:Room temperature	81235 88381 81276 81275
LABCORP	182923	Non-tuberculous Slowly Growing Mycobacterium Susceptibility- Broth Dilution Container:Conventional or broth medium, tightly sealed, in etiologic agent packaging. Temperature:Maintain media at room temperature.	87186
LABCORP	074567	Norpropoxyphene Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80367
LABCORP	007393	Nortriptyline, Serum Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	817797	NOTCH3 DNA Sequencing Test Container:Lavender top (EDTA) tube Temperature:Refrigerated	NOCPT
LABCORP	489140	NPM1 Mutation Analysis Container:Lavender-top (EDTA) tube OR green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees) C.	81310
LABCORP	481120	NRAS Gene Mutation Analysis, Extended Container:Formalin-fixed, paraffin-embedded (FFPE) tissue blocks OR slides tube, FNA in RPMI or Cytolyt container Temperature:Maintain blocks/slides at room temperature.	81311 88381
LABCORP	140830	N-Telopeptide Cross-Links (NTx), Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82523
LABCORP	141093	N-Telopeptide Cross-Links (NTx), Urine Container:Transfer tube, no preservative Temperature:Refrigerate	82570 82523
LABCORP	511097	N-Telopeptide Cross-Links (NTx), Urine (Serial Monitor) Container:Transfer tube, no preservative Temperature:Refrigerate	82570 82523
LABCORP	163410	Nuclear Ab Panel Container:Red-top tube or gel-barrier tube	86235 x8 86225 86038

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Ship at room temperature	
LABCORP	005736	Nucleated Cells, Synovial Fld Container:Green Top (Heparin) tube	89050
LABCORP	180069	NuSwab BV+Candida 6sp Container:Aptima Vaginal/Multitest Swab (Orange)	87801 87798 x3
LABCORP	374457	NuSwab VG+Mycoplasmas, NAA Container:Aptima Vaginal/Multitest Swab (Orange)	87801 87661 87798 x5 87563
LABCORP	830618	Nystatin (NYS) Container:Isolate may be submitted on any medium. Slants survive transport better than plates.	87186
LABCORP	791128	o,m,p-Xylene (as Methylhippuric Acid), OccupationalExposure, Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimens may also be frozen.	82570 83921
LABCORP	790532	o,m,p-Xylene, Occupational Exposure, Whole Blood Container:Green-top (Heparin) tubes Temperature:Refrigerate; specimen may also be frozen.	84600
LABCORP	180851	O+P Exam, Formalin Only Container:Para Pak-Pink Temperature:Maintain specimen at room temperature.	87177
LABCORP	602673	O001-IgE Cotton Lint Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602674	O070-IgE Seminal Fluid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	502051	Obstetric Complications Profile (Consultative) Container:Blue-top (sodium citrate) tube citrated platelet-free plasma AND lavender-top (EDTA) tube OR yellow-top (ACD) tube AND red-top tube OR gel-barrier tube. Temperature:FREEZE plasma/serum; maintain whole blood at room temperature. Stability: Whole blood: Room temperature up to seven days.	85306 86146 x3 85290 86147 x3 85300 85303 85613 x2 81240 81241 85598 83090 85730 86148 x2 85415 85732 x2
LABCORP	790690	o-Cresol, Occupational Exposure, Urine Container:Plastic urine container without preservative Temperature:Refrigerated; specimen may also be frozen	84600
LABCORP	819217	Octreotide (Serum/Plasma) Container:Red-top tube or lavender-top (EDTA) tube	80299
LABCORP	811513	Olanzapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	019216	Oligoclonal Banding, Serum and Cerebrospinal Fluid Container:Red-top tube or gel-barrier tube AND plastic (CSF) tube Temperature:Room temperature	83916
LABCORP	823430	OmegaCheck(TM) (EPA+DPA+DHA) Container:Lavender-top (EDTA) tube Temperature:Refrigerate	82542
LABCORP	831177	OmniSeq INSIGHT(SM) LCA Client Container:Paraffin block or slides Temperature:FFPE blocks are stored at room temperature and shipped with no special precautions, except when daily outside temperatures exceed 38C, and then ship with cool packs to avoid paraffin meltdown	88381 81455 88360 x2
LABCORP	701789	Opiate Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737834	Opiate (4 Drugs) Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80361
LABCORP	809731	Opiate Class Screen with Reflex Confirmation, Meconium	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	
LABCORP	700515	Opiate Class, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80361
LABCORP	737831	Opiate Screen and Confirmation, Urine Container:Plastic Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735106	Opiate/Opioid Confirmation, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80372 80348 80361 80358 80354 80365 80373
LABCORP	700883	Opiate/Oxy, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	911138	Opiate/Oxycodone Confirm, Ur	80365 80361
LABCORP	910246	Opiate/Oxycodone Confirm, Ur Container:Urine bottle Temperature:Room Temperature	80361 80365
LABCORP	824136	Opiates - Free and Total, S/P Container:Red-top tube, Lavender-top (EDTA) Tube Temperature:Refrigerated	80356 80365 80361
LABCORP	737498	Opiates and Oxycodone MS, UR Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature.	80361 80365
LABCORP	712570	Opiates Conf, MS, UR Container:Plastic urine container Temperature:Refrigerate	80361
LABCORP	791550	Opiates Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	790621	Opiates, Unconjugated Expanded, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80365 80361 80356
LABCORP	701898	Opiates/Oxycodone,ToxAssure,UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80361 80365
LABCORP	821559	OPMD Repeat Expansion Test Container:Lavender-top (EDTA) tube Temperature:Room temperature.	NOOPT
LABCORP	780400	Oral Fluid Drug Analysis Container:Quantisal-Oral Fluid drug test collection device. Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	827695	Organic Acids, Urine, Quant Container:Plastic urine container Temperature:FREEZE	83918
LABCORP	183402	Organism ID by Matrix-assisted Laser Desorption/IonizationTime-of-Flight MS With Reflex to Sequence-basedIdentification Container:Bacterial swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain a subculture at the submitting laboratory. Temperature:Room temperature	NOOPT
LABCORP	182345	Organism Identification, Anaerobic Bacteria	87076

LAB	CODE	TEST NAME	CPT4 CODE
		Container:A swab transport inoculated with the isolate from a pure culture or anaerobic culture transport packed as an etiologic agent. Maintain a subculture at submitting laboratory. Temperature:Maintain specimen at room temperature.	
LABCORP	008664	Organism Identification, Bacteria Container:A swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain a subculture at the submitting laboratory. Temperature:Maintain specimen at room temperature.	87077
LABCORP	008474	Organism Identification, Mold Container:Agar slant in screw-cap container packed as an etiologic agent Temperature:Maintain specimen at room temperature.	87107
LABCORP	183285	Organism Identification, Unspecified Group, by SequenceAnalysis Container:Bacterial swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain a subculture at the submitting laboratory. Temperature:Maintain media at room temperature. Ensure that plated media has been securely sealed with parafilm.	87153
LABCORP	182212	Organism Identification, Yeast Container:Screw-cap tube packed as an etiologic agent or plated media. Temperature:Maintain specimen at room temperature.	87106
LABCORP	810059	Organochlorine Pesticides Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	82441
LABCORP	844018	Ornithine Transcarbonylase Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81405
LABCORP	007010	Orotic Acid, Urine Container:Plastic urine container, no preservative Temperature:FREEZE	82570 83921
LABCORP	823452	Orris Root IgE Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86003
LABCORP	120063	Osmolality, Body Fluid Container:Plastic transport tube Temperature:FREEZE	84999
LABCORP	120071	Osmolality, Fecal Container:Small plastic container; do NOT use large paint can. Temperature:FREEZE	84999
LABCORP	284205	Osmotic Fragility Erythrocyte Container:Green-top (heparin) tube OR lavender-top (EDTA) tube AND (2) unfixed smears Temperature:Refrigerate Stability: Room temperature: unacceptable Refrigerate: 72 hours Frozen: unacceptable	85555
LABCORP	010249	Osteocalcin, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83937
LABCORP	630543	Osteogenesis Imperfecta Genetic Panel Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81479 81408 x2 81406
LABCORP	180844	Ova & Parasites Examination, Without Concentration Container:PVA vial Temperature:Maintain specimen at room temperature.	87177 87209
LABCORP	008629	Ova and Parasites Examination, Urine Container:Sterile cup, urine container, or Para-Pak(R) white (without preservative) Temperature:Maintain specimen at room temperature.	87177
LABCORP	057703	Ovarian Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86304 84702 82105
LABCORP	081610	Ovarian Cancer Monitor Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86304 86305
LABCORP	057711	Ovarian Comprehensive Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86304 84702 82552 82105 82550 82378

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	244004	Ovarian Function Profile II Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	84443 83001 84436 82670 84146 83002 84479
LABCORP	140045	Ovarian Malignancy Risk (ROMA(R)) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	81500
LABCORP	821862	Oxalate, Plasma Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	83945
LABCORP	830808	Oxalate, Plasma Container:Green-top (Heparin) Tube Temperature:Frozen	83945
LABCORP	003970	Oxalate, Quantitative, 24-Hour Urine Container:Plastic LabCorp 24-hour urine container with 30 mL 6N HCl preservative (LabCorp No. 21584). Temperature:Maintain ACIDIFIED urine at room temperature. Acid prevents crystallization and conversion of ascorbate (vitamin C) to oxalate.	83945
LABCORP	123500	Oxalate:Creatinine Ratio, Random Urine Container:Use random urine transport tube or Monovette(R) with pH stabilizer (LabCorp No. 56015). Monovette(R) instructions accompany units. Temperature:Maintain ACIDIFIED urine at room temperature. Acid prevents crystallization and conversion of ascorbate (vitamin C) to oxalate.	82570 83945
LABCORP	811810	Oxazepam, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	123023	Oxidized Low-density Lipoprotein (OxLDL) Container:Lavender-top (EDTA) tube (preferred) or gel-barrier tube Temperature:Refrigerate	83721
LABCORP	810531	Oxybutynin (Ditropan) Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 11 months	80299
LABCORP	770434	Oxycod/Oxymor Conf, Oral Fluid Container:Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80365
LABCORP	071538	Oxycodone and Metabolite Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80365
LABCORP	809749	Oxycodone Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	737637	Oxycodone/Oxymorphone Screen and Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737648	Oxycodone/Oxymorphone Screen and Confirmation, Urine 100/100 Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737660	Oxycodone/Oxymorphone Screen and Confirmation, Urine 200/200 Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	737630	Oxycodone/Oxymorphone Screen and Confirmation, Urine 300/150 Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737638	Oxycodone/Oxymorphone Screen, Urine 100 Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	701866	Oxycodone/Oxymorphone, Screen Only, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	763896	Oxycodone/Oxymorphone, Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	071540	Oxymorphone Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80365
LABCORP	602923	P001-IgE Ascaris Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	262501	P262501 Screen Urine Container:Urine container(2) Temperature:FREEZE	82570 x2 82131 84560 82340 83945 81003 82507 84105 84300
LABCORP	489590	p53 Mutation Analysis by Sequencing Container:Lavender-top (EDTA) tube OR green-top (heparin) Temperature:Refrigerate	81352
LABCORP	510940	P53 Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOOPT
LABCORP	481044	p53 Tumor Suppressor Gene Protein, Immunohistochemical,Paraffin Block Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	88360
LABCORP	502521	PAI-1 Antigen+PAI-1 Gene Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube. Temperature:Stability: Whole blood: Room temperature up to seven days Plasma: Frozen up to 6 months	85415 81400
LABCORP	501705	PAI-1+Lp(a) Container:Blue-top (sodium citrate) tube AND red-top tube Temperature:Plasma/serum: FREEZE	85415 83695
LABCORP	501706	PAI-1+Lp(a)+PAI-1 Polymorphism Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube AND red-top tube Temperature:Plasma/serum: FREEZE Whole blood: Maintain specimen at room temperature.	85415 81400 83695
LABCORP	910509	Pain Management Panel 1, UR	80307 80361 80365
LABCORP	910502	Pain Management Panel 2, UR	80365 80307 80361
LABCORP	910496	Pain Management Panel 3, UR	80361 80365 80307
LABCORP	910493	Pain Management Panel 4, UR	80365 80307 80361
LABCORP	733727	Pain Management Screening Profile, Urine (11 Drugs),Urine (PMP-11S) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	763824	Pain Management Urine Profile (13 Drugs), Urine (PMP-13) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	770687	Pain Management Urine Profile (13 Drugs), Urine (PMP-13) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	790856	Paliperidone (as 9-Hydroxyrisperidone), Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	802000	Palladium, Serum/Plasma Container:Royal blue-top (sodium EDTA) tube OR Royal blue-top (no additive) from National Medical Services Temperature:Refrigerate Stability: Room temperature up to 30 days Refrigerate up to 60 days Frozen up to 60 days	83018
LABCORP	805934	Palm Date Tree IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	819227	Pancreastatin Container:Z preservative tube Temperature:Freeze	83519
LABCORP	123111	Pancreatic Amylase Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube Temperature:Room temperature Stability: Room temperature for 7 days Refrigerated for 1 month	82150
LABCORP	886767	Pancreatic Enzyme Analysis Container:Sterile conical/capped tube Temperature:Freeze	84485 83690 82150 84157 84311
LABCORP	146704	Pancreatic Polypeptide Container:Red-top tube or gel-barrier tube Temperature:FREEZE within four hours of collection.	83519
LABCORP	480704	Pancreatic Polypeptide, Serial Monitor Container:Red-top tube or gel-barrier tube Temperature:FREEZE within 4 hours of collection.	83519
LABCORP	222752	Pancreatic/Colorectal Cancer Container:Gel-Barrier Tube	86301 82378
LABCORP	252773	Pancreatitis: PRSS1 (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81404
LABCORP	252777	Pancreatitis: PRSS1 (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81403
LABCORP	252780	Pancreatitis: SPINK1 (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81404
LABCORP	252784	Pancreatitis: SPINK1 (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81403
LABCORP	252794	Pancreatitis: Three-gene Profile (PRSS1, SPINK1, CFTR) (FullGene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81223 81404 x2
LABCORP	139648	Panel 139648 Container:Gel-barrier tube or red-top tube and lavender-top (EDTA) tube or yellow-top (ACD) tube	86780 87389 87801 86704 86803 86644 87340 86790
LABCORP	139681	Panel 139681 Container:Red Top Tube, Lavender-Top (EDTA) Tube	NOCP
LABCORP	139683	Panel 139683 Container:Red Top Tube, Lavender-Top (EDTA) Tube	87662 87798 86780 87801 87340

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	139685	Panel 139685 Container:Red Top Tube, Lavender-Top (EDTA) Tube	87389 87801 86704 86803 87340 86753 87798 86780
LABCORP	139686	Panel 139686 Container:Red Top Tube, Lavender-Top (EDTA) Tube	NOOPT
LABCORP	231811	PAP + PSA Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	84066 84153
LABCORP	138452	Paracoccidioides brasiliensis Total Antibody, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86635
LABCORP	096214	Parainfluenza Virus Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86710 x3
LABCORP	825145	Paraldehyde + Metabolite Container:Red-top tube, lavender-top (EDTA) tube OR gray-top (sodium fluoride) tube Temperature:FREEZE. Immediately process sample after collection and store at frozen conditions both post-collection and during transport to the lab.	80299
LABCORP	821096	Paraneoplas Autoantibody, CSF Container:Sterile container Temperature:Refrigerate	NOOPT
LABCORP	505575	Paraneoplastic, Autoantibody Profile Container:Gel Barrier Tube, Red Top Tube, Serum Transfer Tube Temperature:Room Temperature	86596 86255 x11
LABCORP	188664	Parasite Identification, Arthropod Container:Sterile screw-cap container containing 70% ethanol or ParaPak - pink vial containing formalin. Temperature:Maintain specimen at room temperature.	87168
LABCORP	008219	Parasite Identification, Worm Container:Worms, or portions of them, MUST be submitted in formalin; the ova & parasite vial may be used (Para Pak - Pink). Temperature:Maintain specimen at room temperature.	87169
LABCORP	480160	Parathyroid Hormone (PTH) Intact Profile I (Serial Monitor) Container:Lavender-top (EDTA) tube AND red-top tube or gel-barrier tube Temperature:Refrigerate	82310 82565 83970 84100
LABCORP	004945	Parathyroid Hormone (PTH), Intact Profile I Container:Lavender-top (EDTA) tube AND red-top tube or gel-barrier tube Temperature:Refrigerate	82310 82565 83970 84100
LABCORP	503000	Parathyroid Hormone, Intact, Pth Aspirate Washout(Endocrine Sciences) Container:Saline vial Temperature:FREEZE Stability: Room temperature unstable Refrigerated unstable Frozen up to 180 days	83970
LABCORP	176160	Parentage/Relationship Testing Container:Buccal swab collection kit (four swabs) or Lavender Top (EDTA) whole blood kit. Email DNA@labcorp.com or telephone 800-742-3944 for kit. Temperature:Maintain specimen at room temperature and keep dry.	NOOPT
LABCORP	811056	Paroxetine, Quantitative, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80332
LABCORP	811133	Paroxetine, Serum or Plasma Container:Plain red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	502251	Paroxysmal Nocturnal Hemoglobinuria (PNH) Container:Green-top (sodium heparin) tube (preferred) OR lavender-top (EDTA) Temperature:Refrigerated Stability: Room temperature up to 48 hours Refrigerated up to 48 hours	NOOPT
LABCORP	828858	Partial Acid Stain Container:Sterile container Temperature:Maintain specimen at room temperature Stability: Room temperature up to 3 days	87206
LABCORP	139326	Parvovirus B19 Quantitative, PCR Container:Lavender-top (EDTA) tube, red-top tube OR gel-barrier tube	87799

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE(preferred) OR refrigerate	
LABCORP	138644	Parvovirus B19, DNA PCR Container:Lavender-top (EDTA) tube Temperature:Room Temperature	87798
LABCORP	138719	Parvovirus B19, DNA, Amniotic Fluid Container:Sterile plastic conical tube Temperature:FREEZE (preferred) OR refrigerate	87798
LABCORP	163048	Parvovirus B19, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86747
LABCORP	163154	Parvovirus B19, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86747
LABCORP	998686	Pass Through to State Lab Container:Gel-barrier tube Temperature:Frozen serum	NOCPT
LABCORP	806182	Passion Fruit IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	828253	Patent Blue V - BasoFunct. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	811121	PBG Deaminase, RBC Container:Green-top (heparin) tube Temperature:FREEZE	82657
LABCORP	370504	PBG24U+Porphyrins, Qn, 24Hr Ur	84110 84120
LABCORP	367802	PC Fun+PS Fun	85306 85303
LABCORP	337394	PC Fun+PS Fun	85303 85306
LABCORP	505550	PCOS Diagnostic Profile Container:Gel-barrier tube or red-top tube Temperature:FREEZE	84443 83498 82397 83001 82670 84146 83002 84270 84402 82627 84403
LABCORP	453005	PD-L1 by IHC, SP263, TECENTRIQ(R) Container:Paraffin block OR unstained positive charged slides Temperature:Refrigerate	NOCPT
LABCORP	480588	PD-L1 IHC (Nivolumab) Container:Tissue block or slide Temperature:Room temperature.	NOCPT
LABCORP	481615	PD-L1 IHC (Nivolumab) Squamous Cell Carcinoma of the Headand Neck Container:Tissue block or slide Temperature:Room temperature	NOCPT
LABCORP	481500	PD-L1 IHC (Nivolumab) Urothelial Carcinoma Container:Tissue block or slide Temperature:Room temperature	NOCPT
LABCORP	452108	PD-L1 IHC, Keytruda(R)Cervical Container:Paraffin block OR unstained positive charged slides Temperature:Refrigerate, Protect from light	NOCPT
LABCORP	451949	PD-L1, (SP142) TECENTRIQ (TM) Non Small Cell Lung Cancer Container:Paraffin block OR unstained positive charged slides Temperature:Refrigerate	NOCPT
LABCORP	451909	PD-L1, (SP142) TECENTRIQ (TM) Urothelial Cancer Container:Paraffin block OR unstained positive charged slides Temperature:Refrigerate	NOCPT
LABCORP	451852	PD-L1, 22C3 pharmDx(TM) Immunohistochemistry Analysis(for KEYTRUDA(R)) Container:Paraffin block OR unstained positive charged slides Temperature:Refrigerate, Protect from light	NOCPT
LABCORP	343818	PE U+IFE U+Kappa/Lambda Qn U Container:Urine Bottle	83521 x2 84156 86335 84166

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	603916	Peanut IgE with Component Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	510324	Pediatric Acute Lymphoblastic Leukemia (ALL) Profile, FISH Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube (suboptimal). Adjust tube size to sample volume to avoid heparin toxicity. Temperature:Maintain the specimen at either room temperature or refrigerate. Do not freeze.	NOCP
LABCORP	602362	Pediatric Allergy Panel 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	604942	Pediatric Allergy Panel 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	604959	Pediatric Allergy Panel 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	602398	Pediatric Allergy Panel 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	604967	Pediatric Allergy Panel 3 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	604975	Pediatric Allergy Panel 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x17
LABCORP	602321	Pediatric Allergy Panel 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x16
LABCORP	713323	PEDIATRIC Drug Screen 14 with Reflex Confirmation, Urine(ETG,AMP,BAR,BZO,COC,PCP,THC,6AM,OPI,OXY,MD,FENT,BUP,TRAM) Container:Plastic urine container without preservative Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	067801	Pediatric with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x2 82785
LABCORP	067793	Pediatric without IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x2
LABCORP	831756	Pemphigus and Pemphigoid Prof. Container:Gel-barrier tube or red-top tube Temperature:Room temperature	83516 x4
LABCORP	067124	Penicillin Panel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x2
LABCORP	828165	Penicillin,(Benz.-poly.)-Baso. Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	828167	Penicillin,min.det.mix.-BasoF. Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	806871	Penicillium glabrum IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	207614	Pentachlorophenol (PCP) Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 18 months	82441

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	206234	Pentachlorophenol, Urine Container:Plastic urine container Temperature:Refrigerate	82441 82570
LABCORP	764209	Pentazocine Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	017194	Pentobarbital, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80345
LABCORP	276045	Pepsinogen I (PG I) S/P Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	909200	Peptide (PYY) Container:GI preservative tube Temperature:FREEZE	83519
LABCORP	821473	Perampanel, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	809926	Perch Ocean IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86003
LABCORP	062323	Perennial Panel II Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	067843	Perennial with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x5
LABCORP	830848	Perfluoroalkyl Substances, S/P Container:Red-top tube or lavender top Temperature:Refrigerated	82542
LABCORP	802180	Perfluorooctanoic Acid, Blood Container:Lavender-top (EDTA) tube Temperature:Refrigerate	82542
LABCORP	859060	Periph.Neuropathy+Beta-Tubulin Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	83520
LABCORP	511535	Peripheral Blood Chromosome 5 Cell Count plusMicroarray (Reveal(R)) Container:Green-top (heparin) tube (preferred) or yellow-top (ACD) tube is acceptable Temperature:Maintain specimen at room temperature.	81229
LABCORP	811349	Perphenazine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	805877	Persimmon (Diospyros kaki) IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	817443	PF Octanoic Acid, Low Level Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	82542
LABCORP	722181	Phencyclidine Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	701839	Phencyclidine Container:Urine Container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	071464	Phencyclidine (PCP) Confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	83992
LABCORP	791716	Phencyclidine (PCP) Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83992
LABCORP	074484	Phencyclidine (PCP) Screen and Confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	701871	Phencyclidine (PCP), Screen Only, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	791538	Phencyclidine (PCP), Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	737760	Phencyclidine (PCP), Screen with Confirmation, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737756	Phencyclidine Confirmation (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	83992
LABCORP	712588	Phencyclidine Confirmation, Ur Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	83992
LABCORP	910792	Phencyclidine Confirmation, Ur	83992
LABCORP	910796	Phencyclidine Confirmation, Ur	83992
LABCORP	809632	Phencyclidine Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910793	Phencyclidine, Scr w/Conf, Ur	80307
LABCORP	700933	Phencyclidine, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	700653	Phencyclidine, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83992
LABCORP	801316	Phenelzine (Nardil) Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE PROTECT FROM LIGHT	80299
LABCORP	007906	Phenob. + Phenytoin(Dilantin) Container:Red-stopper tube or lavender-stopper (EDTA plasma) tube or green-stopper (heparinized plasma) tube. Transfer separated serum or plasma to a plastic transport tube. Do not use a serum-separator tube; the use of serum-separator tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate	80185 80184
LABCORP	723200	PHENOL_OCCUPATIONAL EXPOSURE,U Container:Tubes should be filled completely to prevent loss of volatile compound into headspace.	82570 84600

LAB	CODE	TEST NAME	CPT4 CODE
		Collection time: End of shift or end of exposure Temperature:Submission/transport (<3 days): Refrigerate. For storage beyond three days, specimen should be frozen.	
LABCORP	790354	Phentermine, Serum, Plasma, or Whole Blood Container:Serum: Red-top tube or green-top (heparin) tube, gel-barrier tubes are NOT recommended. Whole blood: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80324
LABCORP	738610	Phentermine, Urinary Container:Urine transfer tube without preservative Temperature:Room temperature is accpetable for shipping for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen.	80324
LABCORP	700205	Phenylalanine, Quantitative, Plasma Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	323334	Phenylalanine+Tyrosine, Qn, PI Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82136
LABCORP	847106	Phenylephrine Quantitation Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerate up to 2 days Frozen up to 8 days	80299
LABCORP	811202	Phenylethylmalonamide, S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80188
LABCORP	790636	Phenylpropanolamine (PPA), Serum, Plasma, or Whole Blood Container:Serum: Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Whole blood: Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, or green-top (heparin) tube Temperature:Refrigerate or freeze.	80324
LABCORP	630494	PHEX Gene Sequencing Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81406
LABCORP	791584	Phosphatidylethanol (PEth) Container:Lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80321
LABCORP	001727	Phospholipids Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84311
LABCORP	805285	Phytohemagglutinin(PHA)Mitoge* Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature.	86353
LABCORP	805273	Pigeon/Dove Ser Gel Diffusion* Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86331
LABCORP	485113	PIK3CA Mutation Analysis, Breast Cancer, IVD Container:FFPE block or slides Temperature:Maintain blocks/slides at room temperature.	88381 0155U
LABCORP	825299	Pimozide Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Room temperature	80299
LABCORP	821269	Pipecolic Acid, Serum/Plasma Container:Red-top tube, lavender-top (EDTA) tube, or green-top (herarin) tube Temperature:FREEZE	82542
LABCORP	146790	Plasminogen Act Inhibitor-1, Ag Container:Blue-top (sodium citrate) tube	85415

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE Stability: Refrigerated: 2 hours Frozen : 14 days Freeze/Thaw Cycle: Stable x4	
LABCORP	146787	Plasminogen Activator Inhibitor 1 (PAI-1) Activity Container:Light blue-top (sodium citrate) tube Temperature:FREEZE	85415
LABCORP	500057	Plasminogen Activator Inhibitor Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerate up to 2 hours Acceptable freeze/thaw up to 4 cycles	85415
LABCORP	500309	Plasminogen Activator Inhibitor-1 (PAI-1) 4G/5G Polymorphism Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days	81400
LABCORP	501186	Plasminogen Activity Container:Blue-top (sodium citrate) tube Temperature:Frozen	85420
LABCORP	117713	Plasminogen Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze	85420
LABCORP	500209	Plasminogen Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerate up to 8 days Acceptable freeze/thaw up to 5 cycles	85421
LABCORP	630446	Plasminogen Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	139475	Plasmodium Species, PCR Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	081048	Platelet Ab Identification Pnl Container:Gel-barrier tube or red-top tube Temperature:Refrigerate Stability: Refrigerate up to 7 days Frozen up to 7 days	86022
LABCORP	117150	Platelet Antibody Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate for up to 48 hours, freeze if longer storage is needed.	86022
LABCORP	818756	Platelet Antigen Genotyping Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81109 81111 81110 81108 81107 81106 81105 81112
LABCORP	500050	Platelet Neutralization Container:Blue-top (sodium citrate) tubes Temperature:Freeze Stability: Room temperature up to 4 hours	85597
LABCORP	810358	Platinum Container:Royal blue-top (EDTA) tube Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Refrigerate	83018
LABCORP	510840	PML-RARA Transcript Detection for Acute PromyelocyticLeukemia, Quantitative Container:Lavender-top (EDTA) tube, green-top (sodium heparin) tube OR yellow-top (ACD-A) tube Temperature:Ship at room temperature. If specimen is to be stored prior to shipment, store at 2(degrees)C to 8(degrees)C.	81315
LABCORP	620081	PMP22 MLPA Deletion/Duplication Analysis Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81324
LABCORP	844801	PMP22, Fish Container:Green-top (heparin) tube Temperature:Maintain specimen at room temperature	88230 88271 88273
LABCORP	511725	PMS2 Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	821191	Pneumo Avidity Pnl, 14 Serotyp Container:Serum Transfer Tube Temperature:Room temperature	86317 x14
LABCORP	830590	Pneumococcal Ab (14 Serotype) Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86317 x14
LABCORP	816756	Pneumococcal Ab (7 Serotype) Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86317 x7
LABCORP	828956	Pneumococcal Antibody Panel Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86317 x12
LABCORP	816767	Pneumococcal IM (14 Serotype) Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86317 x14
LABCORP	190256	Pneumocystis carinii Pneumonia (PCP), Special Stain Container:Sterile specimen container Temperature:Maintain specimen at room temperature.	88312
LABCORP	816693	Pneumocystis jiroveci qPCR BAL Container:Sterile container Temperature:Frozen	87799
LABCORP	816658	Pneumocystis PCR Container:Sterile container Temperature:Refrigerate	87798
LABCORP	489187	POC Microarray Reflex MCC Container:Microarray: Sterile container containing sterile Ringer's lactate OR Hanks' balanced salt solution OR transport medium provided by the cytogenetics laboratory. (Do NOT use isotonic saline as a transport medium or urine containers for shipping.) Specialized kits are now available for POC microarray testing. To order, please contact your local Labcorp representative. PS:89063, Catalogue item ID:39025G. MCC: Lavender-top (EDTA) or yellow-top (ACD) tube or Labcorp buccal swab kit. Temperature:Room temperature	81229
LABCORP	052005	POC/Skin Chrom 5 Cell Cnt Container:Sterile container containing sterile Ringer's lactate or Hanks' balanced salt solution or transport media provided by the cytogenetic laboratory; do not use urine containers for shipping. Temperature:Refrigerate. Do not freeze.	NOCPT
LABCORP	805283	Pokeweed mitogen(PWM)response* Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature.	86353
LABCORP	830764	Poliovirus (Types 1,3) Ab Container:Gel barrier tube Temperature:Refrigerated	86658 x2
LABCORP	805937	Pollock White IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	790890	Polychlorinated Biphenyls (PCB) Congeners Screen andConfirmation Container:Red-top tube. Do not use gel-barrier tubes. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	82441
LABCORP	829202	Pomegranate IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	451830	Pompe Disease Enzyme Analysis Temperature:Refrigerate after collection. Transport to the testing laboratory using cool packs. Do not allow the sample to freeze. Time-sensitive; specimens must be received within 4 days of collection; please collect/ship Monday-Thursday only.	82657
LABCORP	504474	Porcine FVIII Nijmegen Bethesda Assay Container:Blue-Top (Sodium Citrate) Tube Temperature:FREEZE	85335
LABCORP	003103	Porphobilinogen (PBG), Quantitative, 24-Hour Urine Container:Plastic 24-hour urine container with 30 mL of 30% glacial acetic acid (LabCorp ID 23301) (optional preservative, but required if ordered with delta ALA) AND AMBER plastic frozen transport tube	84110

LAB	CODE	TEST NAME	CPT4 CODE
		and cap (LabCorp ID 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. Urine is stable when preserved with 30% glacial acetic acid and FROZEN for one month or refrigerated for 24 hours.	
LABCORP	003053	Porphobilinogen (PBG), Quantitative, Random Urine Container:Plastic urine container with 0.5 mL of 30% glacial acetic acid (optional preservative, but required if ordered with delta ALA) AND AMBER plastic frozen transport tube and cap (LabCorp ID 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. Urine is stable when preserved with 30% glacial acetic acid and FROZEN for one month or refrigerated for 24 hours.	84110
LABCORP	003065	Porphobilinogen (PBG), Quantitative, Random Urine Container:Plastic urine container with 0.5 mL of 30% glacial acetic acid (optional preservative, but required if ordered with delta ALA) AND AMBER plastic frozen transport tube and cap (Labcorp No. 78656). Temperature:FREEZE immediately and PROTECT FROM LIGHT. Urine is stable when preserved with 30% glacial acetic acid and FROZEN for one month or refrigerated for 24 hours.	82570 84110
LABCORP	823231	Porphyr. Fractionation, Plasma Container:Green-top (heparin) tube Temperature:FREEZE	82542
LABCORP	811103	Porphyrin Evaluation, RBC Container:Green-top (heparin) tube Temperature:FREEZE	84311
LABCORP	815306	Porphyrins Evaluation, WB Container:Green-top (heparin) tube Temperature:Refrigerate	84311
LABCORP	003194	Porphyrins, Quantitative, 24-Hour Urine Container:12-mL amber plastic transport tube without preservative Temperature:Refrigerate and PROTECT FROM LIGHT.	84120
LABCORP	120980	Porphyrins, Quantitative, Random Urine Container:12-mL plastic transport tube (without preservative) Temperature:Refrigerate and PROTECT FROM LIGHT.	84120
LABCORP	823239	Porphyrins, Total Plasma Container:Green-top (heparin) tube, (no gel-barrier tubes accepted) Temperature:FREEZE	84311
LABCORP	823246	Porphyrins, Total Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	84311
LABCORP	700265	Posaconazole, Serum or Plasma Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 day Refrigerate up to 14 days Frozen up to 14 days	80187
LABCORP	501197	Post ACTH Profile 0 and 60 Min Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 2 hours Refrigerated up to 24 hours Frozen up to 200 days	82627 x2 82157 x2 84403 x2 82533 x2 84143 x2 83498 x2
LABCORP	165055	Post COVID CDC Profile Container:Gel-barrier tube or red-top tube, lavender-top (EDTA) tube Temperature:Maintain at room temperature	85025 82306 82607 82728 80053 86140 84439 84443
LABCORP	133116	Postejaculatory Urine Microscopic Examination for Sperm Container:Sterile urine cup or BD urine transport tube Temperature:Refrigerate	81015
LABCORP	500888	Post-Menopausal Test Group Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	83001 82670 83002
LABCORP	101675	Postpartum 75-Gram Glucose Tolerance Container:Gel-barrier tubes (5) or gray-top (sodium fluoride/potassium oxalate plasma) tubes (5) Temperature:Room temperature	82951 82952 x2
LABCORP	519180	Postvasectomy Sperm Count Container:Sterile screw-capped container Temperature:Room temperature. Testing MUST begin within 72 hours of semen collection.	89321
LABCORP	519020	Postvasectomy Sperm Evaluation, Qualitative	89321

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Clean, no additive container; nonsterile condom is acceptable. Temperature:Transport specimens to the laboratory at ambient temperatures (20 to 37 degrees Celsius). Do NOT refrigerate or freeze.	
LABCORP	827235	Potassium Metabo.- BasoFu. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	820610	Potassium, Fecal Container:Stool container (Para Pak - White) Temperature:Refrigerate	84999
LABCORP	001248	Potassium, Heparin Plasma Container:Lithium Heparin plasma Temperature:Maintain specimen at room temperature.	84132
LABCORP	202314	Potassium, RBC Container:Green-top (Lithium Heparin) Tube Temperature:Refrigerate	84999
LABCORP	144441	Pre-Biologic Screening Profile Container:Two 10-mL gel-barrier tubes AND one serum transfer tube AND QuantiFERON-TB Gold Plus kit Temperature:Refrigerate 1 gel-barrier tube; maintain 1 gel-barrier tube at room temperature; freeze 4.5 mL serum in transfer tube; maintain QuantiFERON-TB Gold Plus kit at room temperature (MUST be incubated within 16 hours of collection).	86704 86803 86317 87340 86480
LABCORP	360690	Preeclampsia Monitoring Panel Container:Gel-barrier tube, lavender-top (EDTA) tube, and plastic urine container Temperature:Serum and whole blood: Maintain specimen at room temperature Urine: refrigerate Stability: Whole Blood: Room temperature: 1 day; Refrigerated: 3 days; Frozen: unstable; Freeze/thaw: unstable Serum: Room temperature: 7 days; Refrigerated:7 days; Frozen: 1 day; Freeze/thaw: x1 Urine: Room temperature: 7 days; Refrigerated:14 days; Frozen: 14 days; Freeze/thaw: x3	82570 84550 84520 85025 83615 82565 82043 84450 84460
LABCORP	360640	Preeclampsia Monitoring Panel With 24-Hour Urine Container:Gel-barrier tube, lavender-top (EDTA) tube, and plastic urine container Temperature:Serum and whole blood: Maintain specimen at room temperature Urine: refrigerate Stability: Whole Blood: Room temperature: 1 day; Refrigerated: 3 days; Frozen: unstable; Freeze/thaw: unstable Serum: Room temperature: 7 days; Refrigerated:7 days; Frozen: 1 day; Freeze/thaw: x1 Urine: Room temperature: 7 days; Refrigerated:14 days; Frozen: 14 days; Freeze/thaw: x3	84550 84520 85025 83615 84156 82575 84450 84460
LABCORP	245438	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Female, Monitor Container:Gel-barrier tube AND Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes-Refrigerate up to 14 days APTIMA(R) SWAB OR URINE: Maintain at room temperature or refrigerate at (2 degrees Celsius to 30 degrees Celsius)	87491 86780 87389 87591 82565 84702
LABCORP	245450	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Female,Baseline Container:Gel-barrier tube AND Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days PCR test-Frozen up to six weeks APTIMA SWAB OR URINE: Maintain at room temperature or refrigerate at (2 degrees Celsius to 30 degrees Celsius)	82565 84702 86706 87491 86780 87389 86704 86803 87591 87340
LABCORP	245476	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Male, Baseline Container:Gel-barrier tube AND APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days PCR test-Frozen up to six weeks APTIMA URINE: Maintain at room temperature or refrigerate (2 degrees Celsius to 30 degrees Celsius)	86780 87389 86704 86803 87591 87340 82565 86706 87491
LABCORP	245488	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Male, Monitor Container:Gel-barrier tube AND APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days APTIMA URINE: Maintain at room temperature or refrigerate (2 degrees Celsius to 30 degrees Celsius)	87389 87591 82565 87491 86780
LABCORP	808320	Pregabalin, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	809623	Pregabalin, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80366
LABCORP	724774	Pregnancy Drug Profile, Urine, 10 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	724775	Pregnancy Drug Profile, Urine, 16 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	349287	Pregnancy, Infectious Disease Antibody Profile(CMV, Parvovirus, Toxoplasma) Container:Gel Barrier Tube OR Red Top Tube OR Serum Transfer Tube Temperature:Room temperature	86747 x2 86777 86644 86778 86645
LABCORP	144053	Pregnancy, Initial Screening Profile Container:Gel-barrier tube AND Lavender Top (EDTA) tube AND Gray Top Vacutainer(R) for Urine Culture AND Urinalysis Transport (Red/Yellow) AND Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport Temperature:See individual test components.	86592 87389 86901 87086 86803 87591 87340 86850 85025 86762 81001 87491 86900
LABCORP	501750	Pregne+11 Desoxy+17 OHP+17 ... Container:Gel-barrier tube, red-top tube or lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 2 hours Refrigerated up to 2 days Frozen up to 180 days	84140 82634 84143 83498
LABCORP	140707	Pregnenolone, Mass Spectrometry Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84140
LABCORP	500773	Pregnenolone, Pre- and Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84140 x2
LABCORP	500194	Prekallikrein (Fletcher Factor) Assay Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours	85292
LABCORP	500913	Premature Adrenarche Prof. II Container:Red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerate up to 2 days Frozen up to 90 days	84143 83498 82157 82626 84403
LABCORP	500767	Premature Adrenarche Profile I Container:Red-top tube only. Do NOT use gel-barrier tube. Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 90 days	82627 82157 84403 83498
LABCORP	038164	Prenatal Infectious Disease Antibodies, Qualitative, IgGwith reflex to Supplemental HSV-2 Testing Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86777 86644 86762 86696 86695
LABCORP	451890	Prenatal Noonan Syndrome Container:Sterile plastic conical tube OR two confluent T-25 flask for fetal testing Temperature:Maintain specimen at room temperature or refrigerate at 4(degree)C	81442
LABCORP	202945	Prenatal Profile I With Hepatitis B Surface Antigen Container:Two 10 mL gel-barrier tubes OR two red-top tubes AND two lavender-top (EDTA) tubes Temperature:Refrigerate serum tubes and one lavender-top (EDTA) tube. Store one lavender-top (EDTA) tube at room temperature up to 24 hours.	87340 86850 85025 86762 86900 86592 86901
LABCORP	030387	Prenatal Profile I Without Hepatitis B Surface Antigen Container:gel-barrier tube and lavender (EDTA) Temperature:All specimens are stable at room temperature for up to three days. The lavender-top tube for CBC must be run within 72 hours. Other specimens are stable refrigerated up to seven days.	86850 85025 86762 86900 86592 86901
LABCORP	202952	Prenatal Profile IV Container:Gel-barrier tube is preferred. Red top tube is acceptable, routine urinalysis tube or container, BD urine transport tube, or sterile urine cup AND lavender-stopper (EDTA) tube. Temperature:Refrigerate red-stopper, serum-separator tube, and lavender- stopper tubes, and urine; maintain blood films at room temperature up to 48 hours.	86850 85025 86762 86900 86592 86901 87340 81003
LABCORP	452140	Prenatal Spinal Muscular Atrophy (SMA) Testing Container:Amniotic fluid: T-25 flasks CVS: T-25 flasks Temperature:Maintain specimen at room temperature.	81329
LABCORP	910475	Prescribed Drugs/Enhanced Rpt	NOOPT
LABCORP	520192	Primary Biliary Cirrhosis (PBC) Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86038 86381 x2 83516 x2

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	018713	Primidone, Serum	80188
LABCORP	510963	Products of Conception (POC) Aneuploid Evaluation, FISHGenetics Container:FOR CVS SAMPLES: CVS transport tube available from the cytogenetics laboratory (call 800-533-0567, ext 4065 or 3300); sterile container with transport. FOR FETAL TISSUE SAMPLES: Sterile container with sterile Ringer's lactate or Hanks' balanced salt solution or transport medium provided by cytogenetics laboratory. Do NOT use urine containers for shipping. Do NOT use urine containers for shipping. Temperature:Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do not freeze. Refrigerate if sterility is questioned or if sample cannot be shipped within 24 hours.	NOCPPT
LABCORP	511880	Products of Conception (POC) Paraffin Embedded, AneuploidEvaluation Container:FORMALIN FIXED FETAL TISSUE SAMPLES: Sterile container. Do NOT use urine containers for shipping. PARAFFIN BLOCKS: Paraffin block transport pouch PARAFFIN SLIDES: Plastic slide container Temperature:Maintain specimen at room temperature and transport to the cytogenetics laboratory immediately. Do NOT freeze.	NOCPPT
LABCORP	511610	Products of Conception (POC) Profile Container:Sterile container with culture media (eg, HAMS, RPMI), Ringer's lactate, or Hank's balanced salt solution. Do NOT use urine containers for shipping. Temperature:Refrigerate. Do NOT freeze.	NOCPPT
LABCORP	502150	Prog+E2+E1 Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 1 year	82679 84144 82670
LABCORP	209502	Prog+hCG Qt	84144 84702
LABCORP	503658	Progesterone, Free with Total Progesterone, LC/MS-MS Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (Na Heparin) tube Temperature:Freeze (preferred), or refrigerated	84144 84999
LABCORP	010470	Progesterone, Urine Container:Plastic urine container Temperature:FREEZE	84144
LABCORP	140533	Proinsulin Container:Red-top tube or gel-barrier tube Temperature:FREEZE	84206
LABCORP	500722	Proinsulin by ELISA Container:Gel-barrier tube OR red-top tube Temperature:Freeze Stability: Room temperature: Not Stable Refrigerated: Not Stable Frozen: 12 days Freeze/thaw cycle: x3	84206
LABCORP	481051	Proliferation Marker MIB-1 (Ki67), Paraffin Block Container:Paraffin block transport pouch Temperature:Maintain specimen at room temperature.	88360
LABCORP	117796	Prolonged Activated Partial Thromboplastin Time (APTT) Container:Blue-top (sodium citrate) tube Temperature:Freeze	85613 85240 85250 85732 85270 85280
LABCORP	117866	Prolonged Protime Profile Container:Blue top (sodium citrate) tube Temperature:Freeze	85210 85230 85220 85260 85384 85705
LABCORP	176038	Promega Panel Container:Lavender-Top (EDTA) Tube Temperature:Maintain specimen at room temperature and keep dry.	NOCPPT
LABCORP	811539	Promethazine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	809591	Promethazine, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube or green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	270088	Propafenone, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three	80299

LAB	CODE	TEST NAME	CPT4 CODE
		days, specimen should be refrigerated or frozen. Specimen is stable for three days at room temperature, for seven days refrigerated, and for six months frozen.	
LABCORP	846204	Propane Container:Gray-top (sodium fluoride) tube Temperature:Refrigerate	84600
LABCORP	821798	Propanol, n-, Urine Container:Urine bottle Temperature:Refrigerate	84600
LABCORP	846618	Propofol (Diprivan) Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:Refrigerate	80375
LABCORP	805599	Propofol Glucuronide, Hair Container:Hair collection kit Temperature:Maintain specimen at room temperature.	80375
LABCORP	790670	Propofol, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80375
LABCORP	701854	Propoxyphene Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737472	Propoxyphene Confirmation (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80367
LABCORP	711994	Propoxyphene Confirmation, Ur Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80367
LABCORP	910608	Propoxyphene Confirmation, Ur	80367
LABCORP	910797	Propoxyphene Confirmation, Ur	80367
LABCORP	074492	Propoxyphene Screen and Confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	910798	Propoxyphene, Scr w/Conf, Ur	NOcpt
LABCORP	084756	Propoxyphene, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80367
LABCORP	701872	Propoxyphene/Norpropoxyphene, Screen Only, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	737477	Propoxyphene/Norpropoxyphene, Screen with Confirmation,Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	808491	Propranolol, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	505530	Prostaglandin D2, serum Container:Serum from Red Top Tube Temperature:Frozen	84150

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	505525	Prostaglandin D2/Creatinine Ratio, Urine Container:Urine (random) with no preservative Temperature:FROZEN	82570 84150
LABCORP	801761	Prostaglandin E1, U Container:Urine Bottle Temperature:FREEZE	84150
LABCORP	801753	Prostaglandin E2, U Container:Urine Bottle Temperature:Frozen	84150
LABCORP	819554	Prostaglandins E1 (P/S) Container:Lavender-top (EDTA) tube, red-top tube or gel-barrier tube Temperature:FREEZE	83519
LABCORP	485466	Prostate Cancer Monitor I Container:Gel-barrier tube is preferred. Red top tube is acceptable. Do NOT use acid phosphatase transport tube. Temperature:Refrigerate	84075 84066 84153 82378
LABCORP	485235	Prostate Cancer Profile II (Serial Monitor) Container:Red-top tube. Do NOT use acid phosphatase transport tube. Temperature:Refrigerate	84066 84153
LABCORP	488162	Prostate Multisite Biopsy Container:LabCorp Prostate Biopsy Transport Kit Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	010322	Prostate-specific Antigen (PSA) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.	84153
LABCORP	480145	Prostate-Specific Antigen (PSA), (Serial Monitor) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.	84153
LABCORP	140674	Prostate-Specific Antigen (PSA), Complexed Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	84152
LABCORP	480780	Prostate-Specific Antigen (PSA), Free:Total Ratio (SerialMonitor) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.	84153 84154
LABCORP	480772	Prostate-specific Antigen (PSA), Free:Total Ratio Reflex Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.[1]	84153
LABCORP	480640	Prostate-Specific Antigen (PSA), Free:Total Ratio Reflex(Serial Monitor) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.[1]	84153
LABCORP	140731	Prostate-Specific Antigen (PSA), Ultrasensitive Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.	84153
LABCORP	140723	Prostate-Specific Antigen (PSA), Ultrasensitive (SerialMonitor) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Maintain specimen at room temperature.	84153
LABCORP	480152	Prostatic Acid Phosphatase (PAP), Serum, (Serial Monitor) Container:Red-top tube or gel-barrier tube; do NOT use acid phosphatase transport tube. Temperature:Refrigerate	84066
LABCORP	003129	Protein and Creatinine, Random Urine Container:Plastic urine container, no preservative Temperature:Room temperature	82570 84156
LABCORP	500607	Protein C Antigen Container:Blue-top (sodium citrate) tube	85302

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze Stability: Room temperature up to 8 hours	
LABCORP	080465	Protein C Antigen Container:Blue-top (sodium citrate plasma) tube (2) Temperature:FREEZE	85302
LABCORP	500534	Protein C Antigen/Factor VII Antigen Container:Blue-stopper (sodium citrate) tube Temperature:Freeze	85230 85302
LABCORP	283655	Protein C Deficiency Profile Container:Blue-top (sodium-citrate) tubes (2 tubes) Temperature:FREEZE	85303 85302
LABCORP	336050	Protein C Functional W/Rflx	85303
LABCORP	122366	Protein Electrophoresis With Interpretation With Reflex toIFE, Cerebrospinal Fluid Container:Sterile tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84166 84157
LABCORP	261511	Protein Electrophoresis With Interpretation, 24-Hour Urine Container:12-mL plastic transport tube (LabCorp No. 23597) without preservative Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84156 84166
LABCORP	261503	Protein Electrophoresis With Interpretation, CerebrospinalFluid Container:Sterile container Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84166 84157
LABCORP	096404	Protein Electrophoresis, Body Fluid Container:Sterile container Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84166 84157
LABCORP	002246	Protein Electrophoresis, Cerebrospinal Fluid Container:Sterile tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84166 84157
LABCORP	121210	Protein Electrophoresis, Serum and Quantitative FreeKappa and Lambda Light Chains (FLC) Plus Ratio, Serum Container:Red-top tube or gel-barrier tube Temperature:PE - Stable when covered at room temperature 25(degrees)C for up to four days; stable refrigerated at 2(degrees)C to 8(degrees)C for up to two weeks; stable FROZEN at -20(degrees)C for up to six months. FLC - Refrigerate; Samples are stable for 21 days at 2(degrees)C to 8(degrees)C. For longer storage, freeze at -20(degrees)C.	84165 83521 x2 84155
LABCORP	123100	Protein Electrophoresis, Serum With Reflex to IFE, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84165 84155
LABCORP	123041	Protein Electrophoresis, Serum With Reflex to IFE, Serumand Free Kappa and Lambda Light Chains, Serum Container:Red-top tube OR gel-barrier tube Temperature:Refrigerate at 2(degrees)C to 8(degrees)C.	84155 84165
LABCORP	501484	Protein S Ag, Total and Free Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 2 hours Refrigerated up to 4 hours Frozen up to 1 month	85305 85306
LABCORP	164517	Protein S Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze	85306 85305
LABCORP	500630	Protein S Antigen, Total Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Acceptable freeze/thaw up to 3 cycles	85305
LABCORP	117754	Protein S Deficiency Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85305 85306 x2
LABCORP	336028	Protein S Functional W/Rflx	85306
LABCORP	164519	Protein S, Free Container:Blue-top (sodium citrate) tube Temperature:Freeze	85306
LABCORP	164518	Protein S, Total Container:Blue-top (sodium citrate) tube	85305

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE	
LABCORP	500530	Protein S/Factor VII Antigen Ratio Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85305 85230
LABCORP	500016	Prothrombin Fragment 1+2 MoAb Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerate up to 4 hours Acceptable freeze/thaw up to 3 cycles	83520
LABCORP	020321	Prothrombin Time (PT) and Partial Thromboplastin Time (PTT) Container:Blue-top (sodium citrate) tube; do NOT open unless plasma is to be frozen Temperature:Specimens are stable at room temperature for up to 24 hours. If testing cannot be completed within 24 hours, specimens should be centrifuged for at least 10 minutes at 1500xg. Plasma should then be transferred to a LabCorp PP transpak frozen purple tube with screw cap (LabCorp ID 49482). Freeze immediately and maintain frozen until tested. Refer to Coagulation Collection Procedures for directions. Requirements for patients receiving heparin are different. If testing cannot be performed within one hour of collection, frozen plasma must be submitted. Specimens should be centrifuged for at least 15 minutes at 1500xg to produce platelet-poor plasma, and the plasma quick frozen and maintained in this condition until tested.	85730 85610
LABCORP	117028	Prothrombin Time (PT) Mixing Study Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85611 85610
LABCORP	485199	Prothrombin Time (PT), Serial Monitor Container:Blue-top (3.2% sodium citrate) tube; do not open tube unless plasma is to be frozen. Temperature:Specimens are stable up to 24 hours at room temperature or under refrigeration. If testing cannot be completed within 24 hours, specimens should be centrifuged for at least 10 minutes at 1500xg; plasma should then be transferred to a LabCorp plastic lavender-stopper tube with cap (LabCorp ID 9566589372). The specimen should be FROZEN immediately and maintained frozen until tested.	85610
LABCORP	231550	Protoporphyrins,Fraction.RBC Container:Collect in green-top (heparin) tube and send washed erythrocytes Temperature:Freeze	84202
LABCORP	811364	Protriptyline, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	826277	Provolone Cheese, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	502566	Prt C Ag/Factor IX Ag Ratio Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 6 months	85302 85250
LABCORP	502570	Prt C Ag+Prt S Ag+FIX Ag Ratio Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 6 months	85250 85302 85305
LABCORP	502564	Prt S Ag/Factor IX Ag Ratio Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 6 months	85305 85250
LABCORP	165100	PrtCAG+PrtSAG Container:Plastic transfer tube(4) Note: Each factor must have its own separate set of vials. Temperature:Freeze	85306 85302 85305
LABCORP	791012	Psilocin Screen and Confirmation, Urine Container:Plastic urine container without preservative. Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	500681	PT Mixing Studies Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 24 hours Acceptable freeze/thaw up to 4 cycles	85611 x2 85610
LABCORP	364583	PT+PTT LA	85732 85610
LABCORP	365350	PTT LA Container:Plasma from Light Blue(Citrate)	85732
LABCORP	824717	Pumpkin Seed IgE Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature	
LABCORP	821937	Purines + Pyrimidines Panel, U Container:Plastic urine container Temperature:FREEZE	82542
LABCORP	081712	Pyrazinamide, GC/MS Container:Red-top tube or green-top (heparin) tube Temperature:FREEZE	80299
LABCORP	807416	Pyridine, Serum/Plasma Container:Red-top tube Temperature:Refrigerate	82542
LABCORP	846402	Pyridine, Urine Container:Plastic urine container Temperature:Refrigerate	82542
LABCORP	808626	Pyridostigmine Container:Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature:FREEZE	80299
LABCORP	620045	Pyruvate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	84210
LABCORP	844007	Pyruvate Dehy. Def, E1 Alpha Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81403
LABCORP	206419	Pyruvate Kinase Container:Lavender-top (EDTA) tube Temperature:Refrigerate	84220
LABCORP	004788	Pyruvic Acid, Blood Container:Gray-top (potassium oxalate/sodium fluoride) tube and one LabCorp 8% perchloric acid tube Temperature:Maintain the perchloric acid supernatant refrigerated.	84210
LABCORP	216834	Pyruvic Acid, CSF Container:Sterile conical/capped tube Temperature:FREEZE	84210
LABCORP	016774	Q Fever Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86638
LABCORP	806606	Q Fever IgG/IgM Antibody Scrn Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86638 x4
LABCORP	806617	Q Fever IgM Antibody Screen Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86638 x2
LABCORP	199995	QAPAM	NOcpt
LABCORP	182879	QuantiFERON(R)-TB Gold Plus Container:The QuantiFERON(R)-TB Gold Plus collection kit contains the instructions for the collection and handling of (one each): (1) gray-top (with white ring), uncoated (nil); (2) green cap with white ring, TB1 tube; (3) yellow cap with white ring, TB2 tube; (4) purple top with white ring, mitogen-coated. A high altitude kit is also available for locations between 3350 and 6150 feet; a cap with a yellow ring differentiates the tubes. Temperature:Maintain specimen at room temperature for four tube collection kit. Stability: Kit MUST be incubated within 16 hours of collection.	86480
LABCORP	182893	QuantiFERON(R)-TB Gold Plus (Client Incubated) Container:The QuantiFERON(R)-TB Gold Plus collection kit contains the instructions for the collection and handling of (one each): (1) gray-top (with white ring), uncoated (nil); (2) green cap with white ring, TB1 tube; (3) yellow cap with white ring, TB2 tube; (4) purple top with white ring, mitogen-coated. A high altitude kit is also available for locations between 3350 and 6150 feet; a cap with a yellow ring differentiates the tubes. Temperature:1. Maintain specimen at room temperature prior to incubation at 37 degrees C. Stability: Kit MUST be incubated within 16 hours of collection. 2. After incubation, maintain specimen at room temperature (17 degrees C to 27 degrees C). Do NOT centrifuge refrigerate, or ship tubes on ice.	86480
LABCORP	182913	QuantiFERON-TB Gold Plus Container:Green-Top (Lithium Heparin) Tube Temperature:After collection, the blood can be held at room temperature (17 to 25 degrees Celsius) for	86480

LAB	CODE	TEST NAME	CPT4 CODE
		up to three hours, and then placed at 2 to 8 degrees Celsius for up to 48 hours. Alternatively, blood can immediately be placed at 2 to 8 degrees Celsius for up to 48 hours. *After refrigeration, the lithium heparin tube MUST equilibrate to room temperature (17 to 25 degrees Celsius) prior to the transfer to QFT-Plus Blood Collection Tubes. *Aliquoted QFT-Plus Blood Collection Tubes should be placed in the 37 degree Celsius incubator within two hours of blood transfer. *NOTE: Total time from blood draw to incubation in QFT-Plus Blood Collection Tubes should NOT exceed 53 hours.	
LABCORP	808404	Quetiapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	791462	Quetiapine, Ur Container:Urine transfer tube Temperature:Maintain specimen at room temperature up to three days. Specimens may also be refrigerated or frozen.	80342
LABCORP	007831	Quinidine, Serum Container:Red-top tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80194
LABCORP	810819	Quinine, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	84228
LABCORP	802110	Quinine/Quinidine Different. Container:Red-top tube, lavender-top (EDTA) tube Temperature:Refrigerate (Cool Pack)	80194
LABCORP	805913	Quinoa (Chenopodium quinoa)IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	827488	Quinoline Yellow - BasoFu. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	083885	Rabies Neut.Abs Titrat.(RFFIT) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate (Cool pack to transport)	86382
LABCORP	820138	Rabies RFFIT Serology Container:Gel-barrier tube or lavender-top tube Temperature:Refrigerate	86382
LABCORP	520304	RAdx6 Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516 x3 83520 86200 86431
LABCORP	806005	Ragweed Mix IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	284396	Ranitidine, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	006460	Rapid Plasma Reagin (RPR), Quantitation Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86593
LABCORP	182915	Rapidly Growing Mycobacterium Susceptibility - BrothDilution Container:Conventional or broth medium, tightly sealed, in etiologic agent packaging. Temperature:Maintain media at room temperature.	87186
LABCORP	481468	RAS/RAF Pathway Mutation Profile (KRAS and NRAS reflex toBRAF) Container:Formalin-fixed, paraffin-embedded (FFPE) tissue blocks OR slides Temperature:Room temperature	81311 88381 81276 81275
LABCORP	057844	Rash Profile A Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86762 86603 86765
LABCORP	163316	Rash Profile B with reflex to Supplemental HSV-2 Testing Container:Red-top tube or gel-barrier tube	86787 86696 86695

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	510374	RB1 Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPPT
LABCORP	818987	RBC Band 3 Protein Reduction Container:Lavender-top (EDTA) tube or green-top (heparin) tube AND a Wright stained slide Temperature:Refrigerate	88184
LABCORP	831110	RBC Enzyme Evaluation, WB Container:Yellow-top (ACD) Tube Temperature:Refrigerate	83915 82955 82657 x5 84220 84087 82978
LABCORP	823616	Recomb(R) CV2 Autoantibody Test Container:Red-top tube; sterile container Temperature:Refrigerated	NOCPPT
LABCORP	501179	Recurrent Miscarriage Container:Plasma: blue top (sodium citrate) tube, Whole blood: yellow- top (ACD) tube, blue-top (sodium citrate) tube or lavender-top (EDTA) tube; Serum: gel-barrier tube or red-top tube Temperature:Plasma: Freeze; Serum: Freeze Stability: Whole blood: Room temperature up to 72 hours Refrigerated up to 7 days of collection	81240 81241 85598 85730 86148 x2 85732 x2 85306 86146 x3 86147 x3 85300 85303 85613 x2
LABCORP	006002	Red Blood Cell (RBC) Antigen Typing: A1 Container:Lavender-top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	006096	Red Blood Cell (RBC) Antigen Typing: k (Cellano) Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	006068	Red Blood Cell (RBC) Antigen Typing: K(Kell) Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	006048	Red Blood Cell (RBC) Antigen Typing: M Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	006060	Red Blood Cell (RBC) Antigen Typing: N Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	830811	Reducing Substances - Fecal Container:Sterile Container Temperature:Frozen	84376
LABCORP	008458	Reference Bacterial Culture Identification Container:Bacterial swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain a subculture at the submitting laboratory. Temperature:Maintain isolate at room temperature.	87077
LABCORP	062505	Regional Panel 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	062596	Regional Panel 10 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	062513	Regional Panel 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x21
LABCORP	062521	Regional Panel 3 Container:Red-top tube or gel-barrier tube	86003 x20

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	062539	Regional Panel 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x21
LABCORP	062554	Regional Panel 6 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26
LABCORP	062562	Regional Panel 7 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	062570	Regional Panel 8 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x21
LABCORP	062588	Regional Panel 9 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x22
LABCORP	501760	Reproductive Thromb. Limited Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube AND gel-barrier tube or red-top tube Temperature:Stability: Whole blood: Room temperature Serum/Plasma: Freeze	85300 85303 81240 81241 85598 85730 85306 86146 x3 86147 x2
LABCORP	500074	Reproductive Thromb. Limited Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube AND gel-barrier tube OR red-top tube Temperature:Stability: Whole blood: Room temperature Serum/Plasma: Freeze	81240 81241 85598 85730 85306 86146 x3 86147 x2 85300 85303
LABCORP	504295	ReproSURE (Ovarian Reserve Profile) Container:Gel-barrier tube OR red-top tube Temperature:Refrigerate	82670 82397 83001
LABCORP	500448	Reptilase Time Container:Blue top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours	85635
LABCORP	117180	Reptilase Time Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85635
LABCORP	830697	Resolution ctDx-Lung (TM) Assay (Liquid Biopsy) Container:Only the Integrated Oncology Liquid Biopsy Kit (PS#127647) can be used for collection. Temperature:Room temperature. Do not refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in an Integrated Oncology Liquid Biopsy Kit.	0179U
LABCORP	290163	RESP. VIRAL INFECT. ADULT Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86738 x2 86710 x2 86603
LABCORP	301922	RESPIRAT. VIRUS INF. INF/CHILD Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86738 x2 86710 x5 86603 86756
LABCORP	058503	Respiratory Infection Profile A (Atypical Pneumonia) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86603 86631 86713 86738 x2
LABCORP	057877	Respiratory Infection Profile B (Pneumonia) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86738 x2 86710 x3 86603
LABCORP	058669	Respiratory Infection Profile D (Croup) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86756 86710 x3
LABCORP	096131	Respiratory Syncytial Virus (RSV) Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86756
LABCORP	014548	Respiratory Syncytial Virus (RSV), Immunoassay Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium; sterile leakproof container for washes or aspirates Temperature:Refrigerate for up to 72 hours or FREEZE if held longer.	87420
LABCORP	510315	RET Oncology FISH Container:Paraffin block	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature.	
LABCORP	005284	Retic+Retic Hgb Container:Lavender-Top (EDTA) Tube	85045 85046
LABCORP	161760	Reticulin IgA Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86255
LABCORP	824119	Reticulocyte, Hemoglobin Panel Container:Lavender-top (EDTA) Tube Temperature:Refrigerated	85046
LABCORP	123060	Retinol-binding Protein (RbP) Container:Red-top tube, gel-barrier tube, OR green-top (heparin) tube Temperature:Room temperature	83883
LABCORP	503663	Reverse T3, LCMS Endo Sci Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (Na heparin) tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days	84482
LABCORP	204511	RF Qn+SjoSSA+SjoSSB Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86235 x2 86431
LABCORP	844295	RhD Zygosity Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81403
LABCORP	504509	RheumAssure Container:Red-top or gel-barrier tube (SST) Temperature:Frozen preferred, refrigerate acceptable	83520 86200 86431
LABCORP	204529	Rheumatic Fever Profile Container:Gel-barrier tube is preferred. Red top tube is acceptable AND lavender-stopper (EDTA) tube. Temperature:Refrigerate one serum specimen and whole blood; FREEZE the second serum specimen.	86332 86140 86256 x2 85652 86060
LABCORP	520298	Rheumatoid Arthritis (RA) Profile with Reflex to SeroNegRADx4 Container:Red-top tube or gel-barrier tube	86431 86200
LABCORP	167418	Rheumatoid Arthritis HLA Association Container:Lavender-top (EDTA) Tube Temperature:Maintain specimen at ambient temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	164065	Rheumatoid Arthritis Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86200 86431
LABCORP	520164	Rheumatoid Factor by Turbidimetry, Synovial Fluid (RDL) Container:Transport tube or other container Temperature:Store frozen or refrigerated.	86431
LABCORP	520129	Rheumatoid Factor by Turbidimetry (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86431
LABCORP	520178	Rheumatoid Factor Isotypes, IgG, IgA, and IgM by EIA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86431 x3
LABCORP	520101	Rheumatoid Factor, IgA by EIA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	86431
LABCORP	520099	Rheumatoid Factor, IgG by EIA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	86431
LABCORP	520097	Rheumatoid Factor, IgM by EIA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86431
LABCORP	826336	Rhodotorula, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	816815	Rhubarb (Rheum rhaponticum) IgE*	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	
LABCORP	878678	Rickettsia Conorii Ab Panel Container:Red-top tube and gel-barrier tube Temperature:Refrigerate (Cool Pack)	86757 x2
LABCORP	824779	Rickettsia rickettsii DNA, RT Container:Whole blood-Lavender-top (EDTA) Tube; Tick collected in a plastic screw-cap vial. Submit tick in 70% alcohol. Temperature:Refrigerated Stability: Room temperature: 48 hours Refrigerated: 7 days Frozen: Tick 30 days	87798
LABCORP	096990	Rickettsial Fever Abs Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86757 86638
LABCORP	138743	Rickettsial Fever Group IgG/M Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86757 x4
LABCORP	857336	Rifabutin Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	809675	Rifampin, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	716563	Risperidone (Risperdal(R), Serum Container:Red-top tube; DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Maintain specimen at room temperature	80342
LABCORP	504355	Rituximab and Anti-Rituximab Antibody, DoseASSURE(TM) RTX Container:Serum-gel tube, red-top tube, or serum transfer tube serum transfer tube, or green-top (heparin) tube Temperature:Refrigerate or Freeze	82397 80299
LABCORP	550410	RNA, Real Time PCR (Non-Graph) Container:Ship in a screw-cap polypropylene frozen transport tube. Temperature:FREEZE	87536
LABCORP	816845	RNP Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86235
LABCORP	016592	Rocky Mountain Spotted Fever (RMSF), IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86757
LABCORP	016667	Rocky Mountain Spotted Fever (RMSF), IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86757
LABCORP	510312	ROS1 Oncology FISH Container:Paraffin Block Temperature:Maintain specimen at room temperature.	NOOPT
LABCORP	481291	ROS1 Oncology FISH Container:Paraffin Block Temperature:Maintain specimen at room temperature.	NOOPT
LABCORP	248699	RPR+Rh+ABO+RubIgG+Ab Scr+CB... Container:Aptima (Gen-probe) Endocx/Ureth Swab or Aptima (Gen-probe) Urine, Gray Top Vacutainer for Urine Culture, Gel-barrier Tube, Lavender Top (EDTA) Tube	87491 86900 86592 87389 86901 87086 85027 87591 87340 86850 86762
LABCORP	243766	Rub Ab+VarAb+RubeoAb+MumIgG Container:Gel-barrier tube Temperature:Refrigerate	86762 86765 86735 86787
LABCORP	828757	Rubella Ab IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86762

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	828749	Rubella Ab, IgG, CSF Container:CSF (Cerebrospinal Fluid) or green-top (heparin) top Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86762
LABCORP	096537	Rubella Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate. Specimen is stable for two days at room temperature and for seven days refrigerated. For storage longer than seven days, freeze the specimen.	86762
LABCORP	260034	RubeoAb(IgG/IgM) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86765 x2
LABCORP	081077	Rubidium, Serum/Plasma Container:Royal blue-top (EDTA) tube Temperature:Refrigerate	83018
LABCORP	284191	Rufinamide, Serum or Plasma Container:Green-top (heparin) tube or red-top tube NOTE: Gel-barrier tubes NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80210
LABCORP	006040	S/s Red Blood Cell (RBC) Antigen Typing Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905 x2
LABCORP	817448	S-100B Protein, Serum Container:Gel-barrier tube or red-top tube Temperature:Refrigerate	86316
LABCORP	278284	Sabin-Feldman Dye Container:Red-top tube, gel-barrier tube or sterile container Temperature:Maintain specimen at room temperature; frozen samples are also acceptable	86849
LABCORP	164657	Saccharomyces cerevisiae Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86671 x2
LABCORP	903686	Safflower, IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	502120	Salivary Cortisol X2, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Refrigerate	82533 x2
LABCORP	502122	Salivary Cortisol X3, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Refrigerate	82533 x3
LABCORP	502124	Salivary Cortisol X4, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Refrigerate	82533 x4
LABCORP	503775	Salivary Cortisol x5, Timed Container:Salivette Collection Device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS# 123724 Temperature:Refrigerate	82533 x5
LABCORP	503776	Salivary Cortisol x6, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Refrigerated	82533 x6
LABCORP	503777	Salivary Cortisol x7, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Refrigerate	82533 x7
LABCORP	504855	Salivary Cortisol x8, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order,	82533 x8

LAB	CODE	TEST NAME	CPT4 CODE
		please contact your local LabCorp representative. PS # 123724 Temperature:Frozen	
LABCORP	500179	Salivary Cortisol, MS (Endocrine Sciences) Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local Labcorp representative. PS# 123724 Temperature:Refrigerate	82533
LABCORP	821294	Salmonella Antibodies, EIA Container:Gel-barrier tube Temperature:Room temperature	NOCPPT
LABCORP	817485	Salmonella typhi/paratyphi Abs Container:Gel-barrier tube Temperature:Refrigerate	86768
LABCORP	008722	Salmonella/Shigella Screen Container:Fecal transport system Note: Refer to microbiology specimen collection chart. Temperature:Room temperature	87045
LABCORP	790880	Salvinorin A and B (Saliva), Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80371
LABCORP	164068	SARS-CoV-2 Antibodies, Nucleocapsid Container:Gel Barrier Tube, Red-Top Tube, Serum Transfer Tube Temperature:Room temperature	86769
LABCORP	160236	SARS-CoV-2 Antibody Profile, Nucleocapsid and Spike Container:Gel-barrier Tube, Red-top Tube, or Serum Transfer Tube or plasma from Lithium Heparin tube, EDTA, or Sodium Citrate tube Temperature:Room temperature	86769 x2
LABCORP	164072	SARS-CoV-2 Antibody, IgA Container:Gel-barrier Tube or Serum from Red-top Tube or Serum Transfer Tube Temperature:Room temperature	86769
LABCORP	160082	SARS-CoV-2 Antigen, Client Inactivated Container:Provided pre-filled tube containing inactivation buffer. Any swab of appropriate size and configuration with a synthetic tip can be used except for calcium alginate tips, swabs with preservatives, and swabs with wood shafts. Specific collection materials are required for this test and can be ordered from Labcorp. *PeopleSoft #130597-collection tubes containing inactivation buffer (boxes of 100) *PeopleSoft #129238-swabs (packages of 100) Temperature:Refrigerated	87426
LABCORP	164090	SARS-CoV-2 Semi-Quantitative Total Antibody, Spike Container:Gel-barrier Tube, Red-top Tube, or Serum Transfer Tube or plasma from Lithium Heparin tube, EDTA, or Sodium Citrate tube Temperature:Room temperature	86769
LABCORP	851014	SC5b-9 LEVEL Container:Lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE (SHIP ON DRY ICE)	86160
LABCORP	620114	SCA1 (ATXN1) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81178
LABCORP	620140	SCA10 (ATXN10) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81183
LABCORP	620144	SCA12 (PPP2R2B) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81343
LABCORP	620149	SCA17 (TBP) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask	81344

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	
LABCORP	620118	SCA2 (ATXN2) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81179
LABCORP	620123	SCA3 (ATXN3) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81180
LABCORP	620154	SCA36 (NOP56) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479
LABCORP	620127	SCA6 (CACNA1A) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81184
LABCORP	620131	SCA7 (ATXN7) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81181
LABCORP	620135	SCA8 (ATXN8) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81182
LABCORP	188615	Scabies Examination Container:Slides or screw-cap container Temperature:Maintain specimen at room temperature.	87169
LABCORP	809958	Schistosoma IgG Antibody Container:Gel-barrier tube Temperature:FREEZE	86682
LABCORP	348018	Scl 70+Anti Centromere B Abs Container:Gel Barrier Tube	86235 x2
LABCORP	520130	Scleroderma Comprehensive Plus Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038 83516 86235 x6 86256
LABCORP	052373	Scleroderma Diagnostic Profile Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86235 86038
LABCORP	511274	SCN1A Family-targeted Sequencing Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Maintain at room temperature or refrigerate at 4(degrees)C	81403
LABCORP	511236	SCN1A Sequencing, Full Gene Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Maintain at room temperature or refrigerate at 4(degrees)C	81407
LABCORP	805914	Scotch Broom IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	738534	Secobarbital, Serum or Plasma (Forensic) Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80345
LABCORP	819052	Secretin Container:GI preservative tube Temperature:FREEZE	83519
LABCORP	701085	SEDATIVE HYPNOTIC PANEL,UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	081034	Selenium, Blood Container:Royal blue-top (EDTA) tube; submit original tube. Temperature:Maintain specimen at room temperature.	84255
LABCORP	810820	Selenium, RBC Container:Royal blue-top (potassium EDTA) tube Temperature:Refrigerate	84255
LABCORP	071613	Selenium, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84255
LABCORP	380500	Selenium+Crt, 24hr Urine Container:Urine Bottle	NOOPT
LABCORP	519114	Semen Analysis, Basic Container:Sterile screw-cap container Temperature:Testing must begin within 60 minutes of specimen production. In the interim, the specimen should be kept at room temperature, but it is recommended that it be kept close to the body (inside a shirt or coat) to avoid temperature extremes during transport.	89320
LABCORP	831214	Sensory Neuro Ab Panel w/Rflx Container:Serum Separator (Gel) Tube Temperature:Refrigerated	86255 83516 x2
LABCORP	630747	Sepiapterin/Dihydrobiopterin Container:CSF (Cerebrospinal Fluid) Temperature:Freeze as soon as possible after collection	82542
LABCORP	017700	Sequential 1 Container:Gel-barrier tube Temperature:Room temperature	84163 84702
LABCORP	017750	Sequential 2 Container:Gel-barrier tube Temperature:Room temperature	86336 84702 82105 82677
LABCORP	520305	SeroNeg RAdx4 Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520 83516 x3
LABCORP	120089	Serotonin, Whole Blood Container:Lavender-top (EDTA) tube and transport tube (LabCorp item ID 33314) containing 75 mg ascorbic acid Temperature:FREEZE Please note that stability claims reflect stability of properly prepared whole blood with ascorbic acid preservative.	84260
LABCORP	808494	Sertraline and Desmethylsertraline, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790644	Sertraline and Metabolite, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80332
LABCORP	007022	Serum Coma Overdose Profile Container:Red-top tube AND gray-top (sodium fluoride) tube Temperature:Refrigerate	80143 80184 80346 80337 80345 80179 80320 80185
LABCORP	017200	Serum Integrated 1 Container:Gel-barrier tube Temperature:Room temperature	84163

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	017270	Serum Integrated 2 Container:Gel-barrier tube Temperature:Room temperature	86336 84702 82105 82677
LABCORP	067942	Seven Allergens with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x7
LABCORP	067934	Seven Allergens without IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	252713	Severe Combined Immunodeficiency (SCID): CD3D (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252492	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): DCLRE1C (Artemis) for RS-SCID or SCIDA (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252723	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): DCLRE1C (Artemis) for RS-SCID or SCIDA (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252513	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): Eight-gene Profile (IL2RG, JAK3, RAG1, RAG2,IL7R, ADA, CD3D, CD3E) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81405 81479
LABCORP	252516	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): Nine-gene Profile (IL2RG, JAK3, RAG1, RAG2, IL7R,ADA, CD3D, CD3E, DCLRE1C [Artemis]) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81405 81479
LABCORP	252470	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): RAG1 (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252701	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): RAG1 (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252503	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): RAG1, RAG2, DCLRE1C (Artemis)(Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252472	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): RAG2 (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252704	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): RAG2 (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252509	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): Three-gene Profile (IL2RG, ADA, IL7R) (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81405 81479
LABCORP	252499	Severe Combined Immunodeficiency (SCID Including OmennSyndrome): Two-gene Profile (RAG1, RAG2) (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252475	Severe Combined Immunodeficiency (SCID): ADA (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252707	Severe Combined Immunodeficiency (SCID): ADA (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252482	Severe Combined Immunodeficiency (SCID): CD3D (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	252485	Severe Combined Immunodeficiency (SCID): CD3E (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252716	Severe Combined Immunodeficiency (SCID): CD3E (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252463	Severe Combined Immunodeficiency (SCID): IL2RG for XSCID(Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81405
LABCORP	252694	Severe Combined Immunodeficiency (SCID): IL2RG for XSCID(Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	252479	Severe Combined Immunodeficiency (SCID): IL7R (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252710	Severe Combined Immunodeficiency (SCID): IL7R (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252466	Severe Combined Immunodeficiency (SCID): JAK3 (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252697	Severe Combined Immunodeficiency (SCID): JAK3 (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252506	Severe Combined Immunodeficiency (SCID): Three-gene Profile(IL7R, CD3D, CD3E) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252496	Severe Combined Immunodeficiency (SCID): Two-gene Profile(IL2RG, JAK3) (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81405 81479
LABCORP	252489	Severe Combined Immunodeficiency (SCID): ZAP70 (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	252720	Severe Combined Immunodeficiency (SCID): ZAP70 (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81479
LABCORP	510222	Sex Determination (SRY), DNA Analysis Container:Lavender-top (EDTA) tube OR sterile plastic conical tube Temperature:Maintain specimen at room temperature.	81400
LABCORP	144011	Sexually Transmitted Infections (STI) Profile Container:Gel Barrier Tube Temperature:See individual test components.	86803 87340 86706 86592 87389 86704
LABCORP	144082	Sexually Transmitted Infections (STI) Profile, with CT/NGNAA Container:Aptima (Gen-probe) Endocx/ureth swab or urine, Gel Barrier Tube Temperature:See individual test components.	86706 87491 86592 87389 86704 86803 87591 87340
LABCORP	144027	Sexually Transmitted Infections (STI) Profile, withCT/NG/TV NAA Container:Aptima (Gen-probe) Endocx/ureth swab or urine, Gel Barrier Tube Temperature:See individual test components.	87491 86592 87389 86704 86803 87591 87340 87661 86706
LABCORP	800568	Shark IgE Container:Gel-barrier tube or red-top tube Temperature:Maintain specimen at room temperature	86003
LABCORP	630561	SHOX Gene Sequencing Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial	81405
LABCORP	284054	Shwachman-Diamond Syndrome Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	81479
LABCORP	451391	Sickle Cell Anemia Mutation Analysis Fetal	81361

LAB	CODE	TEST NAME	CPT4 CODE
		Container: Sterile plastic conical tube OR two confluent T-25 flasks AND lavender-top (EDTA) tube Temperature: Maintain specimen at room temperature.	
LABCORP	846303	Sildenafil+Metabolite (Viagra) Container: Red-top tube, lavender-top (EDTA) tube or gray-top (sodium fluoride) tube Temperature: Refrigerate Stability: Room temperature up to 14 days Refrigerate up to 30 days Frozen up to 30 days	80375
LABCORP	823579	Silicon, Serum/Plasma Container: Royal blue-top (EDTA) tube, Royal blue-top tube (no additive) Temperature: Refrigerated	83018
LABCORP	790700	Silver, Serum or Plasma Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	802266	Silver, Urine Container: Urine bottle Temperature: Maintain specimen at room temperature Stability: Room temperature light protected up to 7 days Refrigerated light protected up to 14 days Frozen light protected up to 14 days	83018
LABCORP	790552	Silver, Whole Blood Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	801340	Sinemet Container: Red-top tube or lavender-top (EDTA) tube Temperature: FREEZE Stability: Room temperature: Not stable Refrigerated: Not Stable Frozen: 06 days at -20 30 days at -70	80299
LABCORP	012708	Sjogren's Antibodies (Anti-SS-A/Anti-SS-B) Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86235 x2
LABCORP	520196	Sjogren's Profile Plus (RDL) Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	83516 x2 86235 x2
LABCORP	831572	Smi. Lem. Opi. Syn. - Pre. Dia Container: Amniotic fluid supernatant 5 mL or Chorionic villus (Cleaned) 5-10 mg Temperature: Maintain amniotic fluid at room temperature. **CMBP will freeze specimen and send frozen supernatant to Kennedy Krieger.	82542
LABCORP	016375	Smith/RNP Antibodies Container: Gel Barrier Tube	86235
LABCORP	872820	Smith-Lemli-Opitz Scrn, P Container: Green-top (heparin) tube Temperature: FREEZE	82542
LABCORP	828347	Smut Barley IgE* Container: Red-top tube or gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	806168	Snail/Escargot IgE* Container: Gel-barrier tube Temperature: Maintain specimen at room temperature	86003
LABCORP	510002	SNP Microarray - Pediatric (Reveal(R)) Container: Green-top (heparin) tube (preferred), yellow-top (ACD) tube, OR lavender-top (EDTA) tube OR LabCorp buccal swab kit. Temperature: Maintain specimen at room temperature.	81229
LABCORP	510110	SNP Microarray - Products of Conception(POC)/Tissue(Reveal(R)) Container: Sterile container containing sterile Ringer's lactate OR Hanks' balanced salt solution OR transport medium provided by the cytogenetics laboratory. (Do NOT use isotonic saline as a transport medium or urine containers for shipping.) Specialized kits are now available for POC microarray testing. To order, please contact your local LabCorp representative. PS:89063, Catalogue item ID:39025G. Temperature: Maintain specimen at room temperature.	81229
LABCORP	510200	SNP Microarray (Direct)-Prenatal (Reveal(R)) Container: Sterile plastic conical tube Temperature: Maintain specimen at room temperature.	81229
LABCORP	510100	SNP Microarray-Prenatal (Reveal(R)) Container: T-25 flask container containing sterile Ringer's lactate OR Hank's balanced salt solution OR	81229

LAB	CODE	TEST NAME	CPT4 CODE
		transport media provided by the cytogenetic laboratory (Do NOT use urine containers for shipping). Temperature:Maintain specimen at room temperature	
LABCORP	828263	Sodium Benzoate - BasoFun. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	828265	Sodium Nitrite - BasoFunc. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	828257	Sodium Salicylate - BasoFu.HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	820607	Sodium, Fecal Container:Stool container (Para Pak-White) Temperature:Refrigerate	84302
LABCORP	820425	Soluble Fibrin Monomer Container:Blue-top (sodium citrate) tube Temperature:Frozen	85362
LABCORP	007441	Soluble Liver Antigen IgG Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516
LABCORP	143305	Soluble Transferrin Receptor Container:Red-top tube or green-top (heparin) tube or lavender-top (EDTA) tube Temperature:Refrigerate	84238
LABCORP	808897	Solvent Inhalants Profile, Urine Metabolites Container:Plastic urine container without preservative Temperature:Refrigerate; specimens may also be frozen	82441 84600 82570
LABCORP	812420	Somatostatin Container:Lavender-top (EDTA) tube Temperature:FREEZE	84307
LABCORP	808132	Sotalol, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	817203	Soy Component Panel Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86008 x3
LABCORP	827174	Soy Protein Extract Gel Diff. Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86331
LABCORP	883122	Spec-Stain,GRP I-Micro 2nd	88312
LABCORP	883129	Spec-Stain,GRP I-Micro 9th	88312
LABCORP	823562	S-Phenylmercapturic Acid, Ur Container:Urine bottle Temperature:Refrigerate	82570 83921
LABCORP	450010	Spinal Muscular Atrophy (SMA) Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Amniotic fluid: T-25 flasks CVS: T-25 flasks CVS: Screw-top tubes with sterile transport medium. Temperature:Maintain specimen at room temperature. than two days, refrigerate at 4(degrees)C.	81329
LABCORP	831056	Squamous Cell Carcinoma Ag, S Container:Red-top tube or gel-barrier tube Temperature:Frozen	86316
LABCORP	868100	S-Sulfocysteine Assay Container:Urine bottle Temperature:FREEZE	82570 82127
LABCORP	805281	Staph Enterotoxin B (SEB)* Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature.	86353

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	183566	State Laboratory Report	NOCPT
LABCORP	813506	Sterols, Plasma Container:Green-Top (Heparin) Tube, or Lavender-Top (EDTA) Tube, or Yellow-Top (ACD) Tube Temperature:Freeze	82542
LABCORP	284135	Stiripentol, Blood Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature: 30 days Refrigerated: 30 days Frozen: 30 days	80299
LABCORP	806838	Strain Characterization - PFGE Container:Sterile container Contact ARUP Microbiology laboratory (800) 242-2787 extension 2576, prior to submission of the organisms. Temperature:Maintain specimen at room temperature	87152
LABCORP	819372	Stratify JCV(TM) Ab w/Index Container:Gel-barrier tube, lavender-top (EDTA) or red-top tube Temperature:Room Temperature	NOCPT
LABCORP	815139	Streptomycin Level Container:Red-top tube Temperature:FREEZE	80299
LABCORP	831668	Striated Ab IgG w/rfx titer Container:Gel-barrier tube or Red-top tube Temperature:Refrigerate	86255
LABCORP	811086	Strontium, Whole Blood Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	809474	Strontium, Serum or Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	830272	Strychnine Screen, Serum/Plasm Container:Red-top tube OR Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room Temperature: Undetermined Refrigerate: Undetermined Frozen: Undetermined	80323
LABCORP	804473	Styrene, Blood Container:Lavender-top (EDTA) tube Temperature:Refrigerate	84600
LABCORP	770005	Substance Abuse Monitoring and Rehabilitation Profile I,Oral Fluid (Screen With Confirmation) (LabCorp MedWatch(R)) Container:Quantisal-Oral Fluid drug test collection device. Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	770421	Substance Abuse Monitoring and Rehabilitation Profile II,Oral Fluid (Screen Only) (LabCorp MedWatch(R)) Container:Quantisal(TM) Oral Fluid collection device, contact lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	739013	Substance Abuse Monitoring and Rehabilitation Profile, Urine(Screen with Confirmation) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	284164	Substance P Container:Gel-barrier tube Temperature:FREEZE up to 4 weeks	83520
LABCORP	844792	Succinylacetone, Urine Container:Plastic urine container Temperature:FREEZE	82570 83921
LABCORP	816853	Sugar Cane IgE* Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86003
LABCORP	828297	Sugar Corn IgE Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature	
LABCORP	827356	Sulfamethoxazole - BasoFun.HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	123307	Sulfate, Quantitative, 24-Hour Urine Container:Plastic urine container, no preservative Temperature:Refrigerate	84392
LABCORP	808507	Sulfate-3-Gluc.Parag. Ab IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Refrigerate up to 5 days Frozen up to 1 year	83516
LABCORP	817733	Sulfatide Autoantibody Test Container:Red-top tube Temperature:Refrigerate Stability: Room Temperature: 72 hours Refrigerated: 21 days Frozen: 1 year	NOCPT
LABCORP	825182	Sulfide Expos Bioupt.Mark.,S/P Container:Red-top tube, gray-top (sodium fluoride) tube fluoride) tube Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 25 days Frozen up to 24 days	82542
LABCORP	082487	Sulfonamides Undifferent., S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	814133	Sulfonylurea Analysis, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80377
LABCORP	811089	Sulfonylurea Analysis, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80377
LABCORP	846535	Sumatriptan (Imitrex) Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Refrigerate	80375
LABCORP	061986	Summer/Mountain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	828259	Sunset Yellow - BasoFunct. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343
LABCORP	824471	Sus.Anti.Aero.Bact.Cust.MIC(1) Container:Organism Isolate	87186
LABCORP	008680	Susceptibility Testing, Aerobic and Facultatively AnaerobicOrganisms Container:A swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain subculture at submitting laboratory. Temperature:Maintain specimen at room temperature.	87186
LABCORP	182808	Susceptibility Testing, Gram Positive Rods Container:Bacterial swab transport inoculated with the isolate from a pure culture or agar slant in screw-cap container packed as an etiologic agent. Maintain a subculture at the submitting laboratory. Temperature:Maintain specimen at room temperature.	87186
LABCORP	761716	Sympathomimetics, Urine Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	701106	Synthetic Cannabinoids (K2, Spice), Screen with reflexedConfirmation, qualitative, urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	790972	Synthetic Cannabinoids, Urine Container:Urine Container Temperature:Room Temperature	80307
LABCORP	701110	Synthetic Designer Drug Container:Urine transer tube without preservative Temperature:Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days),	80307 80371

LAB	CODE	TEST NAME	CPT4 CODE
		specimen may also be refrigerated or frozen	
LABCORP	080926	Synthetic Glucocorticoid Srm.U Container:Urine bottle Temperature:FREEZE	82542
LABCORP	703025	SYNTHETIC OPIOIDS,SCR w/CONF,U Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	056499	Systemic Lupus Erythematosus (SLE) Profile A Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86235 x5 86225 86431
LABCORP	203752	Systemic Lupus Erythematosus (SLE) Profile B Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86160 x2 86235 86225 86038
LABCORP	252908	Systemic Lupus Erythematosus (SLE) Profile C Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86225 86235 x4
LABCORP	510384	SYT Oncology Fluorescence in situ Hybridization (FISH) Container:Green-top (sodium heparin) tube; pediatric Vacutainer(R) is optimal OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	505015	T and B Lymph/Nat.Killer Short Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86360 86359 86355 86357
LABCORP	505370	T- and B-Lymphocyte and Natural Killer Cell Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature.	86355 86357 86360 86359
LABCORP	096917	T- and B-Lymphocyte Differential Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature.	86360 86359 86355
LABCORP	831367	T Cell Fx-Complete Container:Green-top (sodium heparin) tube Temperature:Room temperature	86353 x7
LABCORP	602489	T001-IgE Maple/Box Elder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605526	T001-IgG4 Maple/Box Elder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602545	T002-IgE Alder, Grey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605607	T002-IgG Alder, Grey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602936	T003-IgE Common Silver Birch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605545	T003-IgG4 Common Silver Birch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602925	T004-IgE Hazelnut Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602926	T005-IgE Beech (American) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602491	T006-IgE Cedar, Mountain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605243	T006-IgG Cedar, Mountain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602480	T007-IgE Oak, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605244	T007-IgG Oak, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602476	T008-IgE Elm, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605245	T008-IgG Elm, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602527	T009-IgE Olive Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602494	T010-IgE Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602948	T011-IgE Maple Leaf Sycamore Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602937	T012-IgE Willow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602518	T014-IgE Cottonwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605247	T014-IgG Cottonwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602927	T015-IgE Ash, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605248	T015-IgG Ash, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602928	T016-IgE Pine, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602929	T017-IgE Japanese Cedar Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602930	T018-IgE Eucalyptus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602931	T019-IgE Mimosa/Acacia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602932	T020-IgE Mesquite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605249	T020-IgG Mesquite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602933	T021-IgE Melaleuca Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602533	T022-IgE Pecan, Hickory Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602934	T023-IgE Cypress, Italian Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	603194	T037-IgE Bald Cypress Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602941	T041-IgE Hickory, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602943	T044-IgE Hackberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	604519	T045-IgE Elm Cedar Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602959	T056-IgE Bayberry/Sweet Gale Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605616	T057-IgE Cedar, Red Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602569	T070-IgE White Mulberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605250	T070-IgG White Mulberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602949	T072-IgE Palm, Queen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602950	T201-IgE Spruce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602952	T207-IgE Fir, Douglas Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602954	T208-IgE Lime Tree/Linden Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602955	T209-IgE Hop-Hornsbeam Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602956	T210-IgE Privet, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605251	T210-IgG Privet, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602957	T211-IgE Sweet Gum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605621	T217-IgE Pepper Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602535	T218-IgE Oak, Live/Virginia	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	208793	T3 Hormone (2 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84480 x2
LABCORP	211334	T3 Hormone (8 Specimens) Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84480 x8
LABCORP	001156	T3 Uptake Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84479
LABCORP	809786	Tacrine, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	764171	Tapentadol, Confirmation Container:Urine Container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80372
LABCORP	703003	Tapentadol, Scr w/Conf, SE Container:Serum from Red Top Tube or Serum Transfer Tube Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	703000	Tapentadol, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	701900	Tapentadol, Screen Only, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	764170	Tapentadol, Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	791748	Tapentadol, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	768329	Tapentadol, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	791744	Tapentadol, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	903837	Tapioca IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	806021	Tarragon IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	451840	Tartrate Resistant Acid Phosphatase (TRAP) Container:Gel-barrier tube. Temperature:Refrigerated	84060
LABCORP	826007	Tartrazine - BasoFunction HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	511246	Tay-Sachs Disease, Biochemical, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	83080
LABCORP	510412	Tay-Sachs Disease, Biochemical, Serum Container:Red-top tube Temperature:FREEZE	83080
LABCORP	510404	Tay-Sachs Disease, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81255
LABCORP	505750	T-Cell Activation Profile, CD8 Subsets Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimen at room temperature.	86356 x3 86360 86359
LABCORP	480985	T-Cell Receptor beta-Chain Gene Rearrangements Container:Lavender-top (EDTA), yellow-top (ACD) tube, or green-top (heparin) tube, FFPE tissue block or slides, or tissue in RPMI or frozen Temperature:Maintain blood, bone marrow or tissue in RPMI at 2(degrees)C - 8(degrees)C, FFPE specimens at room temperature, frozen tissue at -80(degrees)C	81340
LABCORP	480708	T-Cell Receptor Gamma-Chain Gene Rearrangements Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube, FFPE tissue block or slides, or tissue in RPMI or frozen Temperature:Maintain whole blood/bone marrow or tissue in RPMI at 2(degrees)C -8(degrees)C, FFPE specimens at room room temperature, frozen tissue at -80(degrees)C.	81342
LABCORP	481080	T-Cell Receptor Gene Rearrangements Profile, gamma and beta Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube, FFPE tissue block or slides, or tissue in RPMI or frozen Temperature:Maintain blood, bone marrow or tissue in RPMI at 2(degrees)C -8(degrees)C, FFPE specimens at room temperature, tissue at -80(degrees)C	81342 81340
LABCORP	822803	Teichoic Acid Antibodies Container:Gel-barrier tube Temperature:Refrigerate	86329
LABCORP	808562	Temazepam, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	321202	TestF+TestFW	84410 84402
LABCORP	485151	Testicular Cancer Monitor Profile Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	82105 84702
LABCORP	501048	Testicular Function Group 1 Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 2 days Frozen up to 200 days	83001 83002 84403
LABCORP	035741	Testicular Function Profile I Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83001 84146 83002 84403
LABCORP	035113	Testicular Function Profile II Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	84403 83001 83002 84402
LABCORP	058925	Testicular Function Profile III Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	83001 84436 84146 83002 84479 84403 84443
LABCORP	500650	Testost., Bioavailable w/SHBG Container:Gel-barrier tube Temperature:FREEZE	84270 84410
LABCORP	140226	Testosterone Free, Profile I Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84270 84403 82040
LABCORP	070130	Testosterone Free, Profile II Container:Red-top tube or gel-barrier tube	84270 84403 82040

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	143255	Testosterone, Free and Weakly Bound Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84410
LABCORP	070282	Testosterone, Free and Weakly Bound, with TotalTestosterone, LC/MS-MS Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84410
LABCORP	144980	Testosterone, Free, Direct Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84402
LABCORP	070038	Testosterone, Free, Equilibrium Ultrafiltration with TotalTestosterone, LC/MS-MS Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84402 84403
LABCORP	081786	Testosterone, Free, Serum (Equilibrium Ultrafiltration)With Total Testosterone Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84402 84403
LABCORP	502682	TestT+DHT Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 7 days Frozen up to 3 years	84403 82642
LABCORP	329859	TestT+SHBG+TestFW	84410 84270
LABCORP	329562	TestT+TestF+SHBG+TestFW	84270 84402 84410
LABCORP	163691	Tetanus Antitoxoid Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature; do NOT freeze.	86317
LABCORP	805279	Tetanus Toxoid Ag response* Container:Green-top (sodium heparin) tube Temperature:Maintain specimen at room temperature.	86353
LABCORP	805932	Tetanus Toxoid IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	790944	Tetrachloroethylene, Occupational Exposure, Whole Blood Container:Green-top (heparin) tube Temperature:Refrigerate; specimen may also be frozen.	82441
LABCORP	806575	Tetrahydrobiopterin+Neopterin Container:Collection kits may be obtained by calling Baylor Institute for Metabolic Disease (214)-820-4533. Temperature:FREEZE	82542
LABCORP	700855	Tetrahydrocannabinol (THC) Confirmation, Serum/Plasma Container:Gel Barrier Tube; Plasma from Lavender-top (EDTA) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	700854	Tetrahydrocannabinol (THC) Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Stability: Room Temperature 6 days Refrigerated 6 days Frozen 12 days	80349
LABCORP	791544	Tetrahydrocannabinol (THC), Screen Only, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	791626	Tetrahydrocannabinol (THC-COOH/THCV-COOH) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	235851	TgAb+Thyrog IMA reflex if Neg Container:Gel-Barrier Tube Temperature:Room Temperature	86800
LABCORP	815295	TH1/TH2 Panel A	83520 x8

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Lavender-top (EDTA) tube Temperature:FREEZE up to 1 year	
LABCORP	815250	TH1/TH2 Panel B Container:Lavender-top (EDTA) tube Temperature:FREEZE up to 1 year	83520 x6
LABCORP	811687	Thallium, Serum or Plasma Container:Royal blue-top (EDTA) metal-free tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	706580	Thallium, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 83018
LABCORP	825420	Thanatrophic Dysplasia 1+2 Container:Fetal Specimen: Two T-25 flasks at 80% confluent of cultured amniocytes OR Cultured CVS. Maternal Specimen: Lavender (EDTA), pink (K2EDTA), or yellow (ACD Solution A or B). Temperature:Cultured Amniocytes or Cultured CVS: CRITICAL ROOM TEMPERATURE. Must be received within 48 hours of collection due to viability of cells. Amniotic fluid (direct): Ship room temperature. Maternal WB: Room temperature	81401
LABCORP	912051	THC Confirmation, Ur	80349
LABCORP	910782	THC Confirmation, Ur	80349
LABCORP	700881	THC, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Room Temperature. For storage beyond 3 days, specimen should be refrigerated or frozen.	80307
LABCORP	824541	THC-COO, Cord Qual Container:Sterile container Temperature:Frozen	80349
LABCORP	505078	T-Helper (CD4 Lymph) Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86361
LABCORP	811158	Thiopental and Pentobarbital, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	811927	Thioridazine and Mesoridazine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	846063	Thiosulfate Container:Red-top tube Temperature:Refrigerate Stability: Room Temperature up to 7 days Refrigerate up to 25 days Frozen up to 24 days	82542
LABCORP	808498	Thiothixene, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	502073	ThrombAssure(TM) Enhanced (Esoterix) Container:Serum: red-top tube or gel barrier tube; plasma: blue-top (sodium citrate) tube; whole blood: lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain whole blood at room temperature. FREEZE serum and plasma.	85732 x2 85306 86146 x3 86147 x3 85300 85303 85613 x2 81240 81241 85598 83090 85730
LABCORP	503180	ThrombAssure(TM) Enhanced Cons Container:Serum: red-top tube or gel barrier tube; Plasma: blue-top (sodium citrate) tube; Whole blood: lavender-top (EDTA) tube or yellow-top (ACD) tube. Temperature:Stability: Whole blood: room temperature Serum/plasma: freeze	85732 x2 85306 86146 x3 86147 x3 85300 85303 85613 x2 81240 81241 85598 80503 83090 85730
LABCORP	117170	Thrombin Mixing Study Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85670
LABCORP	501687	Thrombin Time Container:Blue-top (sodium citrate) tube	85670

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze	
LABCORP	504475	Thrombin Time - Human Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature: 4 hours Refrigerated: 8 hours Frozen: 13 months Freeze/thaw cycle: x5	85670
LABCORP	500012	Thrombin-Antithrombin Complex Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 4 hours Acceptable freeze/thaw up to 5 cycles	83520
LABCORP	630461	Thrombocytopenia Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81408 81406 x2
LABCORP	501551	Thrombosis Profile Container:Blue-top (sodium citrate) tube AND red-top tube Temperature:Plasma/serum: FREEZE	85303 85210 85307 85415 85306 83695 85300
LABCORP	385730	Thrombosis, Venous Risk Profile Container:Blue Top (Sodium Citrate) Tube, Gel-Barrier Tube, Lavender Top (EDTA) Tube, Plasma Transfer Tube	86146 x3 86147 x2 85610 85300 85303 85613 85670 81240 81241 85379 85598 85730 85306
LABCORP	385845	Thrombosis, Venous Risk Profile, Congenital Container:Blue-Top (Sodium Citrate) Tube, Lavender-Top (EDTA) Tube, Plasma Transfer Tube Temperature:FREEZE plasma. Maintain whole blood and buccal swab kit at room temperature or refrigerate.	85306 85300 85303 81240 81241
LABCORP	630360	Thrombotic Microangiopathy (TMA) Comprehensive GeneticAnalysis, Includes TTP and aHUS Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81404 81479
LABCORP	117720	Thrombotic Risk Assessment Container:Blue-top (sodium citrate) tube, gel-barrier tube, lavender- top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature:Freeze plasma, refrigerate serum and maintain whole blood and buccal swab kit at room temperature or refrigerate.	85732 85306 86146 x3 86147 x3 85300 85303 85613 81240 85420 83090 85307
LABCORP	511403	Thrombotic Risk Profile Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate	81240 81241
LABCORP	117702	Thrombotic Risk Profile I Container:Blue-top (sodium citrate) tube, gel-barrier tube, lavender- top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature:Freeze plasma, refrigerate serum and maintain whole blood and buccal swab kit at room temperature or refrigerate.	85306 86146 x2 86147 x2 85300 85705 85303 85613 81240 85420 83090 85307 85732
LABCORP	117205	Thrombotic Risk Profile II Container:Blue-top (sodium citrate) tube, gel-barrier tube, lavender- top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature:FREEZE plasma, refrigerate serum. Maintain whole blood and buccal swab kit at room temperature or refrigerate.	85420 83090 85307 86148 x3 85732 85306 86146 x3 86147 x3 85300 85705 85303 85613
LABCORP	117105	Thrombotic Risk Profile, Acquired (Comprehensive-1) Container:Red-top tube or gel-barrier tube and blue-top (3.2% sodium-citrate plasma) tube Temperature:Refrigerate serum AND FREEZE plasma	86148 x3 85732 86146 x3 86147 x3 85705 85613
LABCORP	117024	Thrombotic Risk Profile, Aquired Container:Red-top tube or gel-barrier tube and blue-top (sodium-citrate) tube Temperature:Refrigerate serum. Freeze plasma	86146 x2 86147 x2 85705 85613 85732
LABCORP	117706	Thrombotic Risk, Congenital Container:Blue-top (sodium citrate) tube, gel-barrier tube, lavender- top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab kit Temperature:Freeze plasma, refrigerate serum and maintain whole blood and buccal swab kit at room temperature or refrigerate.	83090 85307 85306 85300 85303 81240 85420

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	630313	Thrombotic Thrombocytopenic Purpura (TTP)/ADAMTS13 GeneticAnalysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	345396	ThyAbs+TPO+TRAb+TSI Container:gel-barrier tube	86800 83520 84445 86376
LABCORP	824826	ThyGeNext w/ Rfx to ThyraMir Container:RNA Retain(R) vial, available in LabCorp FNA kits. (Catalog# LCA210 Peoplesoft #100708) Slides Temperature:Room temperature Stability: Room Temperature: 6 weeks Refrigerated: 6 weeks	0245U
LABCORP	620173	Thymidine and Deoxyuridine Analytes (Plasma) Container:Sterile screw capped vial Temperature:Store frozen at -20 degrees Celsius and ship frozen.	82542
LABCORP	820417	Thyroglobulin (TG)+TGAB Container:Gel-barrier tube Temperature:Room temperature	86800 84432
LABCORP	500001	Thyroglobulin (TG-RIA) Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 4.2 years Freeze/thaw cycle: Stable x7	84432
LABCORP	042060	Thyroglobulin Antibody and Thyroglobulin, IMA or RIA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86800
LABCORP	500540	Thyroglobulin, Comprehensive (With Anti-Tg Screen and Reflexto RIA) (Endocrine Sciences) Container:Gel-barrier tube or red-top tube Temperature:FREEZE Stability: Room Temperature up to 3 days Refrigerated up to 14 days Frozen up to 3.79 years Freeze/thaw cycle: Stable x2	86800 84432
LABCORP	502380	Thyroglobulin, Lymph Node Aspirate Container:Lymph Node Collection Kit and saline vial Temperature:FREEZE	84432
LABCORP	501015	Thyroid AutoAbs Test Group Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	86376 86800
LABCORP	330015	Thyroid Cascade Profile Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84443
LABCORP	630540	Thyroid Hormone Resistance Beta (THRB) Gene Sequencing Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial	81405
LABCORP	027011	Thyroid Profile II, Comprehensive Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84480 84479 84443 84436
LABCORP	224576	Thyroid-Stimulating Hormone (TSH) and Free T4 Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature	84439 84443
LABCORP	004593	Thyroid-stimulating Hormone (TSH) in Pregnancy Container:Red-top tube, gel-barrier tube, OR green-top (lithium heparin) tube. Do NOT use oxalate, EDTA, or citrate plasma. Temperature:Room temperature Stability: Room temperature: up to 14 days Refrigerated: up to 14 days Frozen: up to 14 days Freeze/Thaw Cycle: Stable x3	84443
LABCORP	909206	Thyrotropin Releas. Hormone Container:TRH preservative tube Temperature:FREEZE	83519
LABCORP	501902	Thyroxine (T4), Free by Dialysis/Mass Spectrometry Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:FREEZE	84439

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	004457	Thyroxine (T4), Thyroxine-Binding Globulin (TBG) and T4-TBG Index Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	84442 84436
LABCORP	001735	Thyroxine-Binding Globulin (TBG), Serum Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	84442
LABCORP	842104	Tiagabine, Serum or Plasma Container: Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for two weeks at room temperature, for two weeks refrigerated, and for seven months frozen.	80199
LABCORP	828146	Tilapia IgG Container: Gel-barrier tube Temperature: Maintain specimen at room temperature	86001
LABCORP	790730	Tin, Serum or Plasma Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	790650	Tin, Whole Blood Container: Royal blue-top (EDTA) metal-free tube Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	825380	Tin-Total, Urine Container: Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature: Refrigerate	83018
LABCORP	180787	Tissue Culture Container: Sterile screw capped vial; Anaerobic Culture Transport; Bacterial Culture transport swab with media; Sterile Cup Temperature: Maintain specimen at room temperature	87070
LABCORP	183476	Tissue Culture: Aerobic and Anaerobic Bacterial Culture Container: Sterile screw capped vial; Anaerobic Culture Transport; Bacterial Culture transport swab with media; Sterile Cup Temperature: Maintain specimen at room temperature	87070 87075
LABCORP	284410	Tissue Drug Screen Container: Sterile container Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOCPT
LABCORP	500029	Tissue Plasminogen Activator (tPA) Antigen Container: Blue-top (sodium citrate) tube Temperature: Freeze Stability: Acceptable freeze/thaw up to 6 cycles	85415
LABCORP	500146	Tissue Thromboplastin Inhibition Test (TTIT) Container: Blue-top (sodium citrate) tube Temperature: Freeze Stability: Room temperature up to 24 hours	85705
LABCORP	700258	Titanium, SP Container: Royal blue-top (EDTA) tube Temperature: Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen.	83018
LABCORP	825646	Titanium, Urine Container: Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Avoid exposure to gadolinium-based contrast media 48 hours prior to sample collection. Temperature: FREEZE	83018
LABCORP	792620	Titanium, Whole Blood Container: Royal blue-top (EDTA) tube Temperature: Ambient temperature is acceptable for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen. Stability: Room temperature up to 7 days Refrigerated up to 56 days Frozen up to 94 days	83018
LABCORP	506105	T-Lymph Help/Supp-Short Container: Lavender-top (EDTA) tube AND yellow-top (ACD-A or ACD-B) tube. Temperature: Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86360 86359
LABCORP	505065	T-Lymph Markers and NK Container: Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube	86357 86361 86359 86356

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	
LABCORP	096834	T-Lymphocyte CD3 Cells Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube. Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86359
LABCORP	096925	T-Lymphocyte Helper/Suppressor Profile Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A or ACD-B) tube. Temperature:Maintain specimen at room temperature. Do NOT freeze or refrigerate.	86360 86359
LABCORP	123413	TMAO (Trimethylamine N-oxide) Container:NMR LipoTube (black-and-yellow-top tube) Temperature:Refrigerate	84999
LABCORP	811372	Tocainide, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	830038	Toll-Like Receptor Funct Assay Container:Green top (heparin) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	86353 x6 83520 x3
LABCORP	702378	Toluene, as o-Cresol, Occupational Exposure, Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimen may also be frozen	82570 84600
LABCORP	790580	Toluene, Occupational Exposure, Whole Blood Container:Green-top (heparin) tube Temperature:Refrigerate; specimen may also be frozen.	84600
LABCORP	015099	Total Lymph Count Container:EDTA Lavender Temperature:Room temperature up to 24 hours	85048
LABCORP	369483	Total Protein+IFE S+IgA/G/M Container:Gel-Barrier Tube	84155 86334 82784 x3
LABCORP	811794	Toulene (as Hippuric Acid), Occupational Exposure, Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimen may also be frozen	82570 83921
LABCORP	912334	ToxAssure Flex 15, Ur Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80348 80347 80354 80307
LABCORP	912335	ToxAssure Flex 23, Ur Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80362 80348 80368 80347 80357 80354 80307
LABCORP	700600	ToxAssure Report	NOCPT
LABCORP	700602	ToxASSURE Select 19,UR,EDI-DIS Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83992 80372 80362 80353 80348 80361 80358 80368 80359 80360 80370 80367 80347 80324 80366 80354 80365 80355 80307 80373
LABCORP	701092	ToxASSURE(R) Comprehensive Profile (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80355 80326 80364 80307 80331 80373 83992 80338 80372 80353 80371 80348 80361 80358 80368 80359 80360 80341 80370 80367 80377 80334 80347 80357 80366 80344
LABCORP	700318	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80353 80348 80361 80358 80359 80347 80324 80354 80365 80307 80373 80372

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	701093	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80354 80365 80307 80373 80372 80353 80348 80361 80358 80359 80347 80324
LABCORP	701034	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347 80324 80354 80365 80307 80373 80372 80353 80348 80361 80358 80359
LABCORP	701036	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80353 80348 80361 80358 80359 80347 80324 80354 80365 80307 80373 80372
LABCORP	830801	Toxocara Ab (IgG), Serum Container:Serum Separator (Gel) Tube Temperature:Refrigerate	86682
LABCORP	828741	Toxoplasma Ab IgG, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86777
LABCORP	828739	Toxoplasma Ab IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86778
LABCORP	828478	Toxoplasma Abs, IgG/IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 2 days Refrigerate up to 2 weeks Frozen up to 1 year	86777 86778
LABCORP	821903	Toxoplasma Gondii Ab IgA,ELISA Container:Gel-barrier tube Temperature:Room temperature	86777
LABCORP	096651	Toxoplasma gondii Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86778
LABCORP	138586	Toxoplasma gondii, Amniotic Fluid, PCR Container:Sterile container Temperature:FREEZE(preferred) OR refrigerate	87798
LABCORP	830293	Toxoplasma Preg PI (<= 16 wks) Container:Red Top Tube OR Gel Barrier Tube Temperature:Refrigerated Preferred	86777 x2 86778
LABCORP	830287	Toxoplasma Preg PI (>16 weeks) Container:Red Top Tube OR Gel Barrier Tube Temperature:Refrigerated Preferred	86406 x2 86777 86778
LABCORP	501254	TPA Ag. Post Occlusion Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerated up to 4 hours Frozen up to 2 years	85415
LABCORP	806821	Tr Antibody (Anti-Tr) Container:Gel-barrier tube or red-top tube Temperature:Maintain specimen at room temperature	86256
LABCORP	071545	Tramadol Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Refrigerate Stability: Room Temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days	80299
LABCORP	804100	Tramadol (Ultram) and O-Desmethyltramadol, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80373
LABCORP	761019	Tramadol Confirmation (LabCorp MedWatch(R)) Container:Plastic urine container	80373

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	
LABCORP	910801	Tramadol Confirmation, Ur	80373
LABCORP	764365	Tramadol Screen and Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	809966	Tramadol Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910783	Tramadol, Scr w/Conf, Ur	80307
LABCORP	910809	Tramadol, Scr w/Conf, Ur	80307
LABCORP	733740	Tramadol, Screen Only, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	761018	Tramadol, Screen with Confirmation, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	821342	Trans. Growth Fact. beta 1* Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	501819	Transferrin Saturation Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 5 days Refrigerated up to 5 days Frozen up to 2 years	83540 84466
LABCORP	071688	Trazodone, Serum Container:Red-top tube, lavender-top (EDTA) tube, OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	809643	Trazodone, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80338
LABCORP	805995	Tree Mix 4 IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	082345	Treponema pallidum (Syphilis) Screening Cascade Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86780
LABCORP	790642	Triazolam, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790662	Trichloroacetic Acid, Urine Container:Plastic urine bottle-no preservative Temperature:Refrigerate; specimen may also be frozen	82570 83921
LABCORP	180950	Trichomonas Culture Container:InPouch TV transported at room temperature (up to 48 hours). Temperature:Room temperature for up to 48 hours; if held longer than 48 hours, incubation at 37 degrees C is required. Do NOT refrigerate.	87081
LABCORP	007690	Tricyclic Antidepressants Screen, Serum or Plasma Container:Red-top tube, lavender-top (EDTA) tube OR green-top (heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant.	80337

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate	
LABCORP	072405	Tricyclics, Serum Container:Red-top tube. Do NOT use gel-barrier tubes. Temperature:Refrigerate	80337
LABCORP	811380	Trifluoperazine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	811192	Trihexyphenidyl, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	503600	Triiodothyronine, Free (FT3), Dialysis and LC-MS/MS Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:FREEZE (preferred) or refrigerate Stability: Room temperature up to 5 days Refrigerated up to 5 days Frozen: up to 70 days	84481
LABCORP	827363	Trimethoprim - BasoFuncti. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Mainatin specimen at room temperature	86343
LABCORP	823556	Trimethoprim, Serum/Plasma Container:Red-top tube or Lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	888745	Trimethylamine+TMA N-oxide Container:Plastic urine bottle Temperature:FREEZE	82570 83789
LABCORP	808511	Trimipramine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	800340	Trophery.Whipplei by Rapid PCR Container:Biopsy: sterile, screw capped, plastic container CSF or synovial fluid: sterile, screw capped vial Temperature:Biopsy frozen CSF or synovial fluid refrigerated	87798
LABCORP	820624	Tropheryma whipplei PCR Container:Lavender-top (EDTA) tube, serum separator tube or sterile container Temperature:FREEZE	87798
LABCORP	140150	Troponin T (Highly Sensitive) Container:Green top (lithium-heparin) tube. Lithium-heparin plasma tubes containing separating gel can be used. Temperature:FREEZE	84484
LABCORP	828737	Trypanosoma Cruzi Ab IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86753
LABCORP	700192	Tryptophan, Qn, P Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	500538	TSH Receptor Antibody (TBII) Container:Gel-barrier tube or red-top tube green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 24 hours Refrigerated up to 7 days Frozen up to 200 days	83519
LABCORP	307560	tTG IgA/G Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86364 x2
LABCORP	140673	Tumor Necrosis Factor-Alpha Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	087817	Tungsten Container:All venipunctures should be performed using a trace metal free royal blue top tube. Temperature:Refrigerate	83018

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	827280	Turmeric IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	827151	Turnip IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	186204	Tv Prequot, NAA Container:Gen-Probe(R) APTIMA(R) swab transport or Gen-Probe(R) APTIMA(R) specimen transfer kit with 1 mL of PreservCyt(R) fluid (do NOT use swabs provided with APTIMA(R) kit) Temperature:Maintain specimen at room temperature or refrigerate 2(degrees)C to 30(degrees)C. Aliquots must be transferred to the APTIMA(R) tube within seven days of collection.	87661
LABCORP	176548	Twin Zygosity Study Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). Amniotic fluid and tissues in appropriate transport container. When submitting buccal swabs, please us a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain blood specimen at room temperature and keep dry.	81265
LABCORP	604788	TX01-Tree Pollen Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	840454	Type II Collagen Antibody Container:Gel-barrier tube or red-top tube Temperature:Maintain specimen at room temperature	83520
LABCORP	138750	Typhus Fever Group IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86757 x2
LABCORP	700198	Tyrosine, Qn, P Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	511200	UGT1A1 Irinotecan Toxicity Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube OR LabCorp buccal swab kit Temperature:Maintain whole blood specimen at room temperature for 7 days or refrigerated for 1 month, frozen for 2 years. Maintain buccal swabs at room temperature for 6 months.	81350
LABCORP	806050	Ulocladium chartartum IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	140005	UltraQual(TM) West Nile Virus RT-PCR Assay Container:Frozen transport tube OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87798
LABCORP	470115	Uniparental Disomy (UPD) Parent, DNA Analysis Container:Lavender-Top (EDTA) Tube, Yellow-top (ACD) tube Temperature:Room temperature. Maintain specimen at room temperature. Do not freeze.	NOCPPT
LABCORP	470074	Uniparental Disomy (UPD) Proband, DNA Analysis Container:Lavender-Top (EDTA) Tube, yellow-top (ACD) tube; sterile plastic conical tube or two confluent T-25 flasks for fetal testing Temperature:Room temperature. Maintain specimen at room temperature. Do not freeze.	NOCPPT
LABCORP	791358	Unknown Substance Analysis Container:Screw-top container Temperature:Maintain specimen at room temperature	NOCPPT
LABCORP	813253	UPG III Synthase,Erythrocytes Container:Green-top (heparin) tube Temperature:Refrigerate	82657
LABCORP	808567	Uranium, Urine Container:Metal-free plastic urine container or metal-free transfer tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018
LABCORP	101501	Urea Nitrogen (Body Fluid) Container:Sterile container Temperature:Refrigerate	84520

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	107128	Urea Reduction Ratio (URR) Container:Serum-separator tube Temperature:Maintain specimen at room temperature or refrigerate. **Stability determined by manufacturer or literature** reference.	84520 x2
LABCORP	086884	Ureaplasma/Mycoplasma hominis Culture Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium Temperature:Refrigerate and ship at 4(degrees)C.	87109
LABCORP	019505	Uric Acid, Body Fluid Container:Sterile tube Temperature:Room temperature	84560
LABCORP	003210	Uroporphyrin, Urine Container:12-mL amber plastic transport tube without preservative (LabCorp No. 23598). (If amber tubes are unavailable, cover plastic tube completely, top and bottom, with aluminum foil. Identify specimen with patient's name directly on the container AND on the outside of the aluminum foil. Secure with tape.) Temperature:Refrigerate and PROTECT FROM LIGHT.	84120
LABCORP	450060	Usher Syndrome Type IF Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature	81400
LABCORP	450050	Usher Syndrome Type III Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature	81400
LABCORP	504594	Ustekinumab and Anti-Ustekinumab Antibody, DoseASSURE(TM)UST Container:Red-top tube, gel-barrier tube, plasma EDTA tube, OR plasma heparin tube Temperature:Refrigerate or Freeze Long term storage: frozen, acceptable to transport in refrigerated temperature (cold pack)	82397 80299
LABCORP	480344	Uveal Melanoma Prognostic Test Container:Yellow-top (ACD) tube OR lavender-top (EDTA) tube Collection kits for buccal swabs and tumors should be ordered directly from Impact Genetics. Temperature:Room temperature Specimen Stability: Whole blood sample - room temperature up to 5 days Buccal and tumor in Impact Genetics collection kit up to 21 days	NOCPT
LABCORP	180042	Vaginitis (VG) With Candida (Six Species), NuSwab(R) Container:Aptima(R) vaginal or unisex swab Temperature:Room temperature	87801 87661 87798 x3
LABCORP	180071	Vaginitis (VG), Herpes Simplex Virus (HSV), NuSwab(R) Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87801 87661 87798 x3 87529 x2
LABCORP	180039	Vaginitis (VG), NuSwab(SM) Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87798 x3 87801 87661
LABCORP	180068	Vaginitis Plus (VG+) With Candida (Six Species), NuSwab(R) Container:Aptima(R) vaginal or unisex swab Temperature:Room temperature	87801 87591 87661 87798 x3 87491
LABCORP	180066	Vaginitis Plus (VG+), Herpes Simplex Virus (HSV), NuSwab(R) Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87591 87661 87798 x3 87529 x2 87491 87801
LABCORP	180021	Vaginitis Plus (VG+), NuSwab(SM) Container:APTIMA(R) vaginal or unisex swab Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87491 87801 87591 87661 87798 x3
LABCORP	180026	Vaginitis/Vaginosis, DNA Probe Container:Affirm VPIII Ambient Temperature Transport System (ATTS) Temperature:Maintain specimen at room temperature for up to 72 hours.	87660 87480 87510
LABCORP	840045	Valproic Acid, Urine Container:Urine bottle Temperature:Refrigerate	80164
LABCORP	087833	Vanadium Container:Royal blue-top (EDTA) tube; Royal blue-top (Plain, No preservative) Plastic acid washed, trace metal free tubes can be obtained from National Medical Services Temperature:Refrigerate	83018

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	810572	Vanadium, RBC Container:Royal blue-top (sodium EDTA) tube Temperature:Refrigerate	83018
LABCORP	790510	Vanadium, Urine Container:Metal-free plastic urine container or metal-free transport tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	83018 82570
LABCORP	004143	Vanillylmandelic Acid (VMA), 24-Hour Urine Container:Plastic urine container, no preservative (preferred), or acidic preservative Temperature:Vanillylmandelic acid is STABLE at room temperature unpreserved for seven days.	84585
LABCORP	123208	Vanillylmandelic Acid (VMA), Random Urine Container:Plastic urine container Temperature:Vanillylmandelic acid is STABLE at room temperature unpreserved for seven days.	82570 84585
LABCORP	096776	Varicella Zoster Virus (VZV) Antibodies, Quantitative, IgM Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86787
LABCORP	008243	Varicella-Zoster Virus Culture Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium. Temperature:Keep specimens cold and moist.	87252 87254
LABCORP	117006	Vascular Endothelial Growth Factor, Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	117021	Vascular Endothelial Growth Factor, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	909231	Vasoactive Intest. Polypeptide Container:24 Hr Urine Temperature:FREEZE	84586
LABCORP	504965	Vectra(R) Container:Gel-barrier tube, red-top tube or serum transfer tube Temperature:SHIP ON FROZEN COOL PACKS OR DRY ICE. Ship with enough dry ice so ice exists upon receipt of package. Samples cannot go above room temperature.	81490
LABCORP	504980	Vectra(R) with CV Risk Container:Gel-barrier tube, red-top tube or serum transfer tube Temperature:SHIP ON FROZEN COOL PACKS OR DRY ICE. Ship with enough dry ice so ice exists upon receipt of package. Samples cannot go above room temperature.	81490
LABCORP	504567	Vedolizumab and Anti-Vedolizumab Antibody, DoseASSURE(TM)VDZ Container:Serum-gel tube, red-top tube, green top (heparin) tube or lavender top (EDTA) tube Temperature:Refrigerate or FREEZE	80280 82397
LABCORP	819091	Venison IgE* Container:Serum transfer tube Temperature:Maintain specimen at room temperature	86003
LABCORP	808514	Venlafaxine and Desmethylvenlafaxine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	805904	Venom European Hornet IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	501262	Venous Occlusion Profile Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Frozen up to 2 years	85415 x3
LABCORP	501768	Venous Thrombosis (Hypercoagulability) Profile for Patientson Vitamin K Antagonist (VKA) Therapy (Esoterix) Container:Gel-barrier tube or red-top tube, lavender-top (EDTA) tube or yellow-top (ACD) tube, AND blue-top (sodium citrate) tube Temperature:FREEZE serum and plasma. Maintain whole blood at room temperature. Stability: Whole blood: Room temperature up to seven days.	85613 x2 81240 85598 85302 85305 85230 83090 85730 85307 85240 85732 x2 86146 x3 86147 x2 85300

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	503150	Venous Thrombosis Consultative Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube AND red-top tube OR gel-barrier tube. Temperature:Plasma/serum: FREEZE Whole blood: Maintain specimen at room temperature.	85598 80503 83090 85730 85307 85240 85732 x2 85306 86146 x3 86147 x2 85300 85303 85613 x2 81240
LABCORP	501790	Venous Thrombosis Profile (Esoterix) Container:Gel-barrier tube or red-top tube, lavender-top (EDTA) tube, or yellow-top (ACD) tube AND blue-top (sodium citrate) tube Temperature:FREEZE serum and plasma. Maintain whole blood at room temperature. Stability: Whole blood: Room temperature up to seven days.	85240 85732 x2 85306 86146 x3 86147 x2 85300 85303 85613 x2 81240 85598 83090 85730 85307
LABCORP	829873	Verapamil, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube fluoride) tube Temperature:Refrigerate	80299
LABCORP	183033	Veritor Flu A/B Waived Container:Swab supplied in kit. Swab should be stored in a clean, dry container. Temperature:Specimens must be tested within one hour of collection.	87804 x2
LABCORP	831503	Very Long Chain Fatty Acid Container:Lavender-top (EDTA) tube, gel-barrier tube or green-top (heparin) tube Temperature:Maintain specimen at room temperature	82726
LABCORP	830814	VGKC Container:Serum Separator (Gel) Tube Temperature:Refrigerate Stability: Room temperature: 72 hours Refrigerated: 2 weeks Frozen: 1 month	83519
LABCORP	808315	Vigabartrin, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	847079	Vinyl Chloride Metabolite Container:Plastic urine container Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 7 days Frozen up to 14 days	82542 82570
LABCORP	830401	VIP, Plasma Container:Lavender-top (EDTA) Tube Temperature:Freeze Stability: Room temperature: Not acceptable Refrigerated: Not acceptable Frozen: 90 days	84586
LABCORP	186023	Viral Culture, Rapid, Influenza A and Influenza B Virus Container:Virus transport medium for swabs Temperature:Specimens should be placed into viral transport medium and kept cold at all times.	87254 x2
LABCORP	186056	Viral Culture, Rapid, Lesion (Herpes Simplex Virus andVaricella-Zoster Virus) Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium; sterile screw-cap container Temperature:Specimen should be kept at 4(degrees)C (refrigeration) and transported to the laboratory within 24 hours of collection.	87254 87255
LABCORP	028910	Viral Hepatitis Immunity Panel (HAV and HBV) Container:Gel-barrier tube, Serum Transfer Tube, Plasma Transfer Tube Temperature:Room temperature	86704 86708 86706
LABCORP	144552	Viral Hepatitis Screening and Diagnosis (HAV and HBV) Container:Gel-barrier tube, Red top tube, OR lavender-top (EDTA) tube, Serum Transfer Tube, Plasma Transfer Tube Temperature:Room temperature	86704 87340 86708 86706
LABCORP	144445	Viral Hepatitis Screening and Diagnosis (HAV, HBV, HCV) Container:Gel-barrier tube, plasma preparation tube (PPT), serum transfer tube, EDTA-plasma transfer tube Temperature:Refrigerated (preferred). HAV and HBV: stable 14 days at room temperature, refrigerated (preferred), and frozen. HCV: stable 24 hours at room temperature, 6 days refrigerated or 6 weeks frozen.	86708 86706 86704 86803 87340
LABCORP	144025	Viral Hepatitis Screening and Diagnosis (HBV, HCV) Container:Gel-barrier tube, plasma preparation tube (PPT), serum transfer tube, EDTA-plasma transfer tube Temperature:Refrigerated (preferred). HBV: stable 14 days at room temperature, refrigerated (preferred), and frozen. HCV: stable 24 hours at room temperature, 6 days refrigerated or 6 weeks frozen.	86704 86803 87340 86706
LABCORP	186031	Virus Culture, Rapid, Varicella-Zoster Virus (VZV) Container:Viral, Chlamydia, or Mycoplasma culture transport provided by LabCorp, or other appropriate transport medium. Smears of vesicle fluid may also be submitted for DFA at additional charge [test	87254

LAB	CODE	TEST NAME	CPT4 CODE
		185009]. Temperature:Keep specimens cold and moist.	
LABCORP	185033	Virus, Direct Detection by DFA, Adenovirus Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87260
LABCORP	185009	Virus, Direct Detection by DFA, Varicella-Zoster Virus (VZV) Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87290
LABCORP	185017	Virus, Direct Detection DFA, Respiratory Syncytial Virus Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87280
LABCORP	185066	Virus, Influenza A Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87276
LABCORP	275809	Virus, Influenza A+B Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87275 87276
LABCORP	185058	Virus, Influenza B Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87275
LABCORP	185082	Virus, Measles Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87283
LABCORP	185074	Virus, Parainfluenza Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87279
LABCORP	120584	Viscosity, Body Fluid Container:Sterile container Temperature:Refrigerate	85810
LABCORP	821541	Viscosity, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate	85810
LABCORP	483484	VistaSeq(R) APC Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81201 81203
LABCORP	481386	VistaSeq(R) Brain/CNS/PNS Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81405 x2 81297 81404 x3 81203 81403 x2 81319 81298 81300 81479 81351 81292 81408 81295 81201 81406 81294 81317
LABCORP	481341	VistaSeq(R) Breast and GYN Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81432 81433
LABCORP	481319	VistaSeq(R) Breast Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81321 81479 81351 81162 81408 x2 81323 81406 x2 81307 81405 81404
LABCORP	481363	VistaSeq(R) Colorectal Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81435 81436
LABCORP	481374	VistaSeq(R) Endocrine Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81437 81438
LABCORP	481330	VistaSeq(R) GYN Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81323 81295 81406 81294 81317 81297 81403 81319 81321 81298 81300 81479 81351 81162 81292

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	481220	VistaSeq(R) Hereditary Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81162 81292 81408 81323 81295 81201 81406 x3 81294 81317 81307 81405 x2 81297 81404 x2 81203 81403 81319 81321 81298 81300 81479 81351
LABCORP	481240	VistaSeq(R) Hereditary Cancer Panel Without BRCA Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81201 81406 x3 81294 81317 81307 81405 x2 81297 81404 x2 81203 81403 81319 81321 81298 81300 81479 81351 81292 81408 81323 81295
LABCORP	481352	VistaSeq(R) High Risk Colorectal Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81403 81319 81298 81300 81292 81295 81201 81406 81294 81317 81297 81203
LABCORP	481452	VistaSeq(R) High/Moderate Risk Breast Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81406 81307 81405 81404 81321 81479 81351 81162 81408 81323
LABCORP	483543	VistaSeq(R) Lynch Syndrome Panel Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81297 81403 81298 81300 81292 81295 81294 81317
LABCORP	483460	VistaSeq(R) MEN1 Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81405 81404
LABCORP	483496	VistaSeq(R) MLH1 Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81292 81294
LABCORP	483508	VistaSeq(R) MSH2 Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81295 81297
LABCORP	483520	VistaSeq(R) MSH6 Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81298 81300
LABCORP	481385	VistaSeq(R) Pancreatic Cancer Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81201 81294 81317 81307 81405 81297 81404 x3 81203 81403 x2 81319 81298 81300 81479 81351 81162 81292 81408 81295
LABCORP	483532	VistaSeq(R) PMS2 Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81317
LABCORP	483555	VistaSeq(R) Prostate Panel Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81298 81300 81479 81162 81292 81408 81295 81294 81317 81307 81297
LABCORP	481407	VistaSeq(R) Renal Cell Cancer Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Room temperature	81407 81295 81406 x2 81294 81317 81405 x5 81297 81404 x3 81403 x2 81319 81321 81298 81300 81479 81351 81292 81323
LABCORP	483472	VistaSeq(R) RET Comprehensive Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube or Oragene Dx 500 saliva collection kit Temperature:Room Temperature or Refrigerated	81406 81479
LABCORP	001750	Vitamin A and Carotene Container:Vitamin A can be shipped in red-top tube or gel-barrier tube; Beta Carotene should be shipped in amber plastic transport tube with amber top. (If amber tubes are unavailable, cover standard transport tubes completely, top and bottom, with aluminum foil. Identify specimens with the patient's name directly on the containers AND on the outside of the aluminum foil. Secure with tape.) For amber plastic tube and	84590 82380

LAB	CODE	TEST NAME	CPT4 CODE
		amber top, order LabCorp item ID 23598. Temperature:Room temperature. Beta Carotene should be light protected.	
LABCORP	144039	Vitamin A and E Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84446 84590
LABCORP	144057	Vitamin A, E, and Beta Carotene Profile Container:Vitamin A and Vitamin E samples can be shipped in red-top tube or gel-barrier tubes; Beta Carotene should be shipped in amber plastic transport tube with amber top. (If amber tubes are unavailable, cover standard transport tubes completely, top and bottom, with aluminum foil. Identify specimens with the patient's name directly on the containers AND on the outside of the aluminum foil. Secure with tape.) For amber plastic transport tube and amber top, order LabCorp item ID 23598. Temperature:Room temperature. Beta Carotene should be light protected.	84446 84590 82380
LABCORP	141503	Vitamin B12 Deficiency Cascade Container:Red-top tube or gel-barrier tube Temperature:Store specimen at room temperature	82607
LABCORP	361413	Vitamin B12 w reflex <400	82607
LABCORP	379196	Vitamin B12 w reflex MMA	82607
LABCORP	123220	Vitamin B2, Whole Blood Container:EDTA (lavender top) Whole Blood, preferred. Also acceptable are lithium heparin (green-top) whole blood and sodium heparin (light green top) whole blood. aluminum foil. Identify specimen with patient's name directly on the container AND the outside of the aluminum foil. Secure with tape.) For amber plastic transport tube and amber stopper, order LabCorp ID 23598. Temperature:Specimens should be light-protected, stored FROZEN immediately, and maintained FROZEN during shipping. 2(degrees)C to 8(degrees)C.	84252
LABCORP	070115	Vitamin B3 (Niacin and Metabolite) Container:Red-top tube or lavender-top (EDTA) tube Temperature:FREEZE	84591
LABCORP	070086	Vitamin B5 Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Room Temperature	84591
LABCORP	123420	Vitamin C (with dilution) Container:Green-top (Lithium Heparin)tube; amber plastic transport tube with amber-top. (If amber tubes are unavailable, cover standard transport tube completely, top and bottom, with aluminum foil. Identify specimen with patient name directly on the container and on the outside of the aluminum foil. Secure with tape.) For amber plastic transport tube and amber-top, order LabCorp No. 23594. Temperature:FREEZE IMMEDIATELY and protect from light.	82180
LABCORP	080325	Vitamin D, 1,25 + 25-Hydroxy Container:Red-top tube OR gel-barrier tube Temperature:Refrigerate	82652 82306
LABCORP	007062	Volatiles, Blood Container:Gray-top (sodium fluoride) tube (preferred) or red-top tube. Submit original unopened tube. Temperature:Room Temperature	80320
LABCORP	716001	Volatiles, Urine Container:Plastic transport tube (preferred) or plastic urine container Temperature:Room Temperature	80320
LABCORP	140640	Voltage-Gated Calcium Channel Antibody Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86596
LABCORP	505499	Voltage-Gated Potassium Channel (VGKC) Complex Antibodies:Anti LGI1 and Anti CASPR2, with Reflex to Titer, Serum Container:Gel-barrier tube, Red top tube, Serum Gel tube, Serum Transfer Tube Temperature:Room temperature	86255 x2
LABCORP	252546	von Hippel-Lindau Disease (VHL): VHL (NEP) (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81404
LABCORP	252747	von Hippel-Lindau Disease (VHL): VHL (NEP) (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	252559	von Hippel-Lindau Disease (VHL): VHL (OPT) (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81404

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	252562	von Hippel-Lindau Disease (VHL): VHL (OPT) (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	81403
LABCORP	503217	von Willebrand Disease Consult Container:Blue-top (sodium citrate) tubes Temperature:Freeze	83520 85245 80503 85730 85240 85246
LABCORP	630468	von Willebrand Disease Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; or Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81408
LABCORP	504808	Von Willebrand Disease Reflexive Profile Container:Blue-Top (Sodium Citrate) Tube Temperature:FREEZE	85245 80503 85240 85246
LABCORP	164509	von Willebrand Factor (vWF) Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85245
LABCORP	500670	von Willebrand Factor Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 6 hours Acceptable freeze/thaw up to 4 cycles	85245
LABCORP	500667	von Willebrand Factor Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Refrigerate up to 24 hours Acceptable freeze/thaw up to 4 cycles	85246
LABCORP	500148	von Willebrand Factor Multimers Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85247
LABCORP	086280	von Willebrand Profile Container:Blue-top (sodium citrate) tubes Temperature:FREEZE	85246
LABCORP	503214	von Willebrand Screen Consult Container:Blue-top (sodium citrate) tubes Temperature:Freeze	85245 80503 85730 85240 85246
LABCORP	828731	VZV Ab IgM, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate up to 2 weeks Frozen up to 1 year	86787
LABCORP	828733	VZV Ab, IgG, CSF Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate Stability: Room temperature up to 8 hours Refrigerate 2 weeks Frozen 1 year	86787
LABCORP	841197	VZV DNA QI RT PCR Container:Whole blood collected in an EDTA (lavender-top) or ACD yellow-top) tube, OR CSF or bronchial wash/brush collected in a sterile, plastic, leak-proof container, OR lesion swab collected in VCM (green-cap) tube or equivalent, eye fluid (vitreous) collected in a sterile, plastic, leak-proof container. Temperature:Room temperature: 48 hours Refrigerated: 8 days Frozen: 30 days	87798
LABCORP	818770	VZV PCR (skin swab) Container:Sterile swab placed in 2 mL sterile saline, M4, or viral transport media in a sterile, screw top tube. Temperature:Maintain specimen at room temperature or FREEZE	87798
LABCORP	818767	VZV PCR Qual (eye swab) Container:Sterile swab placed in 2 mL sterile saline, M4, or viral transport media in a sterile, screw top tube. Temperature:Maintain specimen at room temperature or FREEZE	87798
LABCORP	818576	VZV qPCR (plasma) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature or FREEZE	87799
LABCORP	818621	VZV qPCR (serum) Container:Red-top tube Temperature:Refrigerated	87799

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602463	W001-IgE Ragweed, Short Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602544	W002-IgE Ragweed, Western Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602964	W003-IgE Ragweed, Giant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602965	W004-IgE Ragweed, False Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602966	W005-IgE Wormwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602531	W006-IgE Mugwort Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602967	W007-IgE Oxeye Daisy Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602968	W008-IgE Dandelion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602536	W009-IgE Plantain, English Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602537	W010-IgE Lamb's Quarters Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602515	W011-IgE Thistle, Russian Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602969	W012-IgE Goldenrod Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602970	W013-IgE Cocklebur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602484	W014-IgE Pigweed, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602971	W015-IgE Lenscale Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602570	W016-IgE Rough Marshelder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602972	W017-IgE Kochia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602542	W018-IgE Sheep Sorrel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602626	W019-IgE Wall Pellitory Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602973	W020-IgE Nettle Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602974	W023-IgE Dockweed, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602975	W045-IgE Alfalfa Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602976	W046-IgE Fennel, Dog Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602977	W082-IgE Careless Weed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602978	W204-IgE Sunflower Pollen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	511480	Walker-Warburg Syndrome Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	81479
LABCORP	071423	Warfarin (Coumadin(R)), Serum Container:Red-top tube,lavender-top (EDTA) tube, OR green-top heparin) tube. DO NOT USE A GEL-BARRIER TUBE. The use of gel-barrier tubes is not recommended due to slow absorption of the drug by the gel. Depending on the specimen volume and storage time, the decrease in drug level due to absorption may be clinically significant. Temperature:Room Temperature	80299
LABCORP	828289	Water Chestnut IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	505004	WBC+T-Lymph Help/Supp-Short Container:Lavender-top (EDTA) tube AND yellow-top (ACD-A) or (ACD-B) tube. Temperature:Maintain specimens at room temperature. Do NOT freeze or refrigerate specimen.	86360 86359
LABCORP	824687	Weak RhD Analysis Container:Lavender-top (EDTA) tube Temperature:Room temperature	86901
LABCORP	806007	Weed Mix 2 IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86005
LABCORP	067868	Weed with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x5
LABCORP	138966	West Nile Virus (WNV) Antibody, Cerebrospinal Fluid Container:Sterile container Temperature:Room temperature	86788 86789
LABCORP	138842	West Nile Virus (WNV) Antibody, Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86789 86788
LABCORP	008656	White Blood Cells (WBC), Stool Container:Parasite (O&P) transport kit (PVA) vial only Temperature:Maintain specimen at room temperature.	89055
LABCORP	881203	White Blood Cells Cystine Container:Yellow-top (ACD) tube Temperature:Maintain specimen at room temperature	82131
LABCORP	620023	Whole Exome Sequencing - DUO (Proband) Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, T25 flask Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81415 81416
LABCORP	630989	Whole Exome Sequencing - DUO (proband), Products ofConception (POC) Container:Sterile plastic conical tube or two T-25 flasks. For fetal tissue samples: Sterile container with	81416 81415

LAB	CODE	TEST NAME	CPT4 CODE
		sterile Ringer's lactate or Hanks' balanced salt solution or transport medium provided by cytogenetics laboratory. Do not use urine containers for shipping. Temperature:Sample should be shipped in an insulated container at room temperature or refrigerated.	
LABCORP	620024	Whole Exome Sequencing - Proband Only Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, T25 flask Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81415
LABCORP	630999	Whole Exome Sequencing - Proband Only, Products ofConception (POC) Container:Sterile plastic conical tube or two T-25 flasks. For fetal tissue samples: Sterile container with sterile Ringer's lactate or Hanks' balanced salt solution or transport medium provided by cytogenetics laboratory. Do not use urine containers for shipping. Temperature:Sample should be shipped in an insulated container at room temperature or refrigerated.	81415
LABCORP	620022	Whole Exome Sequencing - TRIO (Proband) Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81416 x2 81415
LABCORP	630979	Whole Exome Sequencing - TRIO (proband), Products ofConception(POC) Container:Sterile plastic conical tube or two T-25 flasks. For fetal tissue samples: Sterile container with sterile Ringer's lactate or Hanks' balanced salt solution or transport medium provided by cytogenetics laboratory. Do not use urine containers for shipping. Temperature:Sample should be shipped in an insulated container at room temperature or refrigerated.	81416 x2 81415
LABCORP	620194	Whole Exome Sequencing Comparator - Additional FM Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	NOOPT
LABCORP	620197	Whole Exome Sequencing Comparator - Father Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	NOOPT
LABCORP	620192	Whole Exome Sequencing Comparator - Mother Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	NOOPT
LABCORP	823792	Wingscale IgE Container:Red-top tube Temperature:Room temperature	86003
LABCORP	252459	Wiskott-Aldrich Syndrome (WAS): WAS (Full Gene Sequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81406
LABCORP	252690	Wiskott-Aldrich Syndrome (WAS): WAS (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	604787	WX01-Weed Pollen Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	230935	Xanthan Gum IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	252453	X-linked Agammaglobulinemia (XLA): BTK (Full GeneSequencing) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81406
LABCORP	252683	X-linked Agammaglobulinemia (XLA): BTK (Known Mutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	252535	X-linked Lymphoproliferative Disease (XLP): SH2D1A (FullGene Sequencing) Container:Lavender-top (EDTA) tube	81404

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Maintain specimen at room temperature.	
LABCORP	252740	X-linked Lymphoproliferative Disease (XLP): SH2D1A (KnownMutation) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	81403
LABCORP	800836	Yersinia IgA/G/M, Immunoblot Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86793 x3
LABCORP	829957	Yersinia IgM by Immunoblot Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86793
LABCORP	790660	Zaleplon, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	790710	Zaleplon, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80368
LABCORP	489000	ZAP-70 in B-CLL Container:Green-top (heparin) tube OR lavender-top (EDTA) tube Temperature:Store and ship whole blood at ambient temperature. Ship bone marrow at ambient temperature.	NOOPT
LABCORP	163084	Zika Virus Antibody, IgM Container:Gel-barrier tube OR Red-Top tube OR Serum Transfer tube Temperature:Refrigerate	86794
LABCORP	010170	Zinc Protoporphyrin (ZPP) Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube; submit original tube. Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	84202
LABCORP	010180	Zinc Protoporphyrin (ZPP), Workplace Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube; submit original tube. Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	84202
LABCORP	070111	Zinc Random Urine	84630 82570
LABCORP	070029	Zinc, RBC Container:Royal blue-top (EDTA) tube Temperature:Room Temperature	84630
LABCORP	003434	Zinc, Urine Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84630 82570
LABCORP	070032	Zinc, Whole Blood Container:Royal blue-top (EDTA) tube Temperature:Room Temperature	84630
LABCORP	790384	Ziprasidone, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:Maintain specimen at room temperature; stable for three days. Stable refrigerated 14 days	80299
LABCORP	503995	ZNT8 Antibodies Container:Red-top tube, gel-barrier tube or green-top(heparin) tube Temperature:Frozen Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 7 days Freeze/Thaw Cycle: Stable x6	86341
LABCORP	808135	Zolpidem, Serum or Plasma Container:Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen is stable for three days at room temperature, for three days refrigerated, and for two weeks frozen.	80299
LABCORP	809646	Zolpidem, Whole Blood Container:Lavender Top (EDTA) Tube OR Gray Top (Sodium Floride) Tube OR Green Top (Sodium Heparin) Tube. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80368