

LAB	CODE	TEST NAME	CPT4 CODE
FHC	18378309	Q Fever Antibody	
FHC	18379718	Quantiferon - TB	
FHC	18376776	Quinidine Level	
LABCORP	806606	Q Fever IgG/IgM Antibody Scrn Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86638 x4
LABCORP	806617	Q Fever IgM Antibody Screen Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86638 x2
LABCORP	199995	QAPAM	NOcpt
LABCORP	182893	QuantiFERON(R)-TB Gold Plus (Client Incubated) Container:The QuantiFERON(R)-TB Gold Plus collection kit contains the instructions for the collection and handling of (one each): (1) gray-top (with white ring), uncoated (nil); (2) green cap with white ring, TB1 tube; (3) yellow cap with white ring, TB2 tube; (4) purple top with white ring, mitogen-coated. A high altitude kit is also available for locations between 3350 and 6150 feet; a cap with a yellow ring differentiates the tubes. Temperature:1. Maintain specimen at room temperature prior to incubation at 37 degrees C. Stability: Kit MUST be incubated within 16 hours of collection. 2. After incubation, maintain specimen at room temperature (17 degrees C to 27 degrees C). Do NOT centrifuge refrigerate, or ship tubes on ice.	86480
LABCORP	182913	QuantiFERON-TB Gold Plus Container:Green-Top (Lithium Heparin) Tube Temperature:After collection, the blood can be held at room temperature (17 to 25 degrees Celsius) for up to three hours, and then placed at 2 to 8 degrees Celsius for up to 48 hours. Alternatively, blood can immediately be placed at 2 to 8 degrees Celsius for up to 48 hours. *After refrigeration, the lithium heparin tube MUST equilibrate to room temperature (17 to 25 degrees Celsius) prior to the transfer to QFT-Plus Blood Collection Tubes. *Aliquoted QFT-Plus Blood Collection Tubes should be placed in the 37 degree Celsius incubator within two hours of blood transfer. *NOTE: Total time from blood draw to incubation in QFT-Plus Blood Collection Tubes should NOT exceed 53 hours.	86480
LABCORP	808404	Quetiapine, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT recommended. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80299
LABCORP	791462	Quetiapine, Ur Container:Urine transfer tube Temperature:Maintain specimen at room temperature up to three days. Specimens may also be refrigerated or frozen.	80342
LABCORP	810819	Quinine, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	84228
LABCORP	802110	Quinine/Quinidine Different. Container:Red-top tube, lavender-top (EDTA) tube Temperature:Refrigerate (Cool Pack)	80194
LABCORP	805913	Quinoa (Chenopodium quinoa)IgE Container:Gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	827488	Quinoline Yellow - BasoFu. HRT Container:Green-top (sodium heparin) tube: submit original tube Temperature:Maintain specimen at room temperature	86343