

LAB	CODE	TEST NAME	CPT4 CODE
SLH	17OHP (LC)	17-OH Progesterone (LC)	
SLH	D2D3 (LC)	25-Hydroxyvitamin D2+D3 (LC)	
SLH	5HIAA (LC)	5-HIAA,Quant.,24 Hr Ur (LC)	
SLH	AFUMG (LC)	A. fumigatus Ab IgG (LC)	
SLH	A1APG (LC)	A1A, Quant+Genotype(Rfx Pheno) (LC)	
SLH	ABO/Rh	ABO/Rh Container:EDTA	
SLH	Abs Neut	Absolute Neutrophil Count Container:EDTA	
SLH	ACD4B (LC)	Absolute T Cell Count (LC)	
SLH	Acetam Lvl	Acetaminophen Level Container:PST	
SLH	ACRECA (LC)	AChR Binding Abs (LC)	
SLH	ACEMOD (LC)	AChR Modulating Abs (LC)	
SLH	C AFB Rfx Susc (LC)	Acid Fast Smear and Culture Rfx Susc (LC)	
SLH	POC ACT	ACT (POCT) Container:POC Container	
SLH	ACTH (LC)	ACTH, Plasma (LC)	
SLH	ASM (LC)	Actin (Smooth Muscle) Ab (LC)	
SLH	APRV (LC)	Activated Protein C Resistance (LC)	
SLH	ADAMT (LC)	ADAMTS13 Activity Reflex Panel (LC)	
SLH	C Aerobic (LC)	Aerobic Culture (LC)	
SLH	QUAD	AFP Tetra (LC)	
SLH	AFP (LC)	AFP, Serum (LC)	
SLH	MSAFP (LC)	AFP, Serum, Open Spina Bifida (LC)	
SLH	Alb Lvl	Albumin Level Container:PST	
SLH	BF Alb	Albumin Level Body Fluid Container:SterileCup	
SLH	U Alb/Creat Ratio	Albumin/Creatinine Ratio Urine Container:SterileCup	
SLH	Alb/Glob	Albumin/Globulin Ratio Container:PST	
SLH	Ethanol	Alcohol Level Container:PST	
SLH	ALD (LC)	Aldolase (LC)	
SLH	ALDOST (LC)	Aldosterone, Serum (LC)	
SLH	ALKI (LC)	Alk Phos Isoenzyme (LC)	
SLH	BALP (LC)	Alk Phosphatase, Bone Specific (LC)	
SLH	Alk Phos	Alkaline Phosphatase Container:PST	
SLH	BF Alh Phos	Alkaline Phosphatase Fluid Container:SterileCup	
SLH	MOLDP (LC)	Allergen Profile, Mold (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	RAPMI (LC)	Allergens w/Total IgE MI (LC)	
SLH	RAPOH (LC)	Allergens w/Total IgE OH (LC)	
SLH	AAT (LC)	Alpha-1-Antitrypsin (LC)	
SLH	ALT	ALT Container:PST	
SLH	AMTRP (LC)	Amitriptyline (Elavil) (LC)	
SLH	AMLRx (IO)	AML CHROMO RFX FLT3/CEBPA/NPM1 (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	AMLF (IO)	AML FISH Panel (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	Ammonia	Ammonia Level Container:GrnLiHep	
SLH	AMPHCU (LC)	Amphet Conf, Ur (LC)	
SLH	Amylase	Amylase Level Container:PST	
SLH	BF Amy	Amylase Level Body Fluid Container:SterileCup	
SLH	U Amy	Amylase Level Urine Container:SterileCup	
SLH	C Anaerobic (LC)	Anaerobic Culture (LC)	
SLH	DELTA (LC)	Androstenedione (LC)	
SLH	ATCE (LC)	Angiotensin-Converting Enzyme (LC)	
SLH	ACM (LC)	Anti-Centromere B Abs (LC)	
SLH	DNADS (LC)	Anti-dsDNA Antibodies (LC)	
SLH	JO1 (LC)	Anti-Jo-1 (LC)	
SLH	ABSC	Antibody Screen Container:EDTA	
SLH	Ab Titer	Antibody Titer Container:EDTA	
SLH	ACA (LC)	Anticardiolip Ab, IgA,G,M Qn (LC)	
SLH	CNAB (LC)	Antichromatin Abs (LC)	
SLH	SRNP (LC)	Antiextractable Nuclear Ag (LC)	
SLH	GBM Ab (LC)	Antiglomerular BM Ab (LC)	
SLH	MPO (LC)	Antimyeloperoxidase (MPO) Abs (LC)	
SLH	ANCA (LC)	Antineutrophil Cytoplasmic Ab (LC)	
SLH	ANA (LC)	Antinuclear Antibodies Direct (LC)	
SLH	ANAIFA (LC)	Antinuclear Antibodies, IFA (LC)	
SLH	PR3 Abs (LC)	Antiproteinase 3 Abs (LC)	
SLH	SCL70Ab (LC)	Antiscleroderma-70 Abs (LC)	
SLH	ATT3 (LC)	Antithrombin Activity (LC)	
SLH	AT3AG (LC)	Antithrombin Antigen (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	APLPCR (IO)	APL(PML-RARA) Quant (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	APOE (LC)	APOE Alzheimer's Risk (LC)	
SLH	MIX (LC)	aPTT Mixing Studies (LC)	
SLH	AST	AST Container:PST	
SLH	BLPF (IO)	B-Cell Lymphoma Profile, FISH (IO) Container:GrnNaHep, SterileCon Temperature:Send Out RmTmp	
SLH	BARBCU (LC)	Barb Conf, Ur (LC)	
SLH	BART (LC)	Bartonella Ab Panel (LC)	
SLH	BMP	Basic Metabolic Panel Container:PST	
SLH	BCRAB (IO)	BCR ABL CML/ABL Qn p210 (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	KINASE (IO)	BCR-ABL1 kinase domain (IO) Container:EDTA Temperature:Send Out RmTmp	
SLH	BENZOCU (LC)	Benzo Conf, Ur (LC)	
SLH	B-hCG QI	Beta hCG Qualitative Container:SST	
SLH	U B-hCG QI	Beta hCG Qualitative Urine Container:SterileCup	
SLH	B-hCG Qnt	Beta hCG Quantitative Container:SST	
SLH	BOH	Beta Hydroxybutyrate Container:PST	
SLH	B2G (LC)	Beta-2 Glycoprotein I Ab,G,A,M (LC)	
SLH	B2MIC (LC)	Beta-2 Microglobulin, Serum (LC)	
SLH	BF Bili	Bilirubin Body Fluid Container:SterileCup	
SLH	Bili Dir	Bilirubin Direct Container:PST	
SLH	Bili Total	Bilirubin Total Container:PST	
SLH	BKDNA (LC)	BK Quant PCR (LC)	
SLH	BLADCF (LC)	Bladder Cancer FISH, MD Review (LC)	
SLH	C Blood (LC)	Blood Culture (LC)	
SLH	RT ABG	Blood Gas Arterial Container:Syringe	
SLH	POC ABG	Blood Gas Arterial (POCT) Container:POC Container	
SLH	RT CBG	Blood Gas Capillary Container:Syringe	
SLH	POC CBG	Blood Gas Capillary (POCT) Container:POC Container	
SLH	RT Blood Gas Cord Arterial	Blood Gas Cord Arterial Container:Syringe	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	RT Blood Gas Cord Venous	Blood Gas Cord Venous Container:Syringe	
SLH	RT VBG	Blood Gas Venous Container:Syringe	
SLH	POC VBG	Blood Gas Venous (POCT) Container:POC Container	
SLH	BNP	BNP Container:EDTA	
SLH	C S Body Fld (LC)	Body Fluid Culture, Sterile (LC)	
SLH	B Pertussis PCR-IL	Bordetella Pertussis PCR-IL Container:Swab Mini Temperature:Send Out Refrig	
SLH	BUN	BUN Container:PST	
SLH	Bupren (LC)	Buprenorphine and Metabolite (LC)	
SLH	CDFPCR (LC)	C difficile Toxin Gene NAA (LC)	
SLH	CPEP (LC)	C-Peptide (LC)	
SLH	CRP	C-Reactive Protein Container:PST	
SLH	CRP HS	C-Reactive Protein High Sensitivity Container:PST	
SLH	C1ES (LC)	C1 Esterase Inhibitor (LC)	
SLH	C125 (LC)	CA 125 (LC)	
SLH	C199 (LC)	CA 19-9 (LC)	
SLH	CA2729 (LC)	CA 27.29 (LC)	
SLH	BF Ca	Calcium Body Fluid Container:SterileCup	
SLH	U24 Ca	Calcium Level 24 Hour Urine Container:Urine Jug	
SLH	Ca Ion	Calcium Level Ionized Container:GrnLiHep	
SLH	Ca	Calcium Level Total Container:PST	
SLH	U Ca	Calcium Level Urine Container:SterileCup	
SLH	Calculi Ur (LC)	Calculi, Urinary (LC)	
SLH	CalpS (LC)	Calprotectin, Fecal (LC)	
SLH	Carbam	Carbamazepine Level Container:PST	
SLH	CO2	Carbon Dioxide Level Container:PST	
SLH	RT Carboxyhemoglobin	Carboxyhemoglobin RT Container:Syringe	
SLH	PCAT (LC)	Catecholamines, Plasma (LC)	
SLH	CAT,24U (LC)	Catecholamines,Ur.,Free,24 Hr (LC)	
SLH	CBC w/ Diff	CBC w/ Diff Container:EDTA	
SLH	CBC w/ Manual Diff	CBC w/ Manual Diff Container:EDTA	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	CBC w/o Diff	CBC w/o Diff Container:EDTA	
SLH	CCPA (LC)	CCP Antibodies (LC)	
SLH	TCDR (LC)	CD4/CD8 Ratio Profile (LC)	
SLH	CEA (LC)	CEA (LC)	
SLH	CEBPA (IO)	CEBPA Mutation Analysis (IO) Container:EDTA Temperature:Send Out RmTmp	
SLH	BF Cell Ct w/Diff	Cell Count w/ Diff Body Fluid Container:SterileCup	
SLH	CSF Cell Ct w/Diff	Cell Count w/ Diff CSF Container:CSF Tube	
SLH	CER (LC)	Ceruloplasmin (LC)	
SLH	CHDP (LC)	Childhood Allergy Profile (LC)	
SLH	C Chlam (LC)	Chlamydia Trachomatis Culture (LC)	
SLH	Chlam/GC NAA (LC)	Chlamydia/GC Amplification (LC)	
SLH	CI	Chloride Level Container:PST	
SLH	U24 CI	Chloride Level 24 Hour Urine Container:Urine Jug	
SLH	BF CI	Chloride Level Body Fluid Container:SterileCup	
SLH	U CI	Chloride Level Urine Container:SterileCup	
SLH	Chloride RT	Chloride RT Container:Syringe	
SLH	BF Chol	Cholesterol Body Fluid Container:SterileCup	
SLH	HDL	Cholesterol HDL Container:PST	
SLH	Chol	Cholesterol Total Container:PST	
SLH	CHROA (LC)	Chromogranin A (LC)	
SLH	CBM (IO)	Chromosome, Leukemia/Lymphoma (IO) Container:SterileCon or GrnNaHep Temperature:Send Out RmTmp	
SLH	CK-MB	CK-MB w/Relative Index Container:PST	
SLH	CLLF (IO)	CLL FISH Panel (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	CVG (LC)	CMV Ab, IgG (LC)	
SLH	CMVIgM (LC)	CMV IgM Ab (LC)	
SLH	LLPH (IO)	Comp panel: Leukemia/Lymphoma (IO) Container:SterileCon or GrnNaHep Temperature:Send Out RmTmp	
SLH	C1Q (LC)	Complement C1q, Quant (LC)	
SLH	C3 (LC)	Complement C3 (LC)	
SLH	C4 (LC)	Complement C4 (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	CH50 (LC)	Complement, Total (CH50) (LC)	
SLH	CMP	Comprehensive Metabolic Panel Container:PST	
SLH	Copp (LC)	Copper (LC)	
SLH	Cord ABO/Rh	Cord ABO/Rh Container:Yellow ACT	
SLH	POC CABG	Cord Arterial Blood Gas (POCT) Container:POC Container	
SLH	Cord DAT	Cord DAT Container:Yellow ACT	
SLH	POC CVBG	Cord Venous Blood Gas (POCT) Container:POC Container	
SLH	CORT (LC)	Cortisol (LC)	
SLH	CK	Creatine Kinase Container:PST	
SLH	CK MB	Creatine Kinase MB Container:PST	
SLH	Creat	Creatinine Container:PST	
SLH	U24 Creat	Creatinine 24 Hour Urine Container:Urine Jug	
SLH	BF Creat	Creatinine Body Fluid Container:SterileCup	
SLH	Creat Clear	Creatinine Clearance Container:Urine Jug	
SLH	U Creat	Creatinine Urine Container:SterileCup	
SLH	Crypt Abs (LC)	Cryptococcus Abs, Qn (LC)	
SLH	CryptAg CSF (LC)	Cryptococcus Antigen, CSF (LC)	
SLH	BF Crystal	Crystal Examination Body Fluid Container:SterileCup	
SLH	CYSFIB (LC)	Cystic Fibrosis Mutattion (LC)	
SLH	C Cysto Bladder (LC)	Cysto Bladder Culture (LC)	
SLH	D-Dimer	D-Dimer Container:Blue	
SLH	DHEA (LC)	DHEA, Serum (LC)	
SLH	DHEAS (LC)	DHEA-Sulfate (LC)	
SLH	Digoxin Lvl	Digoxin Level Container:PST	
SLH	DHTS (LC)	Dihydrotestosterone (LC)	
SLH	DAT Poly	Direct Antiglobulin Test Container:EDTA	
SLH	U Drug Scr	Drug Screen Urine Container:SterileCup	
SLH	C Duodenal Asp Quant-IL	Duodenal Aspirate Quant Culture-IL Container:SterileCon Temperature:Send Out RmTmp	
SLH	EBG (LC)	EBV Ab VCA, IgG (LC)	
SLH	EBM (LC)	EBV Ab VCA, IgM (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	EBEA (LC)	EBV Early Ag Ab, IgG (LC)	
SLH	EBVN (LC)	EBV Nuclear Ag Ab, IgG (LC)	
SLH	Lytes	Electrolyte Panel Container:PST	
SLH	ENDO (LC)	Endomysial Ab IgA (LC)	
SLH	Eos Tot	Eosinophil Count,Total Container:EDTA	
SLH	BF Eos	Eosinophils Body Fluid Container:SterileCup	
SLH	EPO (LC)	Erythropoietin (LC)	
SLH	ESR	ESR Westergren Container:EDTA	
SLH	P20210 (LC)	Factor II, DNA Analysis (LC)	
SLH	F5 (LC)	Factor V Activity (LC)	
SLH	F5LDN (LC)	Factor V Leiden Mutation (LC)	
SLH	F7 (LC)	Factor VII Activity (LC)	
SLH	F8 (LC)	Factor VIII Activity (LC)	
SLH	FDP (LC)	FDP, Plasma (LC)	
SLH	Fecal Fat (LC)	Fecal Fat, Qnt (LC)	
SLH	FOB (Guaiac)	Fecal Occult Blood (Guaiac) Container:SterileCup	
SLH	FOB Multi	Fecal Occult Blood Multiple Container:SterileCup	
SLH	Fentanyl (LC)	Fentanyl and Metabolite (LC)	
SLH	Ferritin	Ferritin Container:PST	
SLH	Fetal Fibronectin-IL	Fetal Fibronectin-IL Container:Swab Temperature:Send Out Refrig	
SLH	Fetal Screen	Fetal Screen Container:EDTA	
SLH	Fibrinogen	Fibrinogen Level Container:Blue	
SLH	PNH (IO)	Flow Cytometry PNH (IO) Container:GrnNaHep Temperature:Send Out RmTmp	
SLH	FLT (IO)	FLT3 Inter.Tandem Dup(ITD) PCR (IO) Container:Bone Marrow: GrnNaHep Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	FOLI (LC)	Folate (LC)	
SLH	FOODP (LC)	Food Allergy Profile (LC)	
SLH	FLCH (LC)	Free Light Chains, S (LC)	
SLH	LCU (LC)	Free Light Chains, Ur (LC)	
SLH	Free T3 (LC)	Free T3 (LC)	
SLH	Free T4	Free T4 Container:PST	
SLH	FSH (LC)	FSH, Serum (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	C Fungal w/ Stain (LC)	Fungal Culture w/ Stain (LC)	
SLH	Gastrin (LC)	Gastrin (LC)	
SLH	C Genital (LC)	Genital Culture (LC)	
SLH	Gent	Gentamicin Level Container:PST	
SLH	Gent Pk	Gentamicin Level Peak Container:PST	
SLH	Gent Tr	Gentamicin Level Trough Container:PST	
SLH	GGT	GGT Container:PST	
SLH	GIP (LC)	GI Profile, Stool, PCR (LC)	
SLH	POC Gluc	Glucose (POCT) Container:POC Container	
SLH	U24 Gluc	Glucose 24 Hour Urine Container:Urine Jug	
SLH	BF Gluc	Glucose Body Fluid Container:SterileCup	
SLH	CSF Gluc	Glucose CSF Container:CSF Tube	
SLH	Gluc	Glucose Level Container:PST	
SLH	GPP 1hr	Glucose Post Prandial, 1 hour Container:PST	
SLH	GPP 2hr	Glucose Post Prandial, 2 hour Container:PST	
SLH	Glucose RT	Glucose RT Container:Syringe	
SLH	GTT Request	Glucose Tolerance Test Request Container:PST	
SLH	U Gluc	Glucose Urine Container:SterileCup	
SLH	Gram Stain (LC)	Gram Stain (LC)	
SLH	SGH (LC)	Growth Hormone (LC)	
SLH	Guaiac Gastric	Guaiac Gastric Container:SterileCup	
SLH	HPSA (LC)	H. pylori Stool Ag, EIA (LC)	
SLH	HPYG (LC)	H. pylori, IgG Abs (LC)	
SLH	HAPT (LC)	Haptoglobin (LC)	
SLH	HBsAg Scr (LC)	HBsAg Screen (LC)	
SLH	QHBV (LC)	HBV Quant PCR Rfx to Genotype (LC)	
SLH	HCV (LC)	HCV Ab w/Rfx to Verification (LC)	
SLH	HepCFIB (LC)	HCV FibroSure (LC)	
SLH	HCVGEN (LC)	HCV Genotyping Non Reflex (LC)	
SLH	QHCV (LC)	HCV RT-PCR, Quant (Non-Graph) (LC)	
SLH	HMPB (LC)	Heavy Metal Blood (LC)	
SLH	HMPU (LC)	Heavy Metal Urine (LC)	



LAB	CODE	TEST NAME	CPT4 CODE
SLH	Hct	Hematocrit Container:EDTA	
SLH	Hematocrit RT	Hematocrit RT Container:Syringe	
SLH	Hgb	Hemoglobin Container:EDTA	
SLH	H&H	Hemoglobin and Hematocrit Container:EDTA	
SLH	Hemoglobin RT	Hemoglobin RT Container:Syringe	
SLH	HAVM (LC)	Hep A Ab, IgM (LC)	
SLH	HEPA (LC)	Hep A Ab, Total (LC)	
SLH	HBcIgM (LC)	Hep B Core Ab, IgM (LC)	
SLH	AHBc (LC)	Hep B Core Ab, Tot (LC)	
SLH	HBeAb (LC)	Hep Be Ab (LC)	
SLH	HBeAg (LC)	Hep Be Ag (LC)	
SLH	HepD (LC)	Hep D Total (LC)	
SLH	H E IgM (LC)	Hep E IgM (LC)	
SLH	Heparin Platelet Ab-IL	Heparin Platelet Antibody-IL Container:Red Temperature:Send Out Refrig	
SLH	Hep Fnct Pnl	Hepatic Function Panel Container:PST	
SLH	AHBs (LC)	Hepatitis B Surf Ab Quant (LC)	
SLH	AHP (LC)	Hepatitis Panel (4) (LC)	
SLH	C HSV (LC)	Herpes Virus Culture (LC)	
SLH	HA1C (LC)	Hgb A1c (LC)	
SLH	HGEL (LC)	Hgb Frac. Profile (LC)	
SLH	HgBSol (LC)	Hgb Solubility (LC)	
SLH	HHV6P (LC)	HHV-6 Quant DNA PCR (LC)	
SLH	HIV4 (LC)	HIV 1&2 Ab/Ag 4 Gen (LC)	
SLH	QHIV (LC)	HIV-1, RNA, Real Time PCR (LC)	
SLH	HLA B27 (LC)	HLA B 27 Disease Association (LC)	
SLH	HMCY (LC)	Homocysteine, Plasma (LC)	
SLH	HPV hr16/18 (LC)	HPV, cobas hr/16/18 (LC)	
SLH	HSVP (LC)	HSV 1 and 2 Ab, IgG (LC)	
SLH	HSVMS (LC)	HSV 1 and 2 IgM Abs, Indirect (LC)	
SLH	HE4 (LC)	Human Epididymis Protein 4 (LC)	
SLH	AlmIgE (LC)	IgE Almond (LC)	
SLH	ALactIgE (LC)	IgE Alpha Lactalbumin (LC)	
SLH	AFumgIgE (LC)	IgE Aspergillus fumigatus (LC)	
SLH	ANigIgE (LC)	IgE Aspergillus niger (LC)	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	BLacIgE (LC)	IgE Beta Lactoglobulin (LC)	
SLH	KgrasIgE (LC)	IgE Bluegrass, Kentucky (LC)	
SLH	BrazIgE (LC)	IgE Brazil Nut (LC)	
SLH	CaselgE (LC)	IgE Casein (LC)	
SLH	CashIgE (LC)	IgE Cashew Nut (LC)	
SLH	ClamIgE (LC)	IgE Clam (LC)	
SLH	CornIge (LC)	IgE Corn (LC)	
SLH	CLunIgE (LC)	IgE Curvularia lunata (LC)	
SLH	HazellgE (LC)	IgE Hazelnut (Filbert) (LC)	
SLH	HBeelgE (LC)	IgE Honeybee (LC)	
SLH	JGrasIgE (LC)	IgE Johnson Grass (LC)	
SLH	OvomIgE (LC)	IgE Ovomuroid (LC)	
SLH	PwasplgE (LC)	IgE Paper Wasp (LC)	
SLH	PNTCMP (LC)	IgE Peanut Component Profile (LC)	
SLH	PecanIgE (LC)	IgE Pecan Nut (LC)	
SLH	PistalIgE (LC)	IgE Pistachio Nut (LC)	
SLH	RNigIgE (LC)	IgE Rhizopus nigricans (LC)	
SLH	TRublIgE (LC)	IgE Trichophyton rubrum (LC)	
SLH	YJackIgE (LC)	IgE Yellow Jacket (LC)	
SLH	IgGIndex (LC)	IgG Index, CSF (LC)	
SLH	IgGSUB (LC)	IgG, Subclasses(1-4) (LC)	
SLH	CSFGG (LC)	IgG,Quant,CSF (LC)	
SLH	IFOB (LC)	Immune Fecal OB	
SLH	IFE (LC)	Immunofixation, Serum (LC)	
SLH	UMEL (LC)	Immunofixation, Urine (LC)	
SLH	IgA (LC)	Immunoglobulin A (LC)	
SLH	IgE (LC)	Immunoglobulin E, Total (LC)	
SLH	IgG (LC)	Immunoglobulin G (LC)	
SLH	IgGSyn (LC)	Immunoglobulin G,Syn Rate,CSF (LC)	
SLH	IgM (LC)	Immunoglobulin M (LC)	
SLH	IgA,G,M (LC)	Immunoglobulins A,G,M (LC)	
SLH	INFPCR (LC)	Influenza A and B, RT PCR (LC)	
SLH	POC INR	INR (POCT) Container:POC Container	
SLH	INSL (LC)	Insulin (LC)	
SLH	InsGF1 (LC)	Insulin-like Growth Factor 1 (LC)	
SLH	Ionized Ca RT	Ionized Ca RT Container:Syringe	
SLH	Iron	Iron Level Container:PST	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	Fe + TIBC	Iron Level and TIBC Container:PST	
SLH	JAK2 (IO)	JAK2 Mutation Analysis, Qual (IO) Container:EDTA Temperature:Send Out RmTmp	
SLH	Kleihauer Betke-IL	Kleihauer Betke-IL Container:EDTA Temperature:Send Out RmTmp	
SLH	Lacta	Lactate Container:Grey	
SLH	LDH	Lactate Dehydrogenase Container:PST	
SLH	Lactic Acid RT	Lactic Acid RT Container:Syringe	
SLH	LACTOF (LC)	Lactoferrin, Fecal (LC)	
SLH	LAMOT (LC)	Lamotrigine, S (LC)	
SLH	BF LDH	LDH Body Fluid Container:SterileCup	
SLH	DLDL	LDL Direct Container:PST	
SLH	Lead A (LC)	Lead, Blood (Adult) (LC)	
SLH	Lead P (LC)	Lead, Blood (Pediatric) (LC)	
SLH	LEGU (LC)	Legionella Ur Ag (LC)	
SLH	KPRA (LC)	Levetiracetam, S (LC)	
SLH	Lipase	Lipase Level Container:PST	
SLH	BF Lipase	Lipase Level Body Fluid Container:SterileCup	
SLH	Lipid Pnl	Lipid Panel Container:PST	
SLH	Lith (LC)	Lithium (LC)	
SLH	LMWHEP-IL	Low Molecular Weight Heparin-IL Container:Blue Temperature:Send Out Froz	
SLH	C Lower Resp (LC)	Lower Respiratory Culture (LC)	
SLH	LH (LC)	Luteinizing Hormone (LC)	
SLH	LYGM (LC)	Lyme, Total Ab Test/Reflex (LC)	
SLH	Mg	Magnesium Level Container:PST	
SLH	U24 Mg	Magnesium Level 24 Hour Urine Container:Urine Jug	
SLH	Mg Ion	Magnesium Level Ionized Container:GrnLiHep	
SLH	U Mg	Magnesium Level Urine Container:SterileCup	
SLH	RBCMG (LC)	Magnesium, RBC (LC)	
SLH	Malaria Smears (LC)	Malaria Smears (LC)	
SLH	MDMACU (LC)	MDMA Conf, Ur (LC)	
SLH	MDSF (IO)	MDS FISH Panel (IO) Container:Bone Marrow: GrnNaHep	

LAB	CODE	TEST NAME	CPT4 CODE
		Whole Blood: EDTA Temperature:Send Out RmTmp	
SLH	Men/Enceph Panel-IL	Meningitis/Encephalitis Panel-IL Container:Sterile Tube Temperature:Send Out Refrig	
SLH	Mepno (LC)	Meperidine (Demerol) (LC)	
SLH	Metnf (LC)	Metanephrines Frac, PI Free (LC)	
SLH	MET,24U (LC)	Metanephrines, Frac, Qn, 24-Hr (LC)	
SLH	METHCU (LC)	Methadone Conf, Ur (LC)	
SLH	RT Methemoglobin	Methemoglobin RT Container:Syringe	
SLH	MMAS (LC)	Methylmalonic Acid (LC)	
SLH	Misc Test	Miscellaneous Lab Test Container:Body Fl, Blood, CSF, Urine, Micro Spec: SterileCon Blood: SST	
SLH	Misc Test (LC)	Miscellaneous Lab Test (LabCorp)	
SLH	AMIT (LC)	Mitochondrial (M2) Ab(LC)	
SLH	MMR (LC)	MMR Immunity (LC)	
SLH	Mono Scrn	Mononucleosis Screen Container:SST	
SLH	MRSA NAA (LC)	MRSA by NAA (LC)	
SLH	MTB NAA C/ID/Susc (LC)	Mtb NAA + AFB Smear /Cult /ID /AST (LC)	
SLH	MTHFR (LC)	MTHFR (LC)	
SLH	MYELOF (IO)	Multiple Myeloma FISH Panel (IO) Container:GrnNaHep Temperature:Send Out RmTmp	
SLH	MUMP (LC)	Mumps Ab, IgG (LC)	
SLH	MYCG (LC)	Mycoplasma pneumoniae, IgG Ab (LC)	
SLH	MYCM (LC)	Mycoplasma pneumoniae, IgM Ab (LC)	
SLH	CMBP (LC)	Myelin Basic Protein, CSF (LC)	
SLH	Myoglob	Myoglobin, serum/plasma Container:PST	
SLH	C GC (LC)	Neisseria gonorrhoea Culture (LC)	
SLH	NOXB (LC)	Neutrophil Oxidative Burst (LC)	
SLH	PKU	New Born Screen Container:PKU Card	
SLH	NICTS (LC)	Nicotine and Metabolite, S Qn (LC)	
SLH	NICTU (LC)	Nicotine and Metabolite, Ur Qn (LC)	
SLH	NPM1 (IO)	NPM1 Mutation Analysis (IO) Container:EDTA Temperature:Send Out RmTmp	
SLH	OB Hep BsAG-IL	OB Hepatitis BsAG-IL Container:SST Temperature:Send Out Refrig	
SLH	OB HIV-IL	OB HIV-IL Container:SST Temperature:Send Out RmTmp	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	OLIGO (LC)	Oligoclonal Banding (LC)	
SLH	BCRABL (IO)	Oncology BCR/ABL1 FISH (IO) Container:GrnNaHep Temperature:Send Out RmTmp	
SLH	OPICU (LC)	Opiate Conf, Ur (LC)	
SLH	OSHALZP (LC)	OSHA Zinc Protoporphyrin (LC)	
SLH	Osmo	Osmolality Container:PST	
SLH	U Osmo	Osmolality Urine Container:SterileCup	
SLH	O and P (LC)	Ova and Parasites (LC)	
SLH	TRLP (LC)	Oxcarbazepine, S (LC)	
SLH	OXYCU (LC)	Oxy Conf, Ur (LC)	
SLH	PaneS (LC)	Pancreatic Elastase, Fecal (LC)	
SLH	Pap (LC)	Pap (LC)	
SLH	PapCG (LC)	Pap w Ct/Ng (LC)	
SLH	PapCG r HPV AS (LC)	Pap w Ct/Ng, rfx HPV ASCU (LC)	
SLH	PapCG r HPV AB (LC)	Pap w Ct/Ng, rfx HPV ASCUS/Above (LC)	
SLH	PapCGHPVhr (LC)	Pap w Ct/Ng/HPV-hr (LC)	
SLH	PapCGT (LC)	Pap w Ct/Ng/Tv (LC)	
SLH	PapCGT r HPV AS (LC)	Pap w Ct/Ng/Tv, rfx HPV ASCU (LC)	
SLH	PapCGT r HPV AB (LC)	Pap w Ct/Ng/TV, rfx HPV ASCUS/Above (LC)	
SLH	PapCGTHSV (LC)	Pap w Ct/Ng/Tv/HSV (LC)	
SLH	PapCGTHSV r HPV AS (LC)	Pap w Ct/Ng/Tv/HSV, rfx HPV ASCU (LC)	
SLH	PapCGTHSV r HPV AB (LC)	Pap w Ct/Ng/Tv/HSV, rfx HPV ASCUS/Above (LC)	
SLH	Pap HPV-hr (LC)	Pap w HPV-hr (LC)	
SLH	Pap r HPV AS (LC)	Pap w rfx HPV ASCU (LC)	
SLH	Pap r HPV AB (LC)	Pap w rfx HPV ASCUS/Above (LC)	
SLH	PTHRP (LC)	Parathyroid Hormone-related Peptide (LC)	
SLH	Path Rev	Pathology Review Container:SterileCon	
SLH	Iron Sat	Percent Iron Saturation Container:PST	
SLH	BF pH	pH Body Fluid Container:SterileCup	
SLH	POC Ven pH	pH Venous (POCT) Container:POC Container	
SLH	pH Venous RT	pH Venous RT Container:GrnLiHep	
SLH	PHCYCU (LC)	Phencyclidine Conf, Ur (LC)	
SLH	Phenobarb	Phenobarbital Level Container:PST	
SLH	Phenytoin	Phenytoin Level Total Container:PST	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	FDIL (LC)	Phenytoin, Free, (LC)	
SLH	Phos Lvl	Phosphorus Level Container:PST	
SLH	U24 Phos	Phosphorus Level 24 Hour Urine Container:Urine Jug	
SLH	U Phos	Phosphorus Level Urine Container:SterileCup	
SLH	Pinworm Prep (LC)	Pinworm Prep (LC)	
SLH	Plt Cnt	Platelet Count Container:EDTA	
SLH	PFA-IL	Platelet Function Test-IL Container:Blue (2 Tubes) Temperature:Send Out RmTmp	
SLH	PN23 (LC)	Pneumococcal Ab 23 (LC)	
SLH	K	Potassium Level Container:PST	
SLH	U24 K	Potassium Level 24 Hour Urine Container:Urine Jug	
SLH	BF K	Potassium Level Body Fluid Container:SterileCup	
SLH	U K	Potassium Level Urine Container:SterileCup	
SLH	Potassium RT	Potassium RT Container:Syringe	
SLH	Prealb	Prealbumin Container:PST	
SLH	PCAL (LC)	Procalcitonin (LC)	
SLH	PRGST (LC)	Progesterone (LC)	
SLH	PROL (LC)	Prolactin (LC)	
SLH	UPEG24 (LC)	Prot Electro+Interp, 24-Hr Ur (LC)	
SLH	U24 Prot	Protein 24 Hour Urine Container:Urine Jug	
SLH	BF Prot	Protein Body Fluid Container:SterileCup	
SLH	PCAg (LC)	Protein C Ag (LC)	
SLH	CSF Prot	Protein CSF Container:CSF Tube	
SLH	SPEP (LC)	Protein Electrophoresis, Serum (LC)	
SLH	UPEG (LC)	Protein Electro, Random Ur (LC)	
SLH	PrSAg (LC)	Protein S-Antigen (LC)	
SLH	PRSAc (LC)	Protein S-Functional (LC)	
SLH	Prot Tot	Protein Total Container:PST	
SLH	U Prot	Protein Urine Container:SterileCup	
SLH	U Pr/Cr Ratio	Protein/Creatinine Ratio Urine Container:SterileCup	
SLH	PROTC (LC)	Prt C Activity (LC)	
SLH	PSA Diag	PSA Diagnostic	

LAB	CODE	TEST NAME	CPT4 CODE
		Container:SST	
SLH	PSA Scrn	PSA Screening Container:SST	
SLH	FTPSA (LC)	PSA Total+% Free (LC)	
SLH	PT	PT Container:Blue	
SLH	PTH (LC)	PTH, Intact (LC)	
SLH	PTT	PTT Container:Blue	
SLH	QTBG (LC)	QuantiFERON TB Gold (LC)	
SLH	HIV Scrn	Rapid HIV Screen Container:PST	
SLH	Rap Flu A/B	Rapid Influenza A and B Antigen Container:Swab Mini	
SLH	Rap Strep	Rapid Strep Screen Container:Swab	
SLH	RBC	Red Cell Count Container:EDTA	
SLH	REPP (LC)	Respiratory Profile, PCR (LC)	
SLH	RSV Ag	Respiratory Syncytial Virus Antigen Detection Container:SterileCup	
SLH	Retic Cnt Auto	Retic Count Automated Container:EDTA	
SLH	T3R (LC)	Reverse T3 (LC)	
SLH	ROTAV (LC)	Rotavirus Ag, EIA (LC)	
SLH	RublgG (LC)	Rubella Abs, IgG (LC)	
SLH	RBEIgE (LC)	Rubeola Ab, IgG (LC)	
SLH	SPNEAU (LC)	S. pneumoniae Ag Ur (LC)	
SLH	Salicylate	Salicylate Level Container:PST	
SLH	Post Vas	Semen Analysis Post Vasectomy Container:SterileCup	
SLH	SHBG (LC)	Sex Horm Binding Glob (LC)	
SLH	SIRL (LC)	Sirolimus (LC)	
SLH	Sjogren (LC)	Sjogren's Ab (LC)	
SLH	Na	Sodium Level Container:PST	
SLH	U24 Na	Sodium Level 24 Hour Urine Container:Urine Jug	
SLH	BF Na	Sodium Level Body Fluid Container:SterileCup	
SLH	U Na	Sodium Level Urine Container:SterileCup	
SLH	Sodium RT	Sodium RT Container:Syringe	
SLH	C Sputum w/ GS (LC)	Sputum Cult Rflx w/ Gram Stain (LC)	
SLH	Stat Estradiol-IL	Stat Estradiol-IL Container:SST Temperature:Send Out Refrig	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	Stat FSH-IL	Stat Follicle Stimulating Hormone-IL Container:SST Temperature:Send Out Refrig	
SLH	Stat Free Dilantin-IL	Stat Free Dilantin-IL Container:Red Temperature:Send Out Refrig	
SLH	Stat KEPPRA-IL	Stat KEPPRA-IL Container:Red Temperature:Send Out RmTmp	
SLH	Stat LH-IL	Stat Luteinizing Hormone-IL Container:SST Temperature:Send Out Refrig	
SLH	Stat Procalcitonin-IL	Stat Procalcitonin-IL Container:EDTA Temperature:Send Out Refrig	
SLH	Stat Progesterone-IL	Stat Progesterone-IL Container:SST Temperature:Send Out Refrig	
SLH	C Stool (LC)	Stool Culture (LC)	
SLH	STRPDNA (LC)	Strep Gp A, DNA Probe (LC)	
SLH	C GrpBS (LC)	Strep Gp B Culture (LC)	
SLH	GBSNAA (LC)	Strep Gp B NAA (LC)	
SLH	SyphScr (LC)	T pallidum Screening Cascade (LC)	
SLH	TTgA (LC)	t-Transglutaminase IgA (LC)	
SLH	TTgG (LC)	t-Transglutaminase IgG (LC)	
SLH	Tapent (LC)	Tapentadol, Se/PI (LC)	
SLH	TEGPM	TEG Platelet AGG Platelet Mapping Container:Syringe	
SLH	TEGPMA	TEG Platelet AGG Platelet Mapping Additional Container:Syringe	
SLH	TEST (LC)	Testosterone, Serum (LC)	
SLH	TESTF (LC)	Testosterone,Free and Total (LC)	
SLH	TGLOBM (LC)	TgAb+Thyroglobulin,IMA or RIA (LC)	
SLH	THCCU (LC)	THC Conf, Ur (LC)	
SLH	Theophylline	Theophylline Level Container:PST	
SLH	TT (LC)	Thrombin Time (LC)	
SLH	TEG	Thromboelastograph Container:Syringe	
SLH	TEGA	Thromboelastograph Additional Container:Syringe	
SLH	TGAB (LC)	Thyroglobulin Ab (LC)	
SLH	THYRAB (LC)	Thyroid Antibodies (LC)	
SLH	TPO (LC)	Thyroid Peroxidase (TPO) Ab (LC)	
SLH	Thyr Prof	Thyroid Profile Container:PST	
SLH	TSH	Thyroid Stimulating Hormone Container:PST	
SLH	T4 (LC)	Thyroxine (T4) (LC)	



LAB	CODE	TEST NAME	CPT4 CODE
SLH	Tobra	Tobramycin Level Container:PST	
SLH	Tobra Pk	Tobramycin Level Peak Container:PST	
SLH	Tobra Tr	Tobramycin Level Trough Container:PST	
SLH	TIBC	Total Iron Binding Compacity Container:PST	
SLH	TRAM (LC)	Tramadol (LC)	
SLH	Transferrin	Transferrin Container:PST	
SLH	TRKNAA (LC)	Trich vag by NAA (LC)	
SLH	BF Trig	Triglyceride Body Fluid Container:SterileCup	
SLH	Trig	Triglycerides Container:PST	
SLH	T3 (LC)	Triiodothyronine (T3) (LC)	
SLH	POC Trop	Troponin I (POCT) Container:POC Container	
SLH	Trop-I	Troponin-I Container:PST	
SLH	TSH Rflx FT4	TSH with reflex to FT4 Container:PST	
SLH	TCN	Type and Coombs Neonatal Container:Yellow ACT	
SLH	Type and Screen	Type and Screen Container:EDTA	
SLH	RGM	Type and Screen and RhIG Antenatal	
SLH	DSCord12 (LC)	Umbilical Cord Bld Drug Scr 12 (LC)	
SLH	DSCord9 (LC)	Umbilical Cord Bld Drug Scr 9 (LC)	
SLH	C Upper Resp (LC)	Upper Respiratory Culture (LC)	
SLH	U24 Urea Nit	Urea Nitrogen 24 Hour Urine Container:Urine Jug	
SLH	BF Urea Nit	Urea Nitrogen Body Fluid Container:SterileCup	
SLH	U Urea Nit	Urea Nitrogen Urine Container:SterileCup	
SLH	Uric Acid	Uric Acid Container:PST	
SLH	U24 Uric Ac	Uric Acid 24 Hour Urine Container:Urine Jug	
SLH	BF Uric Ac	Uric Acid Body Fluid Container:SterileCup	
SLH	U Uric Ac	Uric Acid Urine Container:SterileCup	
SLH	UA w Culture if Ind	Urinalysis with Culture if Indicated Container:SterileCup	
SLH	UA w Micro	Urinalysis with Microscopic Container:SterileCup	
SLH	UA w Micro if Ind	Urinalysis with Microscopic if Indicated Container:SterileCup	

LAB	CODE	TEST NAME	CPT4 CODE
SLH	C Urine (LC)	Urine Culture (LC)	
SLH	VNAP (LC)	Vaginitis/Vaginosis, DNA Probe (LC)	
SLH	Valpr Acid	Valproic Acid Level Container:PST	
SLH	Vanco	Vancomycin Level Container:PST	
SLH	Vanco Pk	Vancomycin Level Peak Container:PST	
SLH	Vanco Tr	Vancomycin Level Trough Container:PST	
SLH	VMA,24U (LC)	Vanillylmandelic Acid, 24-Hr U (LC)	
SLH	VZ IgM (LC)	Varicella Zoster IgM (LC)	
SLH	VZVG (LC)	Varicella-Zoster V Ab, IgG (LC)	
SLH	C Viral (LC)	Viral Culture (LC)	
SLH	VITA (LC)	Vitamin A (LC)	
SLH	VITB1 (LC)	Vitamin B1 (LC)	
SLH	B12 (LC)	Vitamin B12 (LC)	
SLH	VITB2 (LC)	Vitamin B2 (LC)	
SLH	VitB3 (LC)	Vitamin B3 (LC)	
SLH	VITB6 (LC)	Vitamin B6 (LC)	
SLH	VITB7 (LC)	Vitamin B7 (LC)	
SLH	VITC (LC)	Vitamin C (LC)	
SLH	VITD125 (LC)	Vitamin D 1,25-Dihydroxy (LC)	
SLH	VITD (LC)	Vitamin D, 25-Hydroxy (LC)	
SLH	VITK1 (LC)	Vitamin K1 (LC)	
SLH	Volatiles (LC)	Volatiles, Blood (LC)	
SLH	U24 TV	Volume 24 Hour Urine Container:Urine Jug	
SLH	VWFAct (LC)	vWF Activity (LC)	
SLH	VWFAg (LC)	vWF Ag (LC)	
SLH	VZPCR (LC)	VZV Real Time PCR (LC)	
SLH	WNV (LC)	West Nile Virus Ab,Serum (LC)	
SLH	CFWNV (LC)	West Nile Virus Antibody, CSF (LC)	
SLH	WBC	White Blood Count Container:EDTA	
SLH	Zinc (LC)	Zinc (LC)	
LABCORP	500171	11-Deoxycortisol: HPLC/MS-MS Container:Gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Freeze	82634
LABCORP	500550	11-Desoxycortisol HPLC/MS-MS Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82634
LABCORP	500560	11-Desoxycortisol, 2 Specs Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82634 x2

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	504677	11-Hydroxyandrostenedione Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heparin plasma tube Temperature:Freeze Stability: Room temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/thaw: Stable x6	82542
LABCORP	504680	11-Hydroxytestosterone Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heprin Plasma Tube Temperature:Frozen Stability: Room Temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/Thaw: Stable x6	82542
LABCORP	504674	11-Ketotestosterone Container:Serum from Red Top Tube OR EDTA Plasma tube OR Heprin Plasma Tube Temperature:Freeze Stability: Room temperature: 14 days Refrigerated: 14 days Frozen: 3 months Freeze/thaw: Stable x6	82542
LABCORP	504683	11-oxo-Androgens Panel Container:Serum from Red Top Tube, EDTA Plasma tube, or Heprin Plasma tube Temperature:Freeze	82542
LABCORP	500163	17-Alpha-Hydroxyprogesterone Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 2 years Freeze/Thaw cycles = 3	83498
LABCORP	140715	17-Hydroxypregnenolone, Mass Spectrometry Container:Red-top tube, gel-barrier tube, or lavender top (EDTA) tube Temperature:FREEZE	84143
LABCORP	500770	17-OH Pregnenolone, Pre- and Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84143 x2
LABCORP	070037	17-OH Progesterone, Serum by LCMS, (2 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x2
LABCORP	070078	17-OH Progesterone, Serum by LCMS, (3 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x3
LABCORP	070083	17-OH Progesterone, Serum by LCMS, (4 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x4
LABCORP	070090	17-OH Progesterone, Serum by LCMS, (5 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x5
LABCORP	070120	17-OH Progesterone, Serum by LCMS, (6 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x6
LABCORP	070132	17-OH Progesterone, Serum by LCMS, (7 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x7
LABCORP	070145	17-OH Progesterone, Serum by LCMS, (8 Specimens) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x8
LABCORP	070624	17-OH Progesterone, Serum by LCMS, ACTH Stimulation Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Refrigerate	83498 x2
LABCORP	070315	17-OH Progesterone/Creatinine Ratio, 24-Hour Urine Container:Plastic urine container with 30 mL 6N HCl preservative. Caution: Strong acid. May cause skin burns. Temperature:Refrigerate	83498 82570
LABCORP	070340	17-OH Progesterone/Creatinine Ratio, Random Urine Container:Use random urine transport tube containing 6N HCl. Container is also known as "urine Monovette(R) with pH stabilizer." Monovette(R) instructions accompany units. Preservative must be added to the container prior to the start of the collection. If collecting without Monovette(R), use plastic urine container and adjust urine pH to <5 with 6N HCl. CAUTION: Strong acid. May cause skin burns. Temperature:Refrigerate	83498 82570
LABCORP	140147	2019 Novel Coronavirus (COVID-19) with Influenza A and Influenza B Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), ESwab(TM), or saline. Anterior nasal swab in saline.	NOCPT

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Frozen at -20 degrees C (preferred). Refrigerated and room temperature specimens acceptable (if received for testing within 72 hours of collection).	
LABCORP	140140	2019 Novel Coronavirus (COVID-19) with Influenza A, Influenza B and Respiratory Syncytial Virus, NAA Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), ESwab(TM), or saline. Anterior nasal swab in saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated and room temperature specimens acceptable (if received for testing within 72 hours of collection).	NOCPT
LABCORP	140172	2019 Novel Coronavirus (COVID-19) with Respiratory Syncytial Virus, NAA Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), ESwab(TM), or saline. Anterior nasal swab in saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated and room temperature specimens acceptable (if received for testing within 72 hours of collection).	NOCPT
LABCORP	139900	2019 Novel Coronavirus (COVID-19), NAA Container:For swabs in viral transport medium or ESwab(TM): Oropharyngeal (OP) samples: swab included in viral transport medium or ESwab(TM) is acceptable for submission. Nasopharyngeal (NP) samples: use separate NP swab submitted in viral transport medium (discard OP swab included with viral transport medium or ESwab(TM)). Exact manufacturer of the swab and transport medium may vary with supply. Any swab of appropriate size and configuration with a synthetic tip can be used except for calcium alginate tips, swabs with preservatives, and swabs with wood shafts. Viral transport medium acceptable for collection of influenza specimens in 1 ml or 3 ml volumes can be used to transport swabs for COVID-19 testing. For swabs in saline: OP, NP or anterior nasal swabs may be placed in 1 to 3 mL of sterile saline (0.85 to 0.9%) in a sterile screw cap container. Do NOT use vacutainer or "pop-top" tubes. Any swab of appropriate size and configuration with a cotton or synthetic tip can be used except for calcium alginate tips, swabs with preservatives, and swabs with wood shafts. Sterile cups are acceptable for OP or NP washes/aspirates, bronchial washings, or bronchoalveolar lavage (BAL) specimens. Swab in saline in screw-top Vacuette Virus Stabilization Tube is acceptable. Temperature:Frozen at -20 degrees C (preferred). Refrigerated specimens acceptable (if received for testing within 72 hours of collection). Room temperature swabs are acceptable (if received within 24 hours of collection).	U0003
LABCORP	139945	2019 Novel Coronavirus (COVID-19), NAA using SalivaCollection. Container:Saliva collection device Temperature:Frozen	U0003
LABCORP	504045	21-Deoxycortisol, LC/MS (Endocrine Sciences) Container:Serum Transfer Tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw cycle: Stable x6	82542
LABCORP	620176	3-O-Methyldopa (Plasma) Container:Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature:Remove plasma and freeze at -20 degrees Celsius. Store frozen at -20 degrees Celsius and ship frozen.	82131
LABCORP	737907	6-Acetylmorphine (GC/MS) Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80356
LABCORP	910242	6-Acetylmorphine, Urine	NOCPT
LABCORP	725302	725302 U6-Scr+SVT Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	733504	733504 9+Oxycodone+Alc+Crt-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	733573	733573 6 Drug-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735189	735189 U8-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	735352	735352 U9-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days	80307

LAB	CODE	TEST NAME	CPT4 CODE
		then refrigerate.	
LABCORP	737588	737588 9+Oxycodone+Cr+Unbund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	737789	737789 1+MDMA-(GC/MS) Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80359 80324
LABCORP	739176	739176 U6-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	739191	739191 U7-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739197	739197 U10-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739204	739204 U9-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739303	739303 U8-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	739350	739350 U12-Unbund+Alc+SVT Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	739380	739380 U12-Unbund+SV2 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	764651	764651 U9-Unbund+Alc+SV3 Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	NOCPT
LABCORP	770188	770188 12+Oxyco+Alc-Unbund, OF Container:Quantisal-Oral Fluid drug test collection device. Contact Lab for collection kit. Temperature:Maintain specimen at room temperature for transport to laboratory; refrigerate if transport is delayed.	80307
LABCORP	770628	770628 7 Drug-Scr Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	789113	789113 7 Drug-Bund Container:Urine container(1) Temperature:Refrigerate	80307
LABCORP	789260	789260 9 Drug-Bund Container:Urine container Temperature:Refrigerate	80307
LABCORP	789291	789291 9+Oxyco+Alc+Cr+Unbund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	794256	794256 U8-Bund+Alc Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	794257	794257 U5-Bund Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	794662	794662 U10-Unbund+Alc+SVT Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	883079	88307 Surgical Pathology	88307
LABCORP	038448	Ab Scr+Coombs	86880 86850
LABCORP	910528	Acetaminophen, Urine	NOCPST
LABCORP	165595	Acetylcholine Receptor (AChR) Antibodies Complete Panel withReflex to MuSK Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519 x3
LABCORP	165592	Acetylcholine Receptor (AChR) Binding Antibodies with Reflex to MuSK Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519
LABCORP	086003	Acetylcholine Receptor (AChR) Binding Antibody With Reflex to AChR Modulating Antibody Container:Gel-barrier tube or red-top tube Temperature:Refrigerate Stability: Room Temperature up to 7 days Refrigerated up to 14 days Frozen up to 2 months	83519
LABCORP	086007	Acetylcholine Receptor Antibodies, Complete Panel Container:Gel-barrier tube or red-top tube Temperature:Refrigerate (Cool Pack)	83519 x3
LABCORP	385571	AChR Binding+AChR Blocking Abs	83519 x2
LABCORP	658559	Acid Anhydride Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x2
LABCORP	806393	Actin IgA (F-Actin) Container:Green-top (heparin) tube Temperature:Refrigerate	86235
LABCORP	825497	Acyclovir (Zovirax), Urine Container:Plastic urine container Temperature:Refrigerate Stability: Room temperature up to 7 days Refrigerate up to 14 days Frozen up to 1 year	80375
LABCORP	070228	Acylcarnitine Profile, Quantitative, Plasma Container:Green-top (sodium heparin) tube Temperature:FREEZE	82017
LABCORP	504575	Adalimumab and Anti-Adalimumab Antibody, DoseASSURE(TM) ADL Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or Freeze Stability: Room temperature: up to 7 days Refrigerated: up to 7 days Frozen up to 308 days	80145 82397
LABCORP	117913	ADAMTS13 Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85397
LABCORP	117915	ADAMTS13 Antibody Container:Blue-top (sodium citrate) tube Temperature:FREEZE	83520
LABCORP	815919	Adenovirus PCR Qual(NasalSwab) Temperature:FREEZE	87798
LABCORP	815931	Adenovirus qPCR (Plasma) Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:FREEZE	87799
LABCORP	816687	Adenovirus qPCR (Serum) Container:Red-top tube Temperature:FREEZE	87798
LABCORP	010447	ADH Container:Lavender-top (EDTA) tube	84588



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze	
LABCORP	004650	Adiponectin Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Refrigerate	83520
LABCORP	504805	Adrenal 21-Hydroxylase Autoantibodies (Endocrine Sciences) Container:Serum from Red Top Tube or Serum from a Gel Tube Temperature:Frozen or cold pack	83516
LABCORP	035527	Aerobic Culture + Gram Stain Container:Slide, Bacterial Culture Transport (Swab w/Media) Tube or Sterile Container Temperature:Room Temperature	87205 87070
LABCORP	378409	Aeromonas/Plesiomonas+Stool C. Container:Para Pak-Orange	87427 87046 87081 87045
LABCORP	378563	AFB+Body Fl Cul+CellCt+Fung...	87116 87101 89060 89051 87206 x2 83872 87205 82945 87070
LABCORP	018044	AFP (Repeat), Serum, for OSB Container:Serum gel tube Temperature:Room temperature	82105
LABCORP	374357	ALA U+PBG UU+Porphy U	84110 84120 82135
LABCORP	910531	Alcohol	80320
LABCORP	809616	Alcohol Biomarkers Screen with Reflex Confirmation(ETG/ETS), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910530	Alcohol Confirm	NOOPT
LABCORP	504888	Aldosterone ES #4 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504890	Aldosterone ES #5 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	504892	Aldosterone ES #6 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	NOOPT
LABCORP	504894	Aldosterone ES #7 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	NOOPT
LABCORP	504896	Aldosterone ES #8 Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	500467	Aldosterone LCMS (Endocrine Science) Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 7 days Frozen up to 1 year	82088
LABCORP	004291	Aldosterone, 24-Hour Urine Container:Plastic urine container with no preservative Temperature:Refrigerate	82088
LABCORP	289116	Aldosterone, Random Ur/Creat Container:Plastic urine container with no preservative Temperature:Refrigerate	82088 82570
LABCORP	606995	Allergen Profile with Component Reflexes, Respiratory-Area 1 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	607025	Allergen Profile with Component Reflexes, Respiratory-Area 10 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x26
LABCORP	607050	Allergen Profile with Component Reflexes, Respiratory-Area 11 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x25

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	607055	Allergen Profile with Component Reflexes, Respiratory-Area 12 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607075	Allergen Profile with Component Reflexes, Respiratory-Area 13 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x25 82785
LABCORP	607090	Allergen Profile with Component Reflexes, Respiratory-Area 14 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24 82785
LABCORP	607095	Allergen Profile with Component Reflexes, Respiratory-Area 15 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607005	Allergen Profile with Component Reflexes, Respiratory-Area 16 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	606990	Allergen Profile with Component Reflexes, Respiratory-Area 17 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	606980	Allergen Profile with Component Reflexes, Respiratory-Area 18 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	606985	Allergen Profile with Component Reflexes, Respiratory-Area 19 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	607111	Allergen Profile with Component Reflexes, Respiratory-Area 2 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	607120	Allergen Profile with Component Reflexes, Respiratory-Area 20 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	607100	Allergen Profile with Component Reflexes, Respiratory-Area 3 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607022	Allergen Profile with Component Reflexes, Respiratory-Area 4 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607099	Allergen Profile with Component Reflexes, Respiratory-Area 5 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x27
LABCORP	607115	Allergen Profile with Component Reflexes, Respiratory-Area 6 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607125	Allergen Profile with Component Reflexes, Respiratory-Area 7 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x24
LABCORP	607020	Allergen Profile with Component Reflexes, Respiratory-Area 8 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	607105	Allergen Profile with Component Reflexes, Respiratory-Area 9 Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	607144	Allergen Profile, (Pediatric) with Component Reflexes Container:Red-top tube or gel-barrier tube Temperature:Room Temperature	82785 86003 x25
LABCORP	607021	Allergen Profile, Cat and Dog, IgE, with Reflex toComponents Container:Red-top tube or gel-barrier tube	86003 x2
LABCORP	607016	Allergen Profile, Cat, Dog and Horse, IgE with ComponentReflex Container:Red-top tube or gel-barrier tube	86003 x3
LABCORP	606650	Allergen Profile, Cat, IgE With Component Reflex	86003



LAB	CODE	TEST NAME	CPT4 CODE
		Container:Gel-barrier tube Temperature:Room temperature	
LABCORP	606659	Allergen Profile, Dog, IgE With Component Reflex Container:Gel-barrier tube Temperature:Room temperature	86003
LABCORP	606656	Allergen Profile, Horse, IgE With Component Reflex Container:Gel-barrier tube Temperature:Room Temperature	86003
LABCORP	601639	Allergens (11) Inhalants/Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	601803	Allergens (11) Trees Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	605800	Allergens (11) Trees Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	605803	Allergens (12) Weeds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	603868	Allergens (14) Grasses Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x14
LABCORP	605922	Allergens (15) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	605801	Allergens (17) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x17
LABCORP	605796	Allergens (21) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x21
LABCORP	601035	Allergens (23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	601635	Allergens (24) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	605786	Allergens (29) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	605853	Allergens (3) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	605797	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	605932	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	606264	Allergens (31) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x31
LABCORP	605794	Allergens (35) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x35
LABCORP	605793	Allergens (36) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x36
LABCORP	604800	Allergens (4) Shellfish	86003 x4

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	604526	Allergens (7) Seafood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	606312	Allergens (8) Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	601681	Allergens (8) Nuts/Seeds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	605795	Allergens (9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	605799	Allergens (9) Grasses Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	672786	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	672844	Allergens(10) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	605819	Allergens(10)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x10
LABCORP	671758	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	672850	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	672860	Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	600600	Allergens(11) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x11
LABCORP	600820	Allergens(12) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x12
LABCORP	605814	Allergens(15)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15
LABCORP	600243	Allergens(18) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x18
LABCORP	066050	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 86003 x19
LABCORP	656702	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	670475	Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x20
LABCORP	600398	Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23
LABCORP	603147	Allergens(24)	86003 x24

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	672167	Allergens(24) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x24
LABCORP	605817	Allergens(29)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x29
LABCORP	605807	Allergens(35)Foods w/CompRflx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x35
LABCORP	647417	Allergens(4) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x4
LABCORP	602920	Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x5
LABCORP	672328	Allergens(6) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	673208	Allergens(6) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x6
LABCORP	670805	Allergens(7) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	672189	Allergens(7) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x7
LABCORP	604862	Allergens(7)Peanutw/Components Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008 x6 86003
LABCORP	672268	Allergens(8) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x8
LABCORP	671797	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	672866	Allergens(9) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	601406	Allergens(9) Nuts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	601404	Allergens(9) Shellish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x9
LABCORP	620046	Alpha Amino adipic Semialdehyde (Urine) Container:Sterile cup Temperature:Freeze as soon as possible after collection; Ships with 24 hours	82542
LABCORP	140269	Alpha Subunit, Free (Endocrine Sciences) Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube green-top (heparin) tube Temperature:FREEZE	83520
LABCORP	511881	Alpha-1-Antitrypsin Deficiency, DNA Analysis Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube, sterile plastic conical tube OR two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81332
LABCORP	501174	Alpha-2 Antiplasmin Assay Container:Blue-top (sodium citrate) tube Temperature:Freeze	85410

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	510305	Alpha-Fetoprotein (AFP), AChE, Amniotic Fluid With Reflexto Fetal Hemoglobin (Hb F) Container: Sterile plastic conical tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature: Ship and maintain specimen at room temperature.	82013 82106
LABCORP	002428	Alpha-Fetoprotein (AFP), Amniotic Fluid Container: Sterile plastic tube; do NOT use urine containers or tubes with rubber stoppers. Rubber is toxic to amniocytes. Temperature: Ship and maintain specimen at room temperature	82106
LABCORP	080291	Alpha-Galactosidase Container: Red-top tube or gel-barrier tube Temperature: FREEZE	82657
LABCORP	402388	Alpha-Galactosidase A Deficiency, Leukocytes Container: Yellow-top (ACD) tube Temperature: Refrigerate	82657
LABCORP	511172	Alpha-Thalassemia, DNA Analysis Container: Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube, OR two confluent T-25 flasks for fetal testing Temperature: Maintain at room temperature or refrigerate at 4(degrees)C	81257
LABCORP	117739	Alpha2-Antiplasmin Container: Blue-top (sodium citrate) tube Temperature: FREEZE	85410
LABCORP	910536	Alt. Amphetamines Scr RFLX	80307
LABCORP	316073	AMA+ASMA+LKM Ab Container: Gel Barrier Tube	86376 83516 x2
LABCORP	700200	Amino Acid Profile, Glycine Encephalopathy, Plasma and Cerebrospinal Fluid Container: PREFERRED: Frozen plasma from green-top (sodium heparin) tube AND CSF: plastic transport tube, no preservative. ACCEPTABLE: Frozen plasma from green-top (lithium heparin) tube, frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature: Plasma: Centrifuge, remove plasma from cells, and FREEZE immediately, CSF: FREEZE immediately.	82136
LABCORP	700068	Amino Acid Profile, Quantitative, Plasma Container: PREFERRED: Frozen plasma from green-top (sodium heparin) tube. ACCEPTABLE: Frozen plasma from green-top (lithium heparin) tube, frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature: Centrifuge, remove plasma from cells, and FREEZE immediately.	82139
LABCORP	911162	Amitriptyline and Metabolite	80335
LABCORP	910551	Amphetamine Screen RFLX	80307
LABCORP	700523	Amphetamines, ToxAssure, UR Container: Plastic urine container without preservative Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80359 80324
LABCORP	123110	Amylase Isoenzymes Container: Red-top tube, gel-barrier tube, OR green-top (heparin) tube Temperature: Room temperature Stability: Room temperature for 7 days Refrigerated for 1 month	82150 x2
LABCORP	003298	Amylase, Urine 24hr Container: Plastic urine container, no preservative Temperature: Maintain specimen at room temperature.	82150
LABCORP	363290	ANA Container: Gel Barrier Tube	86038
LABCORP	520180	ANA 12 Plus Profile (RDL) Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	86038
LABCORP	520175	ANA 12 Plus Profile, Do All (RDL) Container: Red-top tube or gel-barrier tube Temperature: Refrigerate	86147 x3 86376 86200 86431 86160 x2 86235 x6 86256 86225 86038

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520299	ANA 12 Profile, Do All (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376 86160 x2 86235 x5 86256 86225 86038 86147 x3
LABCORP	520185	ANA Profile 11 (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038
LABCORP	520188	ANA Profile 12 (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038
LABCORP	236343	ANA w/Reflex+ANCA+MPO+PR3 Container:Gel-Barrier Tube	86256 x3 86038 83520 x2
LABCORP	236766	ANA w/Reflex+C3+RA Qn+CRP Container:Gel-Barrier Tube	86431 86140 86160 86038
LABCORP	236957	ANA w/Rflx+C3+C4+RA QN+CCP(...) Container:Gel-Barrier Tube	86160 x2 86038 86200 86431
LABCORP	366545	ANA W/Rfx to all if Positive Container:Gel-Barrier Tube Temperature:Room temperature	86038
LABCORP	040634	ANA+ASMA+AMA Container:Gel Barrier Tube	83516 x2 86038
LABCORP	231888	ANA+ENA+C3+C4+dsDNA+CompT+C... Container:Gel-Barrier Tube, Polypropylene Screw-capped Transfer Tube	86160 x2 86235 x5 86225 86038 86162
LABCORP	331808	ANA+ENA+C4+DNA/DS+AMA+APCA1... Container:Gel-Barrier Tube	86160 86235 x4 86225 86038 83516 x3
LABCORP	333525	ANA+SCL 70 Container:Gel Barrier Tube	86235 86038
LABCORP	138172	Anaplasma phagocytophilum, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	599999	Anatomic Pathology Report Container:Jars of assorted size containing 10% buffered formalin Temperature:Fix in 10% buffered formalin solution.	NOOPT
LABCORP	381377	ANCA	86256 x3
LABCORP	520149	ANCA Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520 x2 86255
LABCORP	303640	ANCA+Sca(IgA/G) Container:Gel Barrier Tube Temperature:Refrigerate	86671 x2 86256 x3
LABCORP	500881	Androstanediol Glucuronide (Endocrine Sciences) Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerated (preferred) or room temperature Stability: Room temperature up to 6 days Refrigerated up to 6 days Frozen up to 3 years	82154
LABCORP	004705	Androstenedione, LC/MS Container:Red-top tube. Do NOT use a gel-barrier tube. The use of gel-barrier tubes is not recommended due to slow absorption of the steroid by the gel. Depending on the specimen volume and storage time, the decrease in androstenedione level due to absorption may be clinically significant. Temperature:Refrigerate	82157
LABCORP	504005	Androsterone, Serum, LCMS Container:Red-top tube (do not use gel-barrier tube) or lavender-top (EDTA) tube Temperature:FREEZE	82160
LABCORP	511210	Angelman and Prader-Willi Syndromes, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate. Do NOT freeze.	81331
LABCORP	123231	Angiotensin Converting Enzyme (ACE), Cerebrospinal Fluid Container:Plastic (CSF) tube Temperature:Transport FROZEN.	82164

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	002180	Angiotensin II Container:Lavender-top (EDTA) tube with Trasylol(R) Temperature:FREEZE	82163
LABCORP	520163	Anti-Adrenal Antibodies by Indirect Fluorescent Antibody(IFA) (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86256
LABCORP	500214	Anti-Annexin V IgG,IgM Container:Blue-top (sodium citrate) tube Temperature:Freeze	83516 x2
LABCORP	520008	Anti-CCP (Cyclic Citrullinated Peptide) Antibodies, IgG andIgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86200
LABCORP	520065	Anti-Centromere Ab (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86256
LABCORP	520133	Anti-CEP-1 Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520063	Anti-Chromatin Ab, IgG (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86235
LABCORP	520061	Anti-cN-1A Ab (NT5c1A) IBM (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	83520
LABCORP	161422	Anti-DNA (Single-Stranded) Antibodies, IgG, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86226
LABCORP	520059	Anti-dsDNA (Double-stranded) Ab by Farr method (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86225
LABCORP	520026	Anti-EJ Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520174	Anti-ENA Abs (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235 x2
LABCORP	520295	Anti-Fodrin Antibodies, IgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520134	Anti-Fodrin Antibodies, IgG & IgA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520 x2
LABCORP	520290	Anti-Fodrin Antibodies, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520139	Anti-GP-210 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520141	Anti-Histone Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520057	Anti-HMGCR Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520032	Anti-J0-1 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520087	Anti-Liver/Kidney Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520103	Anti-Mitochondrial Ab by IFA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86256
LABCORP	520117	Anti-Mitochondrial M2 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520090	Anti-Neutrophil Cytoplasmic Ab (ANCA) by IndirectImmunofluorescence (IFA), (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86255
LABCORP	520143	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA), Body Fluid (RDL) Container:Body Fluid Temperature:Refrigerate or FREEZE	86038
LABCORP	520145	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA), Cerebrospinal Fluid (RDL) Container:CSF (Cerebrospinal Fluid) Temperature:Refrigerate or FREEZE	86038
LABCORP	520075	Anti-Nuclear Antibodies by Indirect Fluorescent Antibody(IFA)(RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86038
LABCORP	520028	Anti-OJ Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520119	Anti-Pancreatic Antibodies by Indirect Fluorescent Antibody(IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86255
LABCORP	520006	Anti-PL-12 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520007	Anti-PM/Scl-100 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520121	Anti-Proliferating Cell Nuclear Antibodies by IndirectFluorescent Antibody (IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86255
LABCORP	812362	Anti-PTH Antibody Container:Red-top tube Temperature:Maintain specimen at room temperature	83519
LABCORP	520123	Anti-Ribosomal P Protein Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516
LABCORP	520081	Anti-Sa Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520011	Anti-SAE1 Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520012	Anti-Scl-70 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520013	Anti-Sm Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520131	Anti-Smooth Muscle Antibodies by Indirect FluorescentAntibody (IFA) (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86256
LABCORP	520114	Anti-Soluble Liver Ag Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520
LABCORP	520112	Anti-SP-100 Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83520

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520015	Anti-SS-A 52kD Ab, IgG (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520018	Anti-TPO Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86376
LABCORP	520034	Anti-U1 RNP Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	520024	Anti-U2 RNP Ab (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86235
LABCORP	082024	Antiadrenal Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86255
LABCORP	183181	Antifungal Suscep 4 Drugs Container:Mycology or bacterial culture medium (slant or plate) packaged as an etiologic agent (ie, Sabouraud dextrose, SABHI, BHI, etc.)	87186
LABCORP	012518	Antihistone Antibodies Container:Red-top tube or serum gel tube Temperature:Maintain specimen at room temperature.	86235
LABCORP	500183	Antimullerian Hormone (AMH), Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82397
LABCORP	085910	Antimyocardial Antibodies, Quantitative Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86256 x2
LABCORP	164920	Antinuclear Antibodies (ANA) Profile, 11 biomarkers, byMultiplex Immunoassay, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70,Chromatin, Jo-1, Centromere B, Sm/RNP, Ribosomal P Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516 86235 x9 86225
LABCORP	165092	Antinuclear Antibodies (ANA) Profile, 9-biomarkers, byMultiplex Immunoassay, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70,Chromatin, Jo-1, Centromere B Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86235 x8 86225
LABCORP	382965	Antinuclear Antibodies (ANA), by IFA, Reflex to 11-biomarkerprofile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin,Centromere B, Sm/RNP, Ribosomal P by Multiplex Immunoassay Container:Gel-Barrier Tube Temperature:Room temperature	86038
LABCORP	164962	Antinuclear Antibodies (ANA), by Multiplex Immunoassay,Reflex to 5-biomarker profile (ENA), dsDNA, RNP, Sm, SS-A,SS-B Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86038
LABCORP	164863	Antinuclear Antibodies (ANA), by Multiplex Immunoassay,Reflex to 9-biomarker profile, dsDNA, RNP, Sm, SS-A, SS-B,Scl-70, Chromatin, Jo-1, Centromere B Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86038
LABCORP	117906	Antiphosphatidylserine IgA Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86148
LABCORP	117952	Antiphosphatidylserine IgG Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86148
LABCORP	117900	Antiphosphatidylserine IgM Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86148
LABCORP	117994	Antiphosphatidylserine, IgG, IgM, IgA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86148 x3
LABCORP	006031	Antistreptolysin O (ASO) Antibodies Container:Red-top tube or gel-barrier tube	86060



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	117085	Apixaban Container:Blue-top (sodium citrate) tube (preferred), lavender-top (EDTA) tube, or green-top (heparin) tube Temperature:Room Temperature	80299
LABCORP	504385	Apixaban Anti-Xa Container:Blue-top (3.2 % or 3.8% sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 6 hours Freeze/thaw cycle stable x6	85130
LABCORP	503935	Apo E Genotyping: Cardiovascular Risk Container:Lavender-top (EDTA) tube (PREFERRED) or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days	81401
LABCORP	016873	Apolipoprotein A-1 Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	82172
LABCORP	216010	Apolipoprotein Assessment Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	82172 x2
LABCORP	167015	Apolipoprotein B Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	82172
LABCORP	167570	Apolipoprotein L1 Risk Variants Container:Lavender-top (EDTA) tube Temperature:Room temperature	82542
LABCORP	504373	aPTTMx+PT+PT Mix+APSPT(IgG/... Container:Blue-top (sodium citrate) tube AND red-top tube OR gel-barrier tube. Temperature:Plasma/serum: FREEZE	85613 x2 85670 x3 85730 83516 x2 85732 x2 86146 x3 85611 x2 86147 x2 85610
LABCORP	820442	Arbo Virus IgG/IgM Panel CSF Container:Sterile container Temperature:FREEZE	86789 86653 x2 86654 x2 86651 x2 86788 86652 x2
LABCORP	820452	Arbo Virus IgM Panel Serum Container:Gel-barrier tube Temperature:FREEZE	86652 86653 86654 86651
LABCORP	520205	Arthritis Profile (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86038 84550 86200 86431
LABCORP	402396	Arylsulfatase A Deficiency, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	82657
LABCORP	375920	Ashkenazi Jewish Carrier Profile Complete Container:Lavender-top (EDTA) tube AND yellow-top (ACD) tube Temperature:Maintain lavender-top (EDTA) tube at room temperature. Refrigerate yellow-top (ACD) tube.	81401 81400 x4 81200 81242 81220 81209 81250 81251 81260 81330 81290 81205 83080 81479
LABCORP	830700	Asialo-GM1 Antibodies, IgG/IgM Container:Gel-barrier tube Temperature:Refrigerate	83516 x6
LABCORP	660175	Aspergillus fumigatus Precipitating IgG Antibodies Container:One 8.5 mL red-top tube or one 8.5 mL gel-barrier tube Temperature:Room temperature	86602
LABCORP	606846	Aspergillus Precipitating Antibodies, IgG Container:Serum from a Gel Tube Temperature:Room temperature	86606 x6
LABCORP	231299	AT3 Funct+Card(IgA/G/M)+FVD... Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube, Blue Top (Sodium Citrate) Tube	81241 85306 86147 x3 85300 85303
LABCORP	520197	Autoimmune Liver Disease Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516 86235 86038 83520 86376 86255
LABCORP	830746	B Cell Subset Analysis Container:Lavender (EDTA) Tube	86355 x2 86356 x5
LABCORP	180200	B. pertussis by LAMP NAA	87798

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Nasopharyngeal swab in liquid Amies without charcoal medium or liquid Stuart medium Temperature:Refrigerate Room temperature storage and transport is acceptable.	
LABCORP	379720	B12+Homocy+Methyl	83090 82607 83921
LABCORP	236956	B19(IgG/M)+B19PCR Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube	87798 86747 x2
LABCORP	820600	Babesia duncani WA1 IgG IFA Container:Gel-barrier tube Temperature:Room temperature	86753
LABCORP	138315	Babesia microti Antibodies, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86753 x2
LABCORP	138318	Babesia microti, Real-time DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	383475	Babesia microtic+Ehrlichia/PCR Container:Lavender-top (EDTA) tube	87798 x3
LABCORP	238307	Babesia+HGE+HME+Lyme by PCR Container:Lavender-top (EDTA) tube	87798 x3 87476
LABCORP	910553	Barbiturate Screen Rflx	80307
LABCORP	910558	Barbiturates (GCMS)	80345
LABCORP	164075	Bartonella henselae IgG/M Container:Red-top tube or gel-barrier tube	86611 x2
LABCORP	138350	Bartonella, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube. Temperature:Stable at room temperature or refrigerated for 14 days.	87471
LABCORP	823508	Bass Black IgE Container:Gel-barrier tube Temperature:Room temperature	86003
LABCORP	115920	Bayer DCA Hb A1c Waived Container:Lavender-stopper (EDTA) tube Temperature:Maintain specimen at room temperature. Specimens must be tested within 24 hours.	83036
LABCORP	809624	Benzodiazepine Class Screen with Reflex Confirmation,Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910569	Benzodiazepine Conf (LCMSMS)	80347
LABCORP	910568	Benzodiazepine Screen Rflx	80307
LABCORP	713982	Benzodiazepines Conf (GC/MS) Container:Plastic urine container Temperature:Refrigerate	80346
LABCORP	764060	Benzodiazepines Confirm, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80346
LABCORP	791886	Benzodiazepines Confirmation, Quantitative, Serum or Plasma Container:Red-top tube OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347
LABCORP	700533	Benzodiazepines, ToxAssure, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80347
LABCORP	231307	Beta 2(IgA/G/M)+Card(IgA/G/... Container:Blue Top (Sodium Citrate) Tube, Gel-Barrier Tube, Plasma Transfer Tube	86146 x3 86147 x3 85613
LABCORP	241712	Beta 2(IgA/G/M)+Card(IgG/M)... Container:Gel-Barrier Tube, AND Blue-top (sodium citrate) Tube	86147 x2 85613 86148 x3 85732 86146 x3

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	241902	Beta 2(IgG/M)+Card(IgG/M)+d... Container:Gel-Barrier Tube, Blue Top (Sodium Citrate) Temperature:See individual test components.	86146 x2 85611 86147 x2 85610 85613 85670 85732
LABCORP	010173	Beta-2 Microglobulin, Urine Container:Plastic urine container (do not acidify) Temperature:Refrigerate	82232
LABCORP	402370	Beta-Galactosidase Deficiency, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	82657
LABCORP	010090	Beta2-Microglob. CSF Container:Sterile container Temperature:Refrigerate	82232
LABCORP	502338	Bioavailable + Free Testost. Container:Gel-barrier tube or red-top tube Temperature:FREEZE	84402 84410
LABCORP	501755	Bioavailable Testost. w/o SHBG Container:Gel-barrier tube or red-top tube Temperature:FREEZE	84410
LABCORP	823523	Bird Fanciers Precipitin Pnl I Container:Red-top tube Temperature:Room temperature	86331 x10
LABCORP	823472	Bird/Mold Precipitin Panel II Container:Red-top tube Temperature:Room temperature	86331 x12
LABCORP	138880	BK Virus Quantitation, Urine, Real-time PCR Container:Sterile urine container, no preservative Temperature:FREEZE(preferred) OR refrigerate	87799
LABCORP	164293	Blastomyces Antibodies, Quantitative, by DID Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86612
LABCORP	138002	Blastomyces dermatitidis Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86612 x2
LABCORP	183474	Body Fluid Culture: Aerobic and Anaerobic Bacterial Culture Container:Sterile tube or other sterile leakproof container, blood culture bottle, Vacutainer(TM) Plus no Additive tube; sodium heparin tube, and swabs with visible fluid. Do NOT use red-top Vacutainer(TM) tubes. Temperature:Maintain specimen at room temperature. Specimens for anaerobic culture should be maintained at room temperature. Anaerobes will survive 24 to 72 hours when properly collected in the anaerobic transport tube.	87070 87075
LABCORP	183473	Body Fluid Culture: Aerobic and Anaerobic Bacterial Cultureand Gram Stain Container:Sterile tube or other sterile leakproof container, blood culture bottle, Vacutainer(TM) Plus no Additive tube; sodium heparin tube, and swabs with visible fluid. Do NOT use red-top Vacutainer(TM) tubes. Temperature:Maintain specimen at room temperature. Specimens for anaerobic culture should be maintained at room temperature. Anaerobes will survive 24 to 72 hours when properly collected in the anaerobic transport tube.	87075 87205 87070
LABCORP	164384	Bordetella pertussis Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615
LABCORP	164541	Bordetella pertussis Antibodies, IgA, IgG, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615 x3
LABCORP	161745	Bordetella pertussis Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615
LABCORP	163030	Bordetella pertussis Antibodies, IgG, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615 x2
LABCORP	161752	Bordetella pertussis Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Room temperature. Celsius to 8 degrees Celsius for up to seven days.	86615
LABCORP	164085	Bowel Disorders Evaluation Rule-out Cascade	83516

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	316714	BPERTIG+DIP AB+TETIGG Container:Gel Barrier Tube	86317 x2 86615
LABCORP	485097	BRCAssure(R): Ashkenazi Jewish Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Maintain specimen at room temperature.	81212
LABCORP	485050	BRCAssure(R): BRCA1 and BRCA2 Deletion/Duplication Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Maintain specimen at room temperature.	81164
LABCORP	485030	BRCAssure(R): BRCA1 and BRCA2 Comprehensive Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 saliva collection kit. Temperature:Maintain specimen at room temperature.	81162
LABCORP	485066	BRCAssure(R): BRCA1 Targeted Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 Saliva collection kit. Temperature:Maintain specimen at room temperature.	81215
LABCORP	485081	BRCAssure(R): BRCA2 Targeted Analysis Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube OR Oragene DX 500 Saliva collection kit. Temperature:Maintain specimen at room temperature.	81217
LABCORP	119900	Breast/Prognostic Marker Analy	NOCPT
LABCORP	825717	Brodifacoum (Qual), S/P Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	NOCPT
LABCORP	164632	Brucella Antibody IgG/IgM Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86622 x2
LABCORP	164608	Brucella Antibody, IgG, by EIA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86622
LABCORP	164624	Brucella Antibody, IgM, by EIA Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature	86622
LABCORP	910592	Buprenorphine Comp Scrn Rflx	80307
LABCORP	910815	Buprenorphine Confirmation	80348
LABCORP	701985	Buprenorphine MAT 2, Ur Container:Urine Bottle Temperature:Ambient	NOCPT
LABCORP	701330	Buprenorphine MAT 2, Ur 701330 Container:Urine Bottle Temperature:Ambient	80307
LABCORP	701486	Buprenorphine Medication Assisted Treatment Monitoring 1,Urine Container:Urine Container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	701385	Buprenorphine Medication Assisted Treatment Screen Only,Urine Container:Urine container Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809764	Buprenorphine Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	003236	C-Peptide, 24-Hour Urine Container:Plastic urine container Temperature:FREEZE	84681
LABCORP	500089	C-Telopeptide, Serum Container:Gel-barrier tube Temperature:FREEZE	82523

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	183620	C. trachomatis NAA, Confirm Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) or SurePath(TM) liquid cytology vials Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C).	87491
LABCORP	067108	C001-IgE Penicillin G Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602646	C001-IgE Penicilloyl G Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	067116	C002-IgE Penicillin V Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602647	C002-IgE Penicilloyl V Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602653	C007-IgE Cefaclor Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602650	C070-IgE Insulin Porcine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602651	C071-IgE Bovine Insulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602652	C073-IgE Human Insulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602843	C074-IgE Gelatin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605191	C074-IgG Gelatin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	823755	C1 Function Container:Red-top tube Temperature:FREEZE	86161
LABCORP	602654	C202-IgE Suxamethonium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602658	C206-IgE ACTH Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	520168	C3 Complement (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	86160
LABCORP	500452	C4 Binding Protein Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	83520
LABCORP	520166	C4 Complement (RDL) Container:Serum from a Gel Tube OR Serum from Red Top Tube Temperature:Store frozen or refrigerated.	86160
LABCORP	306139	C4+C1 Est+C1 Fun Container:Gel-Barrier Tube, Serum Transfer Tube	86161 86160 x2
LABCORP	620017	C9orf72 Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	004895	Calcitonin (Thyrocalcitonin), Serum Container:Red-top tube or gel-barrier tube Temperature:Freeze	82308
LABCORP	878728	Campylobacter Jejuni Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate (Cool Pack)	86625
LABCORP	143404	Cancer Antigen (CA) 15-3 Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86300
LABCORP	163020	Candida Antibodies, IgA, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	163135	Candida Antibodies, IgA, IgG, IgM, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628 x3
LABCORP	163005	Candida Antibodies, IgG, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	163010	Candida Antibodies, IgM, ELISA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86628
LABCORP	096719	Candida Antibodies, Qualitative Container:Red-stopper tube or serum-separator tube Temperature:Maintain specimen at room temperature.	86628
LABCORP	701907	Cannabidiol (CBD)/Tetrahydrocannabinol (THC) Ratio, Urine Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80349
LABCORP	809640	Cannabinoids Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	167443	Carbamazepine Sensitivity HLA Associations Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). When submitting buccal swabs, please use a buccal swab kit provided by LabCorp. To obtain the buccal kit, please telephone 800-533-1037. Temperature:Maintain whole blood at room temperature or refrigerate. Keep buccal swabs dry and at room temperature.	81381 x2
LABCORP	819076	Carboxy-, Met-&Sulf-Hemoglobin Container:Lavender-top (EDTA) tube Temperature:Refrigerate	83050 83060 82376
LABCORP	910602	Carboxy-THC Confirm	NOcpt
LABCORP	236819	Card(IgA/G/M)+dRVVT+Ph(IgA/... Container:Plasma from Light Blue (Citrate), Gel-Barrier Tube Temperature:See individual test components.	86148 x3 86147 x3 85613
LABCORP	245292	Cardiorenal-Glycemic Status Container:Urine Bottle, Gel Barrier Tube, Lavender-Top (EDTA) Tube	82565 82043 80061 82570 83036
LABCORP	824197	Carnitine Panel Container:Red-top tube, Green-Top,(Heparin)tube Temperature:CRITICAL FROZEN. Separate specimens must be submitted when multiple tests are ordered.	82017 82379
LABCORP	142331	CEA, Fluid Container:Sterile body fluid container Temperature:Maintain specimen at room temperature	82378
LABCORP	165126	Celiac Antibodies Profile tTG IgA, tTG IgG, DGP IgA, DGP IgG, EMA IgA and Total IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86255 83516 x4 82784
LABCORP	164047	Celiac Antibodies tTG IgA and Total IgA with Reflex totTG IgG and DGP IgG Container:Red-top tube or Gel-barrier tube Temperature:Room temperature	83516 82784
LABCORP	164002	Celiac Antibodies tTG IgA, DGP IgA, Total IgA with Reflex totTG IgG and DGP IgG Container:Red-top tube or Gel-barrier tube	83516 x2 82784

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	165142	Celiac Antibodies tTG IgA, EMA IgA, Total IgA with Reflex to tTG IgG Container:Red-top tube or serum gel tube Temperature:Room temperature	86255 83516 82784
LABCORP	165118	Celiac Disease Ab Screen w/Rfx Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516 x2 82784
LABCORP	334971	Celiac Disease Antibody Screen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516 x2 82784
LABCORP	165134	Celiac Disease II Container:Red-top tube or serum gel tube Temperature:Room temperature	86255 83516 x2 82784
LABCORP	167082	Celiac HLA DQ Association Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit). If submitting buccal swabs, please use the kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Maintain specimen at room temperature. Protect from extreme heat or cold.	81377 81383
LABCORP	164019	Celiac HLA DQ Association with Reflex to Celiac Antibodies tTG IgA, tTG IgG, DGP IgA, DGP IgG and Total IgA Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit) AND gel-barrier tube. If submitting buccal swabs, please use kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Room temperature. Protect from extreme heat or cold.	81383 81377
LABCORP	164031	Celiac HLA DQ Association with Reflex to Celiac Antibodies tTG IgA/IgG with DGP IgA/IgG Pos/Neg Combination Screen. Container:Lavender-top (EDTA) tube or four buccal swabs in a sealed envelope (buccal swab kit) AND gel-barrier tube. If submitting buccal swabs, please use kit provided by LabCorp. To obtain the buccal swab kit or to discuss other specimen types, please telephone 800-533-1037. Temperature:Room temperature. Protect from extreme heat or cold.	81377 81383
LABCORP	164700	Celiac Ped Screen w Reflex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	702735	Cenobamate (Xcopri), Plasma Container:Plasma from Lavender-top (EDTA) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOOPT
LABCORP	504627	Certolizumab and Anti-Certolizumab Antibody, Dose ASSURE(TM) CTZ Container:Red-Top Tube, Serum from Red Top Tube, Serum from a Gel Tube, OR Serum Transfer Tube Temperature:Refrigerate or FREEZE	82397 80299
LABCORP	823551	Chicken, Duck, Goose, Turkey IgE Container:Red-top tube Temperature:Room temperature	86003
LABCORP	451822	Chitotriosidase Assay (CHITO) Container:Gel-barrier tube. Temperature:Refrigerated	84999
LABCORP	138338	Chlamydia (Chlamydia) pneumoniae, IgG and IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632 86631
LABCORP	138263	Chlamydia (Chlamydia) pneumoniae, PCR Container:Universal transport media (swab) or sterile container (bronchial wash/aspirate, BAL, NP wash/aspirate) Temperature:Swab, bronchial wash, or BAL is stable when stored at room temperature, refrigerated, or frozen for up to seven days.	87486
LABCORP	307663	Chlamydia (IgG/IgM) Container:Gel-Barrier Tube Temperature:Room temperature	86631 x3 86632 x3
LABCORP	096180	Chlamydia Antibodies, IgG Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86631

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	138222	Chlamydia pneumoniae IgG Ab Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86631
LABCORP	138990	Chlamydia pneumoniae IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632
LABCORP	139317	Chlamydia pneumoniae, IgG, IgM, IgA Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Per the package insert: Samples stable at room temperature for eight hours. After eight hours, samples should be refrigerated at 2 degrees Celsius to 8 degrees Celsius for up to 48 hours. After 48 hours, freeze samples at -20 degrees Celsius or colder.	86632 86631 x2
LABCORP	138022	Chlamydia psittaci Antibody, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86631
LABCORP	138006	Chlamydia psittaci Antibody, IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86632
LABCORP	139020	Chlamydia psittaci IgG/M Container:Gel-barrier tube Temperature:Refrigerate	86632 86631
LABCORP	337989	Chlamydia trachomatis Ab IgG/M Container:Gel Barrier Tube	86632 86631
LABCORP	096149	Chlamydia trachomatis Antibodies, IgM Container:Red-stopper tube or gel-barrier tube Temperature:Refrigerate	86632
LABCORP	138399	Chlamydia trachomatis IgG Ab Container:Red-stopper tube or serum-separator tube Temperature:Refrigerate	86631
LABCORP	180098	Chlamydia/GC Amplification Container:Aptima Vaginal/Multitest Swab (Orange)	87491 87591
LABCORP	002063	Chloride, Cerebrospinal Fluid Container:Clean sterile tube Temperature:Maintain specimen at room temperature.	82438
LABCORP	140085	Chromogranin A, Rebaseline Container:Red-top tube or gel-barrier tube Temperature:Room temperature AND FROZEN	86316
LABCORP	324543	CK+CK-MB+Troponin I Container:Gel-Barrier Tube	82553 82550 84484
LABCORP	911163	Clomipramine and Metabolite	80335
LABCORP	502320	Clopidogrel Response Container:Blue-top (sodium Citrate) tube Temperature:Maintain specimen at room temperature Stability: Room temperature for up to 1 hour	85576 x5
LABCORP	180893	CLOtest Rapid Urease Test Container:CLOtest slide. Prior to use CLOtest slide is stored refrigerated. It is not necessary to bring CLOtest slide to room temperature prior to inoculation with biopsy specimen. Temperature:Refrigerated or room temperature after immersion of biopsy in gel of CLOtest slide.	87077
LABCORP	221085	CMV Abs IgG/IgM Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86644 86645
LABCORP	818776	CMV PCR Qual (fecal) Container:Sterile container Temperature:FREEZE	87496
LABCORP	824489	CMV qPCR (vitreous fluid) Container:Sterile container Temperature:FREEZE	87497
LABCORP	824935	CMV Saliva Real-Time PCR	87496



LAB	CODE	TEST NAME	CPT4 CODE
		Container:Swab UTM OR Viral transport Temperature:Frozen Stability: Refrigerated: 7 days Frozen: 7 days	
LABCORP	818037	CNBP DNA Test (DM2) Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPPT
LABCORP	203844	CNSSIg+IgGCSF+Oligoc Container:Gel-barrier tube AND Plastic (CSF) tube	82042 82784 x2 82040 83916
LABCORP	115512	CoaguChek XS/INR Waived Container:The CoaguChek Systems Test may be performed with fresh capillary whole blood from a fingerstick or fresh venous whole blood drawn in an anticoagulant-free plastic syringe. Temperature:The blood sample must be applied to the test strip within three minutes of removing the test strip from its foil pouch. Sample must be used immediately after collection.	85610
LABCORP	910610	Cocaine Metab, Confirm	NOCPPT
LABCORP	737900	Cocaine Metabolite (GC/MS), U Container:Use plastic urine drug bottle and evidence tape or tamper-evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature	80353
LABCORP	910609	Cocaine Screen Rflx	80307
LABCORP	824070	Coccidioides Ab by (ID) Container:Serum Separator (Gel) Tube Temperature:Refrigerated	86635
LABCORP	164798	Coccidioides Abs, IgG/IgM, EIA Container:Gel Barrier Tube	86635 x2
LABCORP	139172	Coccidioides CF Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86635
LABCORP	830408	Coccidioides Immitis Id Container:Viable fungal isolate in pure culture on non-blood containing fungal medium Temperature:Maintain specimen at room temperature Stability: Room temperature up to 2 days Refrigerate up to 2 weeks	NOCPPT
LABCORP	800126	Coccidioidomycosis Serology Container:Serum gel tube Temperature:Maintain specimen at room temperature	86171
LABCORP	620043	Coenzyme Q10 (Leukocytes) Container:Yellow-Top (ACD) Tube Temperature:Ship within 24 hours	82542
LABCORP	500360	Collagen-binding Activity (CBA) Profile Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerate up to 4 hours Acceptable freeze/thaw up to 4 cycles	85246 83520
LABCORP	824268	Comp. Drug Scr, Umbil.Cord Container:Sterile container (preservative-free) Temperature:Refrigerated	80307
LABCORP	630320	Complement and Coagulation Mediated TMA (aHUS) GeneticAnalysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81404
LABCORP	100149	Complement C3, Body Fluid Container:Clean container Temperature:Refrigerate	86160
LABCORP	004220	Complement C3a Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160
LABCORP	100339	Complement C4, Body Fluid Container:Clean container Temperature:Refrigerate	86160
LABCORP	004330	Complement C4a Container:Lavender-top (EDTA) tube Temperature:FREEZE	86160

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	791194	Comprehensive Drug Analysis, Urine Container:Urine Bottle Temperature:Room temperature is acceptable for shipping and/or short term storage (up to 3 days), specimen may also be refrigerated or frozen.	80357 80366 80344 80337 80354 80365 80355 80326 80364 80307 80331 80373 83992 80338 80372 80353 80371 80348 80361 80358 80368 80359 80360 80341 80370 80356
LABCORP	630268	Comprehensive Epilepsy NGS Panel Container:Lavender-top (EDTA) tube, OCD-100 DNA Genotek device ONLY Temperature:Maintain specimen at room temperature until ready to ship; ship samples at ambient temperature ASAP	81304 81317 81405 x52 81297 81404 x28 81189 81403 x3 81319 81321 81298 81300 81479 81292 81302 81408 x4 81185 81323 81407 x11 81295 81175 81406 x59 81294
LABCORP	630628	Comprehensive Hearing Loss NGS Panel + mtDNA Container:Lavender-top (EDTA) tube, OCD-100 DNA Genotek device ONLY Temperature:Maintain specimen at room temperature until ready to ship; ship samples at ambient temperature ASAP	81465 81460 81430 81431
LABCORP	620167	Comprehensive Spinocerebellar Ataxia Repeat Expansion Panel Container:Lavender Top (EDTA) Tube	81344 81181 81177 81343 81178 81179 81479 81184 81182 81183 81180
LABCORP	504576	COMT Genetic Test Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, or LabCorp buccal swab from kit Temperature:Room temperature	81479
LABCORP	910246	Confirm Opiates 9 Drugs LCMS Container:Urine bottle Temperature:Room Temperature	80361 80356 80365
LABCORP	500768	Congenital Adrenal Hyperplasia (CAH) 21-Hydroxylase(CYP21) Mutation Container:Lavender-top (EDTA) tube, yellow top (ACD) tube Temperature:Maintain specimen at room temperature.	81402
LABCORP	165590	Connective Tissue Disease (CTD) Cascade Container:Red-top tube or gel-barrier tube AND blue-top (sodium citrate) tube Temperature:SERUM: Room temperature, refrigerated AND FROZEN PLASMA: FROZEN Stability: See individual test	86038
LABCORP	820391	CordStat 12 + EtOH Container:Sterile container Temperature:Refrigerate	80307
LABCORP	500130	Corticosteroid Binding Globulin (CBG) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	84449
LABCORP	500135	Corticosterone, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	82528
LABCORP	024030	Cortisol, 30 Minutes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82533
LABCORP	024060	Cortisol, 60 Minutes Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82533
LABCORP	503725	Cortisone, Serum, LC/MS-MS Container:Gel-barrier tube,red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE (preferred), or refrigerate	82542
LABCORP	910974	Cotinine, Serum	80307
LABCORP	163275	Coxsackie A Virus Antibody Profile, IgG Container:Gel-barrier Tube OR Red Top Tube Temperature:Room Temperature	86658 x4
LABCORP	163295	Coxsackie A Virus Antibody Profile, IgG, IgM Container:Gel-barrier Tube OR Red Top Tube	86658 x8

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room Temperature	
LABCORP	163290	Coxsackie A Virus Antibody Profile, IgM Container:Gel-barrier Tube OR Red Top Tube Temperature:Room Temperature	86658 x4
LABCORP	096263	Coxsackie Virus Group B Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86658 x6
LABCORP	348237	Creat+Uric U	82570 84560
LABCORP	227243	CreatCx+Prt24H	84156 82575
LABCORP	620180	Creatine and Guanidinoacetate (Plasma) Container:Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature:Remove plasma and freeze at -20 degrees Celsius. Store frozen at -20 degrees Celsius and ship frozen.	82570 82017
LABCORP	620170	Creatine and Guanidinoacetate (Urine) Container:Sterile Cup Temperature:Freeze as soon as possible after collection; Ship within 24 hours	82570 82017
LABCORP	002154	Creatine Kinase (CK), Total Plus Isoenzymes, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate up to 48 hours. FREEZE (-20 degrees C) up to two weeks.	82552 82550
LABCORP	361661	Creatinine U+Citric Acid U	82507 82570
LABCORP	038596	CreatU+Ca U	82570 82340
LABCORP	328107	CreatU+Ca U+Uric U+Phos U+O...	84560 82340 83945 84105 84300 83735 82570
LABCORP	204672	CreatU+Crti24 Container:Plastic urine container (no preservative)	82570 82540
LABCORP	376565	CreatU+IFE U+Kappa/Lambda Q...	82570 84156 86335 84166 83883 x2
LABCORP	236944	CreatU+PBG UU Container:Urine Bottle	82570 84110
LABCORP	003301	CreatU+Prot U (24 hour) Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	82570 84156
LABCORP	162020	Crohn's Disease Prognostic Panel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86671 83516 x3
LABCORP	361891	CRP C+Homocy+V D25	86141 82306 83090
LABCORP	236958	Cryofi+Cryogl Container:Serum Transfer Tube, Blue-Top (Sodium Citrate) Tube	82595 82585
LABCORP	344201	Crypto+Cyclos+Isospo Container:Parasite (O&P) transport system (formalin vial only); Para Pak - Pink Temperature:Room temperature	87015 x2 87206 x2
LABCORP	241227	Ct/GC/Tv NAA+HBsAg+HCVAb+HS... Container:Aptima (Gen-Probe) Swab or Urine, Gel-barrier Tube	86696 87491 86695 86780 87389 86803 87591 87340 87661
LABCORP	186215	Ct/Ng Tv Client Prequot, NAA Container:Gen-Probe(R) APTIMA(R) swab transport or Gen-Probe(R) APTIMA(R) specimen transfer kit with 1 mL of PreservCyt(R) fluid (do NOT use swabs provided with APTIMA(R) kit) Temperature:Maintain specimen at room temperature or refrigerate 2(degrees)C to 30(degrees)C. Aliquots must be transferred to the APTIMA(R) tube within seven days of collection.	87491 87591 87661
LABCORP	830835	Culturable Surface Swab Container:Universal transport medium Temperature:Refrigerated	NOcpt
LABCORP	806399	Cutaneous Immunofluorescence Container:Gel-barrier tube or red-top tube Temperature:Refrigerate	86256 x2

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	004984	Cyclic AMP, Plasma Container:Lavender-top (EDTA) plasma Temperature:FREEZE	82030
LABCORP	004903	Cyclic AMP, Urine Container:Transport tube Temperature:FREEZE	82030 82570
LABCORP	480970	Cystic Fibrosis(CF), 5T Allele Genotyping Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81224
LABCORP	512215	Cytochrome P450 2C9 Genotyping Siponimod Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Room Temperature, Refrigerated or Frozen	NOCPT
LABCORP	138693	Cytomegalovirus (CMV), Qualitative, PCR Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, OR sterile container (CSF or urine) Temperature:Whole blood is STABLE at room temperature or refrigerated for seven days. Urine is STABLE refrigerated or FROZEN for seven days. Plasma and CSF are STABLE at room temperature or refrigerated for seven days or FROZEN for 90 days. fluid is STABLE at room temperature or refrigerated for 14 days, FROZEN for 90 days.	87496
LABCORP	139149	Cytomegalovirus (CMV), Quantitative, Plasma, PCR Container:Ship in a screw-cap polypropylene frozen transport tube. Temperature:FREEZE	87497
LABCORP	139144	Cytomegalovirus (CMV), Quantitative, Urine, PCR Container:Sterile urine container, no preservative Temperature:Refrigerate or FREEZE	87497
LABCORP	830869	Cytomegalovirus IgG Avidity Container:Serum Separator (Gel) Tube Temperature:Room Temperature	86644
LABCORP	602467	D001-IgE D pteronyssinus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602475	D002-IgE D farinae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602677	D070-IgE Acarus Mite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602678	D071-IgE Lepidoglyphus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602679	D072-IgE Tyrophagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602681	D073-IgEGlycyphagus domesticus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602682	D074-IgE Euroglyphus maynei Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602621	D201-IgE Blomia tropicalis Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	117076	Dabigatran Container:Light blue-top (citrate) tube (preferred), lavender-top (EDTA) tube, or green-top (heparin) tube Temperature:Room Temperature	80375
LABCORP	161646	Deaminated Gliadin Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	161687	Deaminated Gliadin Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500156	Dehydroepiandrosterone, Serum Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 14 hours Refrigerated up to 12 days Frozen up to 94 days	82626
LABCORP	500138	Deoxycorticosterone (DOC), Serum Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:FREEZE	82633
LABCORP	604786	Dermatophagoides microceras (Mite) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	141325	Des-gamma-carboxy Prothrombin (DCP) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83951
LABCORP	911147	Desipramine	80335
LABCORP	500118	Dexamethasone, Serum Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 6 days Refrigerated up to 14 days Frozen up to 1 year	80299
LABCORP	023400	Diabetes Comorbidity Assessment Container:Red-top tube, gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube AND plastic urine container Temperature:Maintain specimens at room temperature.	82565 82043 80061 82570
LABCORP	123855	Diabetes Risk Index (DRI) Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate	81599
LABCORP	090400	Diabetes Risk-Asymptomatic Adults Container:Hemoglobin A1c: Lavender-top (EDTA) tube, green-top (lithium heparin) tube, or gray-top (sodium heparin) tube Glucose, Plasma: gray top (sodium fluoride) tube or green-top (lithium heparin) tube Temperature:Maintain A1c and FPG specimens at room temperature.	83036 82947
LABCORP	005200	Dilute Prothrombin Time Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85705
LABCORP	117976	Dilute Russell's Viper Venom Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85613
LABCORP	347992	Dip Ab+IgA/G/M+IgGSub+TetIgG Container:Gel-Barrier Tube	82787 x4 82784 x3 86317 x2
LABCORP	798230	Diphenhydramine GC/MS Retest	NOCPT
LABCORP	163709	Diphtheria Antitoxoid Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature	86317
LABCORP	139670	DONOR ABO Group/Rho(D) Type Container:Lavender Top (EDTA) Tube Temperature:Refrigerate Stability: Refrigerated = 5 days	86900 86901
LABCORP	139682	DONOR ABO Group/Rho(D) Type Container:Lavender Top (EDTA) Tube Temperature:Refrigerate Stability: Refrigerated = 14 days	NOCPT
LABCORP	139693	DONOR Syphilis (T pallidum) Container:Red-Top Tube Temperature:Refrigerate Stability: Refrigerated: 5 days Frozen: greater than or equal to -20 degrees C for greater than 5 days	86780
LABCORP	139761	DONOR Syphilis(T pallidum IgG) Container:Red-Top Tube Temperature:Refrigerate Stability: Refrigerated: 5 days Frozen: greater than or equal to -20 degrees C for greater than 5 days	NOCPT
LABCORP	139806	DONOR WNV NAT Assay Container:Lavender Top (EDTA) Tube OR Plasma Preparation Tube (PPT) Temperature:Refrigerate Stability: Whole Blood: less than 25 degrees C but not to exceed 30 degrees for more than 24 hours = 72 hours Plasma: Refrigerated = 12 days Frozen: greater than or equal to -18 degrees	87798



LAB	CODE	TEST NAME	CPT4 CODE
		C = 30 days	
LABCORP	500733	Dopamine, Urine Container:Urine container with 25 mL 6N HCl preservative. CAUTION: STRONG ACID. May cause skin burns. Temperature:Freeze, preferred Stability: Refrigerated up to 7 days at a pH range if 1 to 3.	NOCPT
LABCORP	911179	Doxepin and Metabolite	80335
LABCORP	620158	DRPLA(ATN1) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81177
LABCORP	820205	Drug Det Pan Umbilical Cord Ql Container:Sterile container Temperature:Refrigerate	80307
LABCORP	911048	Drug Facil Sexual Assault Pnl	80357 80307
LABCORP	824327	Drug Scr, Umbil. Cord Tissue Container:Sterile container(preservative-free) Temperature:Refrigerated	80307
LABCORP	809313	Drug Screen 10 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809558	Drug Screen 11 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,BUP,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809160	Drug Screen 12 with Reflex Confirmation(ETG,AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD,BUP,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809173	Drug Screen 4 with Reflex Confirmation (AMP,COC,THC,OPI),Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	809574	Drug Screen 8 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,TRAM), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOCPT
LABCORP	791430	Drug Screen 9 with Reflex Confirmation(AMP,BAR,BZO,COC,PCP,THC,OPI,OXY,MD), Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	911039	DRUGS OF ABUSE 1000 RFLX	80307
LABCORP	911045	DRUGS OF ABUSE 1001 RFLX	80307
LABCORP	911046	DRUGS OF ABUSE 2000 RFLX	80307
LABCORP	911050	DRUGS OF ABUSE 2001 RFLX	80307
LABCORP	910983	DRUGS OF ABUSE 201 RFLX	NOCPT
LABCORP	911047	DRUGS OF ABUSE 3000 RFLX	80307
LABCORP	911051	DRUGS OF ABUSE 3001 RFLX	80307
LABCORP	911052	DRUGS OF ABUSE 4000 RFLX	80307
LABCORP	911053	DRUGS OF ABUSE 4001 RFLX	80307
LABCORP	910997	DRUGS OF ABUSE 600 RFLX	80307

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	910998	DRUGS OF ABUSE 700 RFLX	80307
LABCORP	911001	DRUGS OF ABUSE 701 RFLX	NOCPT
LABCORP	911002	DRUGS OF ABUSE 702 RFLX	80307
LABCORP	911003	DRUGS OF ABUSE 800 RFLX	80307
LABCORP	911004	DRUGS OF ABUSE 801 RFLX	80307
LABCORP	911006	DRUGS OF ABUSE 802 RFLX	NOCPT
LABCORP	911007	DRUGS OF ABUSE 803 RFLX	80307
LABCORP	911022	DRUGS OF ABUSE 900 RFLX	80307
LABCORP	241426	dRVVT+PT+PT Mix+PTT LA+TTMx Container:Plasma from Light Blue (Citrate) Temperature:Frozen	85732 85611 85610 85613 85670
LABCORP	096346	dsDNA Antibody by IFA, Crithidia luciliae, with Reflexto Titer Temperature:Room temperature	86225
LABCORP	830832	Duodenoscope Sample (Bacteria) Container:Sterile container Temperature:Refrigerated, ship cool pack	NOCPT
LABCORP	602454	E001-IgE Cat Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605024	E001-IgG Cat Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602684	E003-IgE Horse Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602685	E004-IgE Cow Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602456	E005-IgE Dog Dander Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602686	E006-IgE Guinea Pig Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602688	E070-IgE Goose Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602994	E071-IgE Mouse Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602689	E072-IgE Mouse Urine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602690	E073-IgE Rat Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602691	E074-IgE Rat Urine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602692	E075-IgE Rat Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602693	E076-IgE Mouse Serum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602694	E077-IgE Budgerigar Droppings Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602695	E078-IgE Budgerigar Feather Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602697	E080-IgE Goat Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602699	E081-IgE Sheep epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602700	E082-IgE Rabbit Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602701	E083-IgE Swine Epithelia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602702	E084-IgE Hamster Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602703	E085-IgE Chicken Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602704	E086-IgE Duck Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602705	E087-IgE Rat Epith/Protein Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602708	E089-IgE Turkey Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	361725	E2+Estrogen+E1	82679 82670 82672
LABCORP	602709	E201-IgE Canary Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602710	E209-IgE Gerbil Epithelium Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602711	E214-IgE Feathers, Finch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602712	E215-IgE Pigeon Feathers Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	821476	EBV qPCR (Plasma) Container:Lavender-top (EDTA) tube Temperature:Room temperature.	87799
LABCORP	054262	EBVCA(IgG/M) Container:Gel Barrier Tube Temperature:Refrigerate	86665 x2
LABCORP	246681	EBVEA+EBV Container:Gel Barrier Tube	86665 x2 86664 86663
LABCORP	138768	Echinococcus Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86682
LABCORP	504430	Edoxaban Anti Xa Container:Blue-top (3.2 % or 3.8% sodium citrate) tube	85130



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE Stability: Room temperature up to 6 hours Freeze/thaw cycle stable x5	
LABCORP	138168	Ehrlichia chaffeensis, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	138412	Ehrlichia Profile, DNA PCR Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Refrigerate	87798 x2
LABCORP	164722	Ehrlichiosis (Granulocytic and Monocytic) Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86666 x4
LABCORP	338665	ENA ANTIBODY PANEL Container:Gel-barrier tube is preferred. Red top tube is acceptable.	86235 x5
LABCORP	244118	ENA+Riboso+Scl 70+SjoSSA+Sj... Container:Gel-barrier tube	83516 86235 x5
LABCORP	830483	Encephalopathy Autoimmune Eval Container:Red-top tube Temperature:Refrigerated	83519 x3 86255 x17 86341
LABCORP	236765	Endo(IgA) w/Reflex+tTG(IgA) Container:Gel-Barrier Tube Temperature:Room Temperature	86255 83516
LABCORP	336181	Endo(IgA)+GliA(IgA/G)+IgA+t... Container:Gel-Barrier Tube	86255 83516 x3 82784
LABCORP	342052	Endo(IgA)+tTG(IgA/G) Container:Gel Barrier Tube	86255 83516 x2
LABCORP	402362	Enzyme Biotinidase Deficiency, Serum Container:Red-top tube Temperature:FREEZE	82261
LABCORP	004180	Eosinophil Cationic Protein (ECP) Container:NMR lipoprofile serum-separator tube (LabCorp item ID 60360). Other tubes should not be used as they may produce erroneous results. Temperature:Refrigerate	86849
LABCORP	312920	EP+Anion Gap Container:Gel-Barrier Tube Temperature:Room temperature	80051
LABCORP	240610	Epstein-Barr Virus (EBV) Antibody Profile Container:Red-top tube or Gel-barrier tube Temperature:Room temperature	86665 x2 86664
LABCORP	139490	Epstein-Barr Virus (EBV), Quantitative, DNA PCR, Blood Container:Lavender-top (EDTA) OR yellow-top (ACD) tube Temperature:Refrigerate	87799
LABCORP	004515	Estradiol Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82670
LABCORP	500649	Estradiol Free, Equilibrium Dialysis, with Total Estradiolby HPLC/MS-MS Container:Gel-barrier tube or red-top tube Temperature:FREEZE	84999 82670
LABCORP	500108	Estradiol, LCMS (Endocrine Science) Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	82670
LABCORP	140244	Estradiol, Sensitive (LC/MS) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82670
LABCORP	004614	Estriol, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82677
LABCORP	004606	Estrogens Fractionated, S Container:SST(1) Temperature:Refrigerate	82670 82679
LABCORP	004549	Estrogens, Total	82672

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube or green-top (heparin) tube Temperature:Refrigerate	
LABCORP	504796	Estrogens, Total Serum Container:Serum from a Gel Tube; Plasma from Lavender Top Tube; Plasma from Green Top Tube; Serum Transfer Tube; Plasma Transfer Tube Temperature:FREEZE	82672
LABCORP	501049	Estrone Sulfate Container:Red-top tube or gel-barrier tube Temperature:Frozen Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	82679
LABCORP	500634	Estrone, LCMS (Endocrine Science) Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 32 months	82679
LABCORP	004564	Estrone, Serum Container:Red-top tube, gel-barrier tube, or lavender-top (EDTA) tube Temperature:Refrigerate	82679
LABCORP	910529	Ethanol Urine	80307
LABCORP	734588	Ethanol, Urine Qual Container:Plastic transport tube (preferred) or plastic urine container Temperature:Refrigerate	80307
LABCORP	735316	Ethyl Alcohol, Screen with Confirmation, Urine(LabCorp MedWatch(R))(Confirmation Performed at an Additional Charge) Container:Urine Bottle Temperature:Room temperature; refrigerate or freeze if any delay in shipment to the lab.	80307
LABCORP	737607	Ethyl Glucuronide LC/MS/MS Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80321
LABCORP	737611	Ethyl Glucuronide LC/MS/MS Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80321
LABCORP	824675	Ethyl Glucuronide Screen, UC Container:Sterile container (preservative-free) Temperature:Refrigerated Stability: Room Temperature: Undetermined Refrigerated: 7 days Frozen: 14 days	80307
LABCORP	910617	Ethyl Glucuronide, Ur Rflx	80307
LABCORP	798067	Ethyl Glucuronide, Urine Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 3 days then refrigerate.	80307
LABCORP	910828	ETHYL GLUCURONIDE/SULFATE	80321
LABCORP	910625	Ethylene Glycol	80320
LABCORP	500055	Euglobulin Lysis Time (ELT) Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85360
LABCORP	602620	EX01 Animal Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	824521	Expanded Drug Scr + BUP,UC Container:Sterile container (preservative-free) Temperature:Refrigerate	80307
LABCORP	824024	Expanded Drug Scr+EtG, Umb Container:Sterile container(preservative-free) Temperature:Refrigerated Stability: Room Temperature: Undetermined Refrigerated: 7 days Frozen: 14 days	80307
LABCORP	824329	Expanded Drug Scr, Umbil. Cord Container:Sterile container (preservative-free) Temperature:Refrigerated	80307
LABCORP	910990	Extended Amphetamine Conf	80359 80324

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	910982	EXTENDED DRUG SURVEY RFLX	80325 80377 80337 80307 80339 80338 80343 80362 80333 80323 80369 80360
LABCORP	602452	F001-IgE Egg White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605011	F001-IgG Egg White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602453	F002-IgE Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602465	F003-IgE Codfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605029	F003-IgG Codfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602459	F004-IgE Wheat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605031	F004-IgG Wheat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602522	F005-IgE Rye Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605032	F005-IgG Rye Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602504	F006-IgE Barley Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605033	F006-IgG Barley, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602553	F007-IgE Oat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605034	F007-IgG Oat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605035	F008-IgG Corn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602511	F009-IgE Rice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605036	F009-IgG Rice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602485	F010-IgE Sesame Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605037	F010-IgG Sesame Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602715	F011-IgE Buckwheat Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605038	F011-IgG Buckwheat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602517	F012-IgE Green Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605039	F012-IgG Green Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602451	F013-IgE Peanut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605040	F013-IgG Peanut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602457	F014-IgE Soybean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605041	F014-IgG Soybean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602525	F015-IgE White Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605042	F015-IgG White Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605043	F017-IgG Hazelnut (Filbert) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605044	F018-IgG Brazil Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605046	F020-IgG Almond Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602493	F023-IgE Crab Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605049	F023-IgG Crab Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602473	F024-IgE Shrimp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605050	F024-IgG Shrimp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602468	F025-IgE Tomato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605051	F025-IgG Tomato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602498	F026-IgE Pork Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605052	F026-IgG Pork Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605317	F026-IgG4 Pork Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605053	F027-IgG Beef Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602521	F031-IgE Carrot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605056	F031-IgG Carrot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602472	F033-IgE Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605057	F033-IgG Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605321	F033-IgG4 Orange Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602499	F035-IgE Potato, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605058	F035-IgG Potato, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602512	F036-IgE Coconut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605059	F036-IgG Coconut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602719	F037-IgE Mussel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605060	F037-IgG Mussel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602510	F040-IgE Tuna Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605061	F040-IgG Tuna Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602507	F041-IgE Salmon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605062	F041-IgG Salmon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602720	F042-IgE Haddock Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605064	F042-IgG Haddock Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602513	F044-IgE Strawberry Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605065	F044-IgG Strawberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602567	F045-IgE Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605066	F045-IgG Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605330	F045-IgG4 Yeast Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602519	F047-IgE Garlic Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605067	F047-IgG Garlic Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602723	F048-IgE Onion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605068	F048-IgG Onion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602724	F049-IgE Apple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605069	F049-IgG Apple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602725	F050-IgE Mackerel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605070	F050-IgG Mackerel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602726	F054-IgE Sweet Potato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605074	F054-IgG Sweet Potato Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602727	F055-IgE Millet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602801	F058-IgE Squid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605151	F058-IgG Squid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602487	F075-IgE Egg (Yolk) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605078	F075-IgG Egg (Yolk) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605079	F076-IgG Alpha Lactalbumin Container:Red-top tube or gel-barrier tube	86001



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605080	F077-IgG Beta Lactoglobulin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605081	F078-IgG Casein Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602497	F079-IgE Gluten Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605082	F079-IgG Gluten Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602495	F080-IgE Lobster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605083	F080-IgG Lobster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602732	F081-IgE Cheese, Cheddar Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605077	F081-IgG Cheese, Cheddar Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602733	F082-IgE Cheese, Mold Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605085	F082-IgG Cheese, Mold Type Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602500	F083-IgE Chicken Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605086	F083-IgG Chicken Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602734	F084-IgE Kiwi Fruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605087	F084-IgG Kiwi Fruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602735	F085-IgE Celery Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605088	F085-IgG Celery Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602736	F086-IgE Parsley Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605090	F086-IgG Parsley Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602737	F087-IgE Melon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605091	F087-IgG Melon Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602738	F088-IgE Lamb Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605092	F088-IgG Lamb Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602739	F089-IgE Mustard Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605093	F089-IgG Mustard Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602740	F090-IgE Malt Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605094	F090-IgG Malt Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602741	F091-IgE Mango Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605095	F091-IgG Mango Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602742	F092-IgE Banana Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605096	F092-IgG Banana Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602492	F093-IgE Chocolate/Cacao Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605072	F093-IgG Chocolate/Cacao Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602743	F094-IgE Pear Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605098	F094-IgG Pear Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602744	F095-IgE Peach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605364	F095-IgG4 Peach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602745	F096-IgE Avocado Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605100	F096-IgG Avocado Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602759	F147-IgE Flounder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605107	F147-IgG Flounder Container:Red-top tube or gel-barrier tube	86001



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605375	F147-IgG4 Flounder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602765	F182-IgE Lima Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605111	F182-IgG Lima Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605114	F201-IgG Pecan Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605115	F202-IgG Cashew Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605116	F203-IgG Pistachio Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602523	F204-IgE Trout Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605117	F204-IgG Trout Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602767	F205-IgE Herring Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605118	F205-IgG Herring Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605119	F207-IgG Clam Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602768	F208-IgE Lemon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605120	F208-IgG Lemon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602769	F209-IgE Grapefruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605122	F209-IgG Grapefruit Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602770	F210-IgE Pineapple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605123	F210-IgG Pineapple Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602772	F211-IgE Blackberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605124	F211-IgG Blackberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602773	F212-IgE Mushroom Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605125	F212-IgG Mushroom Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602774	F213-IgE Rabbit Meat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605126	F213-IgG Rabbit Meat Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602775	F214-IgE Spinach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605127	F214-IgG Spinach Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602776	F215-IgE Lettuce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605128	F215-IgG Lettuce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602777	F216-IgE Cabbage Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605129	F216-IgG Cabbage Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602778	F217-IgE Brussel Sprouts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605130	F217-IgG Brussel Sprouts Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602779	F218-IgE Paprika/Sweet Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605131	F218-IgG Paprika/Sweet Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602814	F219-IgE Fennel, Fresh Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605163	F219-IgG Fennel, Fresh Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602781	F220-IgE Cinnamon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605133	F220-IgG Cinnamon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602782	F221-IgE Coffee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605134	F221-IgG Coffee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602783	F222-IgE Tea Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605135	F222-IgG Tea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602785	F224-IgE Poppy Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605136	F224-IgG Poppy Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602786	F225-IgE Pumpkin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605137	F225-IgG Pumpkin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602790	F231-IgE Boiled Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602791	F232-IgE Ovalbumin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86008
LABCORP	602793	F234-IgE Vanilla Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605140	F234-IgG Vanilla Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602794	F235-IgE Lentil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605141	F235-IgG Lentil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602501	F236-IgE Whey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605142	F236-IgG Whey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602795	F237-IgE Apricot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605143	F237-IgG Apricot Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602796	F242-IgE Bing Cherry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605144	F242-IgG Bing Cherry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602798	F244-IgE Cucumber Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605145	F244-IgG Cucumber Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602528	F245-IgE Egg, Whole Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605146	F245-IgG Egg, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605421	F245-IgG4 Egg, Whole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602799	F247-IgE Honey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605148	F247-IgG Honey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602550	F253-IgE Pine Nut, Pignoles Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602800	F255-IgE Plum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605149	F255-IgG Plum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602530	F256-IgE Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605150	F256-IgG Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602802	F259-IgE Grape Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605152	F259-IgG Grape Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602803	F260-IgE Broccoli Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605153	F260-IgG Broccoli Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602804	F261-IgE Asparagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605155	F261-IgG Asparagus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602806	F262-IgE Eggplant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605156	F262-IgG Eggplant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602760	F263-IgE Green Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605108	F263-IgG Green Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602807	F265-IgE Cumin Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605157	F265-IgG Cumin Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602808	F268-IgE Cloves Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605158	F268-IgG Cloves Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602809	F269-IgE Basil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605159	F269-IgG Basil Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602810	F270-IgE Ginger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605160	F270-IgG Ginger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602811	F271-IgE Aniseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602812	F273-IgE Thyme Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605161	F273-IgG Thyme Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602815	F277-IgE Dill Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605164	F277-IgG Dill Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602816	F278-IgE Bayleaf (Laurel) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605165	F278-IgG Bayleaf (Laurel) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602817	F279-IgE Chili Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605045	F279-IgG Chili Pepper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602818	F280-IgE Black Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605167	F280-IgG Black Peppercorn Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602819	F281-IgE Curry Powder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605168	F281-IgG Curry Powder Container:Red-top tube or gel-barrier tube	86001

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602820	F282-IgE Nutmeg Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605169	F282-IgG Nutmeg Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602822	F283-IgE Oregano Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605171	F283-IgG Oregano Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602823	F284-IgE Turkey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605172	F284-IgG Turkey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602824	F287-IgE Kidney Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605173	F287-IgG Kidney Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602825	F288-IgE Blueberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605174	F288-IgG Blueberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602826	F289-IgE Date Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605175	F289-IgG Date Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602514	F290-IgE Oyster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605176	F290-IgG Oyster Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602827	F291-IgE Cauliflower Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605177	F291-IgG Cauliflower Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602828	F293-IgE Papaya Food Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605178	F293-IgG Papaya Food Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602829	F296-IgE Carob Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602851	F297-IgE Acacia Gum Container:Red-top tube or gel-barrier tube	86003



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	605193	F297-IgG Acacia Gum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602538	F299-IgE Sweet Chestnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605179	F299-IgG Sweet Chestnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602526	F300-IgE Goat's Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605180	F300-IgG Goat's Milk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602830	F302-IgE Tangerine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605181	F302-IgG Tangerine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602831	F303-IgE Halibut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605182	F303-IgG Halibut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602832	F306-IgE Lime Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605183	F306-IgG Lime Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602833	F307-IgE Hake Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602834	F308-IgE Sardine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605184	F308-IgG Sardine Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602835	F309-IgE Chick Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605185	F309-IgG Chick Pea Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602787	F312-IgE Swordfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602837	F313-IgE Anchovy Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602838	F315-IgE Green Bean Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605187	F315-IgG Green Bean Container:Red-top tube or gel-barrier tube	86001



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	603947	F317-IgE Coriander/Cilantro Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602757	F319-IgE Red Beet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605106	F319-IgG Red Beet Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602840	F320-IgE Crayfish Freshwater Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605189	F320-IgG Crayfish Freshwater Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602841	F324-IgE Hop (Food) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605190	F324-IgG Hop (Food) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	603935	F328-IgE Fig Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602718	F329-IgE Watermelon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605054	F329-IgG Watermelon Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	604518	F332-IgE Mint Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605610	F333-IgE Linseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605597	F333-IgG Linseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602754	F337-IgE Sole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605104	F337-IgG Sole Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602478	F338-IgE Scallop Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605073	F338-IgG Scallop Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602836	F339-IgE Allspice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605186	F339-IgG Allspice Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	604506	F340-IgE Carmine Red Dye Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602764	F341-IgE Cranberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605110	F341-IgG Cranberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602756	F342-IgE Olive, Black Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605598	F342-IgG Olive, Black Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602717	F343-IgE Raspberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605047	F343-IgG Raspberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602780	F344-IgE Sage, Salvia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605132	F344-IgG Sage, Salvia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602568	F345-IgE Macadamia Nut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602845	F369-IgE Catfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605192	F369-IgG Catfish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602857	F381-IgE Red Snapper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605194	F381-IgG Red Snapper Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602858	F384-IgE Whitefish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605195	F384-IgG Whitefish Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602539	F414-IgE Tilapia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602728	F415-IgE Walleye Pike Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605076	F415-IgG Walleye Pike Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	086231	Factor II Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze	85210
LABCORP	500677	Factor II Activity Container:Blue-top (sodium citrate) tube	85210

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	
LABCORP	630373	Factor IX (Hemophilia B) Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81238
LABCORP	086298	Factor IX Activity Container:Blue-to (sodium citrate) tube Temperature:FREEZE	85250
LABCORP	500671	Factor IX Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85250
LABCORP	500014	Factor IX Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 8 hours	85250
LABCORP	500675	Factor V Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85220
LABCORP	503940	Factor V R2 DNA Analysis Container:Lavender-top (EDTA) tube (PREFERRED) OR yellow-top (ACD) tube Temperature:Maintain specimen refrigerated or at room temperature Stability: Room temperature up to 7 days Refrigerated up to 7 days	81400
LABCORP	500680	Factor VII Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85230
LABCORP	630366	Factor VIII (Hemophilia A) Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81407 81406
LABCORP	500659	Factor VIII Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85240
LABCORP	500698	Factor VIII Antibody, ELISA Container:Blue-top (sodium citrate) tube Temperature:Freeze	85335
LABCORP	500196	Factor VIII Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerate up to 8 hours Acceptable freeze/thaw up to 3 cycles	83520
LABCORP	500192	Factor VIII Chromogenic Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85240
LABCORP	504722	Factor VIII Chromogenic Bethesda Profile, for patients onemicizumab Container:Blue-Top (Sodium Citrate) Tube Temperature:Freeze	85335 85240 x2
LABCORP	086306	Factor X Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85260
LABCORP	117904	Factor X, Chromogenic Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85260
LABCORP	086314	Factor XI Activity Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85270
LABCORP	500673	Factor XI Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85270
LABCORP	086322	Factor XII Activity	85280

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Blue-top (sodium citrate) tube Temperature:FREEZE	
LABCORP	500695	Factor XII Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85280
LABCORP	086330	Factor XIII Container:Blue-top (sodium citrate) tube Temperature:Freeze	85291
LABCORP	500185	Factor XIII Activity*RUO* Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Refrigerate up to 24 hours Acceptable freeze/thaw up to 4 cycles	85290
LABCORP	630413	Factor XIII Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	511212	Fanconi Anemia (Type C), DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature or refrigerate.	81242
LABCORP	306172	Fe+ANA+TIBC+Fer+AIA+Cerulo+... Container:Gel-Barrier Tube, Royal Blue-Top (EDTA) Tube, Certified Metal-Free Transport Tube	82728 83516 x2 82390 86038 82525 83550 83540 82103
LABCORP	030825	Fe+TIBC+Fer Container:One 7 mL serum gel separator tube Temperature:Refrigerate	82728 83550 83540
LABCORP	051102	Fe+TIBC+Fer+Retic Container:Serum Gel-Barrier Tube, Lavender Top (EDTA) Tube	85045 83550 83540 82728
LABCORP	211187	Fe+Transferrin	83540 84466
LABCORP	817070	Fentanyl Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910989	Fentanyl Screen, Urine, RFLX	80307
LABCORP	764160	Fentanyl/Norfentanyl, Confirm Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80354
LABCORP	862031	Fetal Hemoglobin Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 6 hours Refrigerate up to 2 weeks	85460
LABCORP	230999	Fetal Screen Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	85461
LABCORP	489124	FGFR Mutation Analysis, Urothelial Cancer Container:FFPE block or slides Temperature:Maintain blocks/slides at room temperature.	88381 0154U
LABCORP	403604	FIB-4 Container:Gel-barrier tube OR red-top tube, OR green-top (heparin) tube, OR, lavender-top (EDTA) tube (plasma) AND A SEPARATE lavender-top (EDTA) tube Temperature:Room temperature	84450 84460 85049
LABCORP	402070	FIB-4 With Reflex to NASH FibroSure(R) Container:Gel-barrier tube OR red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored room temperature. Serum sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	84450 84460 85049
LABCORP	241708	Fibrin+TT Container:Blue Top (Sodium Citrate) Tube Temperature:Frozen (Plasma)	85384 85670

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	001610	Fibrinogen Activity Container:Blue-top (sodium citrate) tube; do NOT open tube. Temperature:Specimens are stable at room temperature for up to 24 hours. If testing cannot be completed within 24 hours, specimens should be centrifuged for at least 10 minutes at 1500xg. Plasma should then be transferred to a LabCorp PP transpak frozen purple tube with screw cap (LabCorp No 49482). FREEZE immediately and maintain frozen until tested. Refer to Coagulation Collection Procedures for directions.	85384
LABCORP	630420	Fibrinogen Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	004380	Fibroblast Growth Factor 23 Container:Lavender-top (EDTA) tube Temperature:Refrigerate	83520
LABCORP	319554	FIIDNA+FVDNA	81240 81241
LABCORP	485010	FLT3 Mutation Analysis Container:Lavender-top (EDTA) tube or green-top (sodium heparin) tube Temperature:Refrigerate If specimen is to be stored prior to shipment, store at 2 (degrees)C to 8(degrees)C.	81246 81245
LABCORP	266015	Folate, RBC Container:TWO full lavender-top (EDTA) tubes Temperature:FREEZE whole blood transport tube and room temperature whole blood specimen.	85014 82747
LABCORP	500097	Follicle Stimulating Hormone Container:Gel-barrier tube or lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 2 days Frozen up to 200 days	83001
LABCORP	500465	Fondaparinux Anti-Xa Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerate up to 4 hours	85520
LABCORP	146688	Free Androgen Index (FAI) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84270 84403
LABCORP	620077	Friedreich Ataxia Genetic Testing (Trinucleotide RepeatExpansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81284
LABCORP	100800	Fructosamine Container:Gel-barrier tube, transport tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	82985
LABCORP	236938	FSH+TestT+LH+DHEA S+Prog+E2... Container:Gel-Barrier Tube	82679 84144 83001 82670 83002 84270 82672 82627 84410
LABCORP	819340	Fungitell (CSF) Container:Sterile container Temperature:FREEZE	NOCPT
LABCORP	823456	Fusarium oxysporum/vasinf. IgE Container:Red-top tube Temperature:Room temperature	86003
LABCORP	602866	G001-IgE Sweet Vernal Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602464	G002-IgE Bermuda Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602867	G003-IgE Orchard Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602549	G004-IgE Fescue, Meadow Container:Red-top tube or gel-barrier tube	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602543	G005-IgE Rye Grass, Perennial Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605198	G005-IgG Rye Grass, Perennial Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602506	G006-IgE Timothy Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602868	G007-IgE Reed, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602869	G009-IgE Red Top, Bentgrass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605199	G010-IgG Johnson Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602871	G011-IgE Brome, Smooth Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602872	G012-IgE Rye Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605200	G012-IgG Rye Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602873	G013-IgE Velvet Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602874	G014-IgE Oat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602875	G015-IgE Wheat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605201	G015-IgG Wheat, Cultivated Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602876	G016-IgE Foxtail, Meadow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602534	G017-IgE Bahia Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605202	G017-IgG Bahia Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	603930	G070-IgE Rye Grass, Wild Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602880	G071-IgE Canary, Reed Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602881	G201-IgE Barley Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602882	G202-IgE Corn, Cultivated Container:Red-top tube or gel-barrier tube	86003



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	602883	G203-IgE Salt Grass Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	004110	Galectin-3 Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Room temperature Stability: Room temperature up to 22 days Refrigerated up to 22 days Frozen up to 12 months Stable x9	82777
LABCORP	817740	Galop Autoantibody Test Container:Red-top tube Temperature:Frozen	NOCP
LABCORP	738802	Gamma-Hydroxybutyric Acid (GHB), Screen with Confirmation(Mass Spectrometry), Whole Blood Container:Gray-top (sodium fluoride) tube OR green-top (heparin) tube Temperature:Maintain specimen at room temperature Note: Room temperature is adequate for shipping and/or short-term storage (up to 3 days); specimens may also be refrigerated or frozen.	80307
LABCORP	910626	Gamma-Hydroxybutyric Acid Scr	80307
LABCORP	451780	Gaucher Disease Enzyme Analysis (Glucocerebrosidase) Container:Adult: Two 10 mL lavender-top (EDTA) tubes. Pediatric: One lavender-top (EDTA) tube. Temperature:Refrigerate after collection. Transport to the testing laboratory using cool packs. Do NOT allow the sample to freeze. Time-sensitive; specimens must be received within four days of collection; please collect/ship Monday through Thursday ONLY.	84155 82963
LABCORP	511048	Gaucher Disease, DNA Analysis Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, sterile plastic conical tube or two confluent T-25 flasks for fetal testing, OR LabCorp buccal swab kit Temperature:Maintain specimen at room temperature.	81251
LABCORP	008037	GC Culture + Gram Stain Container:Jembec (available from the laboratory) or Thayer-Martin plate (client provided) is preferred. Prewarm plate before inoculation, Slide Temperature:Room temperature	87081 87205
LABCORP	724776	General Tox Drug Profile, Urine, 15 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	724803	General Tox Drug Profile, Urine, 8 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	630068	GeneSeq(R)PLUS Container:Yellow-top (ACD-A) tube or lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCP
LABCORP	630085	GeneSeq(R)PLUS without VUS Container:Yellow-top (ACD-A) tube or lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCP
LABCORP	630102	GeneSeq(R)PLUS without VUS, Prenatal Container:Sterile plastic conical tube or two confluent T-25 flasks. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCP
LABCORP	630119	GeneSeq(R)PLUS, Prenatal Container:Sterile plastic conical tube or two confluent T-25 flasks. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees) Celsius	NOCP
LABCORP	220687	Genital Culture+Gram Stain Container:Slide, Bacterial Culture Transport (Swab w/Media)	87205 87070
LABCORP	551725	GenoSure PRIme(R) EDI Container:Lavender-top (EDTA) or plasma preparation tube (PPT(TM)) Temperature:FREEZE for shipment or long-term storage.	NOCP
LABCORP	550370	GenoSure(R) MG Container:Lavender-top (EDTA) OR plasma preparation tube (PPT(TM)) Temperature:FREEZE	87901 87900
LABCORP	324381	Glia(IgG/A)+IgA+T-TRAN Container:gel-barrier tube	83516 x3 82784



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	520194	Glomerulonephritis (GNP) Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86160 x2 86225 86038 83520 x3 86255
LABCORP	004622	Glucagon, Plasma Container:Lavender-top (EDTA) tube, (chilled) Temperature:FREEZE	82943
LABCORP	001302	Glucose, Random Container:Gray-top (sodium fluoride/potassium oxalate), red-top tube, or gel-barrier tube Temperature:Maintain specimen at room temperature or refrigerate	82947
LABCORP	392259	Glucose/Insulin (4 Spec) Container:Red top tube or gel-barrier tube	83525 x4 82951 82952
LABCORP	143008	Glutamic Acid Decarboxylase (GAD) Autoantibody Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86341
LABCORP	140385	GM1 IgG Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	140280	GM1 IgM Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	502421	Gonadotropin-releasing Hormone Container:Trasylol(R) collection kit (Obtain no 33328 through LabCorp branch locations) Temperature:FREEZE	83727
LABCORP	399116	Gram S+U Cult Container:Gray Top Vacutainer for Urine Culture, Slide	NOCPT
LABCORP	067983	Grass with IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x3
LABCORP	067975	Grass without IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x3
LABCORP	500647	Growth Hormone (ICMA) Container:Red-top tube or gel-barrier tube Temperature:Freeze Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 200 days	83003
LABCORP	504591	Growth Hormone Binding Protein Container:Gel-barrier Tube; Red-top Tube Temperature:Refrigerate	83520
LABCORP	500632	Growth Hormone, RIA (Endocrine Science) Container:Gel-barrier tube Temperature:Freeze Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	83003
LABCORP	500144	Growth Hormones Antibodies Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86277
LABCORP	602884	GX01-IgE Grass Pollen Mix Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86005
LABCORP	193157	Gynecologic Pap Test (Image-guided), Liquid-basedPreparation and Chlamydia/Gonococcus, NAA and HumanPapillomavirus (HPV) (Aptima(R)) Container:ThinPrep(R) vial or SurePath(TM) vial Temperature:Maintain liquid-based cytology and Aptima(R) swab transport specimens at room temperature. Pap processing must be done within 21 days of collection. Specimens in ThinPrep(R) vials must be processed for testing within three months of collection for HPV. SurePath(TM) vial must be processed for testing within 21 days of collection for HPV. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus; if the Aptima(R) swab transport is used, it must be tested within 60 days.	87591 88175 87491 87624
LABCORP	199328	Gynecologic Pap Test (Image-guided), Liquid-basedPreparation and Chlamydia/Gonococcus/Trichomonas, NAAand Human Papillomavirus (HPV) (Aptima(R)) Container:ThinPrep(R) vial or SurePath(TM) vial or ThinPrep(R) vial or SurePath(TM) vial with optional additional Aptima(R) swab collection kit (for Chlamydia/Gonococcus/Trichomas) Temperature:Maintain liquid-based cytology and Aptima(R) swab transport specimens at room temperature. Pap processing must be done within 21 days of collection. Specimens in ThinPrep(R) vials must be	88175 87491 87624 87591 87661

LAB	CODE	TEST NAME	CPT4 CODE
		processed for testing within three months of collection for HPV. SurePath(TM) vial must be processed for testing within 21 days of collection for HPV. Liquid-based cytology specimens must be tested within seven days for Chlamydia/Gonococcus/Trichomonas; if the Aptima(R) swab transport is used, it must be tested within 60 days.	
LABCORP	199340	Gynecologic Pap Test (Image-guided), Liquid-basedPreparation With Reflex to Human Papillomavirus (HPV)(Aptima(R)) When ASC-U With Reflex to HPV Genotypes 16and 18,45 Container:ThinPrep(R) vial or SurePath(TM) vial Temperature:Maintain specimen at room temperature. Specimens must be processed for testing within 21 days of collection for Pap.	88175
LABCORP	163675	H.Pylori,IgA/IgM Abs Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature	86677 x2
LABCORP	163659	H.PYLORI,IGG/IGA ABS Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature.	86677 x2
LABCORP	227494	H.Pylori,IGG/IGM ABS Container:Gel Barrier Tube	86677 x2
LABCORP	602982	H001-IgE House Dust(Greer) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602546	H002-IgE House Dust Hollister Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	138271	Haemophilus influenzae B, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86317
LABCORP	236818	HAVAb+HBcAb+HBsAg+HCVAb Container:Gel-Barrier Tube Temperature:Refrigerated	86704 86803 87340 86708
LABCORP	282350	HAVAb+HBcAb+HBsAg+HCVAb	86704 86803 87340 86708
LABCORP	377995	HBcAb+HBcIgM+HBsAb+HBsAg	86705 86704 86317 87340
LABCORP	052985	HBcAb+HBsAb	86706 86704
LABCORP	327548	HBcAb+HBsAb+HBsAg+HCVAb	86803 87340 86706 86704
LABCORP	200477	HBeAb+Ag Container:Gel-Barrier Tube	86707 87350
LABCORP	140450	HCG Tumor Marker Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84702
LABCORP	163170	Helicobacter pylori Antibodies, IgA Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86677
LABCORP	163204	Helicobacter pylori Antibodies, IgM Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86677
LABCORP	163683	Helicobacter pylori Antibodies, IgM, IgG, IgA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86677 x3
LABCORP	505300	Helper Suppressor Ratio, CD4:CD8, Pediatric Container:BD EDTA Microtainer, BD EDTA 2.0 mL Vacutainer tube OR BD EDTA 4.0 mL Vacutainer tube Temperature:Maintain specimen at room temperature.	86360
LABCORP	005111	Hemoglobin Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature up to 24 hours. Refrigerate up to 48 hours.	85018
LABCORP	630477	Hemophagocytic Lymphohistocytosis (HLH) Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT	81403 81479 81406 x2 81405 81404 x2

LAB	CODE	TEST NAME	CPT4 CODE
		FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	
LABCORP	824808	Heparin Ab IgG Container:Blue-top (sodium citrate) tube Temperature:Room Temperature	86022
LABCORP	117101	Heparin Anti-Xa Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85520
LABCORP	500706	Heparin Anti-Xa Unfractionated Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerate up to 4 hours Acceptable freeze/thaw up to 3 cycles	85520
LABCORP	500187	Heparin Cofactor II*RUO* Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerate up to 48 hours	85130
LABCORP	150018	Heparin-dependent Platelet Antibody(Serotonin Release Assay) Container:Gel-barrier or red top tube Temperature:FREEZE	82542
LABCORP	006395	Hepatitis B Surface Antibody, Qualitative Container:Red-top tube, gel-barrier tube, OR lavender-top (EDTA) tube Temperature:Room temperature	86706
LABCORP	007130	Hepatitis B Surface Antigen, Quantitative, Monitor Container:Gel Barrier Tube, PPT(TM) Tube or Lavender-Top (EDTA) Tube Temperature:Freeze at -20C and ship frozen.	82397
LABCORP	551745	Hepatitis B Virus (HBV), Quantitative, DNA (Abbott RealTime) Temperature:FREEZE. Stable at room temperature for six hours (whole blood) or one day after centrifugation. Stable refrigerated for up to 3 days after centrifugation. Freeze for long term storage.	87517
LABCORP	483333	HER-2/CEP17 FISH, Breast With Reflex to Immunohistochemistry(IHC) if Group 2, 3, 4 by FISH Container:Paraffin block transport pouch OR slide mailer Temperature:Maintain specimen at room temperature.	88377
LABCORP	480136	HER-2/neu, Quantitative, ELISA Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83950
LABCORP	164897	Herpes Simplex Virus (HSV) Type 1-Specific Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Specimen is stable for two days at room temperature, seven days refrigerated and twenty-one days frozen at -25(degrees)C to -10(degrees)C.	86695
LABCORP	163033	Herpes Simplex Virus (HSV) Type 2-Specific Antibodies, IgGwith reflex to supplemental testing Container:Red-top tube, gel-barrier tube, or serum transfer tube Temperature:Refrigerate	86696
LABCORP	138487	Herpes Simplex Virus (HSV) Type-Specific Immunoblot Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84181
LABCORP	830829	Heterotrophic Plate Count Container:Sterile container with Thiosulfate neutralizer Temperature:Refrigerated, ship cool pack	NOCPT
LABCORP	117838	Hexagonal Phase Phospholipid Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85598
LABCORP	500566	Hexagonal Phospholipid Neutral Container:Blue-top (sodium citrate) tube Temperature:Stability: Room temperature up to 4 hours	85598
LABCORP	211728	HFP7+1AC	80076 82977
LABCORP	371884	Hgb Frac w/Reflex to Solubility Container:Lavender-Top (EDTA) Tube	83021
LABCORP	138973	HHV-6 IgG/M Antibodies, Quant Container:Serum Gel Tube	86790 x2
LABCORP	841767	HHV-7 IgG + IgM Ab Panel, IFA Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature.	86790 x2

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	816328	HHV8 qPCR (Whole blood) Container:Lavender-top (EDTA) tube Temperature:Refrigerate	87799
LABCORP	500460	High Molecular Weight Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Acceptable freeze/thaw up to 4 cycles	85293
LABCORP	048462	Hirsutism Profile Container:Red-top tube Do NOT use a gel-barrier tube. The use of gel- barrier tubes is not recommended due to slow absorption of the steroid by the gel. Temperature:Refrigerate	82627 82157 84403
LABCORP	500066	Hirsutism Test Group I (Endocrine Sciences) Container:Gel-barrier tube or red-top tube Temperature:Freeze Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	84270 84402 82627 84403
LABCORP	144600	Histamine Determination, Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	83088
LABCORP	144618	Histamine Determination, Urine Container:Plastic urine container without preservative Temperature:Room Temperature	83088
LABCORP	081315	Histamine Determination, Whole Blood Container:Green-top (heparin) tube required. (Do NOT use EDTA) Temperature:FREEZE	83088
LABCORP	164319	Histoplasma Antibodies, Quantitative, by DID Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86698
LABCORP	138635	Histoplasma capsulatum Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86698 x3
LABCORP	183512	Histoplasma Galactomannan Antigen EIA, Serum Container:Gel-barrier tube, red-top tube, or serum transfer tube Temperature:Maintain specimen at room temperature. Store alternatively at 2 to 8 degrees C.	87385
LABCORP	183560	Histoplasma Galactomannan Antigen EIA, Urine Container:Sterile cup or sterile screw-capped vial Temperature:Refrigerate Store specimens at 2 to 8 degrees C or FROZEN at minus 16 to 24 degrees C for up to 14 days.	87385
LABCORP	236951	HLA DPA1 (HR)+HLA DPB1 (HR) Container:Lavender Top (EDTA) Tube	81382 x2
LABCORP	265058	HP4+HBsAb	86706 80074
LABCORP	242625	HRT Female Post Pellet Container:Gel Barrier Tube	84403 83001 82670
LABCORP	242662	HRT Female Post Pellet If Prescribed Thyroid Rx WithoutTPO Thyroid Peroxidase Container:Gel Barrier Tube	83001 84436 82670 84481 84403 84443
LABCORP	242638	HRT Female Post Pellet Thyroid Rx Container:Gel Barrier Tube	83001 84436 82670 84481 86376 84403 84443
LABCORP	242603	HRT Female Pre Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	83001 84436 82670 85025 84481 86376 82306 84403 82607 80053 84443
LABCORP	242591	HRT Male Post Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	84403 82670 85025 84402
LABCORP	242674	HRT Male Post Pellet If Prescribed Thyroid Rx WithoutTPO Thyroid Peroxidase Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	84443 84436 82670 85025 84481 84402 84403
LABCORP	242650	HRT Male Post Pellet Thyroid Rx Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	85025 84481 86376 84402 84403 84443 84436 82670

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	243531	HRT Male Pre Pellet Container:Gel Barrier Tube, Lavender-Top (EDTA) Tube	85025 84481 86376 84402 82306 84403 82607 80053 84443 84153 84436 82670
LABCORP	240823	HSVlgM+HSV1/HSV2(IgG) Container:Gel-Barrier Tube	86696 86695 86694
LABCORP	140657	Human Antimouse Antibodies Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520
LABCORP	161075	Human Herpesvirus 6 (HHV-6) Antibodies, IgG Container:Red-top tube or gel-barrier tube Temperature:Room temperature.	86790
LABCORP	550920	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Graphical) With Reflex to HIV-1 GenoSurePRIme(R) or GenoSure Archive(R) Container:Lavender Top (EDTA) Tube, Screw-capped Polypropylene Frozen Transport Tube. Temperature:Freeze	87536
LABCORP	550675	Human Immunodeficiency Virus 1 (HIV-1), Quantitative,Real-time PCR (Nongraphical) With Reflex to HIV-1 GenoSurePRIme(R) or GenoSure Archive(R) Container:Lavender Top (EDTA) Tube, Screw-capped Polypropylene Frozen Transport Tube. Temperature:Freeze	87536
LABCORP	507805	Human Papillomavirus (HPV) (Aptima(R)) With Reflex toHPV Genotypes 16 and 18,45 Container:ThinPrep(R) vial or SurePath(TM) vial Temperature:Maintain specimen at room temperature.	87624
LABCORP	507815	Human Papillomavirus (HPV) DNA Detection With Reflex toHPV Genotypes 16 and 18,45 Container:ThinPrep(R) vial or SurePath(TM) vial Temperature:Maintain specimen at room temperature.	87624
LABCORP	507810	Human Papillomavirus (HPV) Genotypes 16 and 18,45 Container:ThinPrep(R) vial or SurePath(TM) vial Temperature:Maintain specimen at room temperature.	87625
LABCORP	500306	Human Papillomavirus (HPV) High- and Low-Risk DNA Detection Container:Digene DNA collection kit (contact the local LabCorp branch for collection kits); or liquid-based cytology preservative (ThinPrep(R) vial with PreservCyt(R) solution or SurePath(R) vial with CytoRich(R) fixative). Temperature:Maintain liquid-based cytology specimens at room temperature. Maintain Digene HPV collection kit at room temperature for up to 2 weeks, and refrigerated for up to 3 weeks. Freeze biopsy. Cervical specimens collected using the Digene DNA collection kit or SurePath(R) vial must be processed for testing within 21 days of collection. Specimens in ThinPrep(R) vials must be processed for testing within 3 months of collection. LabCorp may require up to 5 days for processing.	87624
LABCORP	507301	Human Papillomavirus (HPV), High-Risk DNA Detection Container:Digene DNA collection kit (contact the local LabCorp branch for collection kits); or liquid-based cytology preservative (ThinPrep(R) vial with PreservCyt(R) solution or SurePath(R) vial with CytoRich(R) fixative). Temperature:Maintain liquid-based cytology specimens at room temperature. Maintain Digene HPV collection kit at room temperature for up to 2 weeks, and refrigerated for up to 3 weeks. Freeze biopsy. Cervical specimens collected using the Digene DNA collection kit or SurePath(R) vial must be processed for testing within 21 days of collection. Specimens in ThinPrep(R) vials must be processed for testing within 3 months of collection. LabCorp may require up to 5 days for processing.	87624
LABCORP	620016	Huntington Disease (HTT) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81271
LABCORP	329656	HVA24h+VMA24U	83150 84585
LABCORP	504810	Hydroxychloroquine Container:red top tube, gel barrier tube, lavender (EDTA), or green top tube Temperature:FREEZE	80375
LABCORP	605203	I001-IgG Honeybee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602887	I002-IgE Hornet, White Face Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605205	I002-IgG Hornet, White Face Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605206	I003-IgG Yellow Jacket Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605207	I004-IgG Paper Wasp Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602891	I005-IgE Hornet, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605208	I005-IgG Hornet, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602488	I006-IgE Cockroach, German Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602892	I008-IgE Moth Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602893	I070-IgE Fire Ant (Invicta) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602894	I071-IgE Whole Body: Mosquito Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602895	I073-IgE Midge Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602898	I204-IgE Horsefly Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602897	I205-IgE Bumblebee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605209	I205-IgG Bumblebee Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602481	I206-IgE Cockroach, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	141531	IA2 Autoantibodies (Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86341
LABCORP	321025	IFE S+IFE U	86335 86334 82784 x3
LABCORP	236821	IFE S+IFE U+IgA/G/M Container:Gel-Barrier Tube, Urine Bottle	86335 86334 82784 x3
LABCORP	238503	IFE U+Prot U Container:Urine Bottle Temperature:Room Temperature	84156 86335
LABCORP	327274	IgA+t-Tran Container:Gel-Barrier Tube Temperature:Refrigerate	83516 82784
LABCORP	520072	IgA, Immunoglobulin A (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	82784
LABCORP	602394	IgE + Allergens (22) Container:Red-top tube or gel-barrier tube	82785 86003 x22



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Room temperature	
LABCORP	671859	IgE Food Panel I Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x10
LABCORP	605851	IgE+Allergen Mold Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 82785
LABCORP	605798	IgE+Allergens (14) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x14
LABCORP	604626	IgE+Allergens (22) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x22
LABCORP	604745	IgE+Allergens (30) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x30
LABCORP	605919	IgE+Allergens (34) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x34
LABCORP	605916	IgE+Allergens (59) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86008 86003 x58
LABCORP	672875	IgE+Allergens(11) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x11
LABCORP	600854	IgE+Allergens(14) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x14
LABCORP	600135	IgE+Allergens(15) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x15 82785
LABCORP	672867	IgE+Allergens(16) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x16
LABCORP	603219	IgE+Allergens(17) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x17
LABCORP	603206	IgE+Allergens(2) Molds Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 82785 86001
LABCORP	603220	IgE+Allergens(20) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x20
LABCORP	600298	IgE+Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x23 82785
LABCORP	602224	IgE+Allergens(23) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x23
LABCORP	600683	IgE+Allergens(26) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003 x26 82785
LABCORP	672799	IgE+Allergens(5) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	82785 86003 x5
LABCORP	500644	IGF Binding Protein (IGFBP-3) Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerate	83520
LABCORP	500485	IGF-1 Container:Red-top tube or gel-barrier tube	84305

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	
LABCORP	503660	IGF-1, Pediatric with Z-Score Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 2 years	84305
LABCORP	501683	IGF1+IGFII+IGFBP3 Container:Red-top tube or gel-barrier tube Temperature:Frozen Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 7 months	83520 83519 84305
LABCORP	604689	IgG Allergens (19) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x19
LABCORP	605792	IgG Allergens (4) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x4
LABCORP	603408	IgG Allergens(11) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x11
LABCORP	520108	IgG, Immunoglobulin G (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	82784
LABCORP	605828	IgG4 Allergens (19) Foods Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001 x19
LABCORP	520107	IgM, Immunoglobulin M (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	82784
LABCORP	520210	ILDdx Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86200 86431 86255 83516 x6 86235 x4 86038 83520
LABCORP	911148	Imipramine and Metabolite	80335
LABCORP	819067	INF-Beta Neutralizing Ab Rflx Container:Gel-barrier tube Temperature:Refrigerate	82397
LABCORP	160068	Infectious Mono,WB (CV Waived) Container:Lavendar-top (EDTA) tube; fingerstick blood can also be used Temperature:Refrigerate	86308
LABCORP	520190	Inflammatory Bowel Disease (IBD) Profile withAnti-Pancreatic Antibodies (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86255 x2 83520 x2
LABCORP	140165	Influenza A and Influenza B, NAA Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), ESwab(TM), or saline. Anterior nasal swab in saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated and room temperature specimens acceptable (if received for testing within 72 hours of collection).	NOOPT
LABCORP	185060	Influenza A+B Ag, DFA w/Rflx Container:Virus transport medium for swab AND plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature. For reflex test, swab specimens should be placed into viral transport medium and kept cold at all times.	87275 87276
LABCORP	140163	Influenza A, Influenza B and Respiratory Syncytial Virus,NAA Container:Nasopharyngeal (NP) swabs also accepted in viral transport medium (discard OP swab included with viral transport medium), ESwab(TM), or saline. Anterior nasal swab in saline. Temperature:Frozen at -20 degrees C (preferred). Refrigerated and room temperature specimens acceptable (if received for testing within 72 hours of collection).	NOOPT
LABCORP	452172	Inheritest(R) CF/SMA Panel Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4(degrees)C	NOOPT
LABCORP	630049	Inheritest(R)500 PLUS Panel Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not	NOOPT

LAB	CODE	TEST NAME	CPT4 CODE
		acceptable. Temperature:Maintain at room temperature or refrigerate at 4 (degrees) Celsius	
LABCORP	630217	Inheritest(R)500 PLUS with Reproductive Partners Report Container:Yellow-top (ACD-A) tube (preferred) or lavender-top (EDTA) tube. Yellow-top (ACD-B) tube is not acceptable. Temperature:Maintain specimen at room temperature or refrigerate at 4 (degrees) Celsius	NOCPST
LABCORP	333501	Inhibin A+B Container:Gel Barrier Tube, Serum Transfer tube	83520 86336
LABCORP	146803	Inhibin A, Ultrasensitive Container:Red-top tube or gel-barrier tube Temperature:Freeze	86336
LABCORP	146795	Inhibin B Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520
LABCORP	141598	Insulin Autoantibodies (IAA) (Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	86337
LABCORP	312114	Insulin, 2 Hour	83525
LABCORP	501561	Insulin, Free and Total Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83525 83527
LABCORP	141770	Insulin-like Growth Factor 2 (IGF-2)(Endocrine Sciences) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83519
LABCORP	140152	Insulin-Like Growth Factor Binding Protein 3 (IGFBP-3) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520
LABCORP	010540	Insulin-Like Growth Factor-1 (IGF-1) with Z-Score Container:Red-top tube or gel barrier tube Temperature:Refrigerate	84305
LABCORP	140822	Insulin-like Growth Factor-binding Protein 1 (IGFBP-1) Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	500133	Insulin-like Growth Factor-binding Protein 2 (IGFBP-2)(Endocrine Sciences) Container:Red-top tube, gel-barrier tube, or lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	140820	Interleukin-10, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140920	Interleukin-10, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	142455	Interleukin-2 Soluble Receptor Alpha Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	140812	Interleukin-2, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140912	Interleukin-2, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140814	Interleukin-4, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	83520
LABCORP	140914	Interleukin-4, Serum	83520

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycles: x3	
LABCORP	140916	Interleukin-6, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/Thaw Cycle: x3	83520
LABCORP	140818	Interleukin-8, Plasma Container:Lavender-top (EDTA) tube Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 7 days Frozen up to 14 days Freeze/Thaw Cycles: x2	83520
LABCORP	140918	Interleukin-8, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 7 days Frozen up to 14 days Freeze/Thaw Cycles:x2	83520
LABCORP	520202	Interstitial Lung Disease Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520 83516 x6 86235 x3
LABCORP	010413	Intrinsic Factor Blocking Antibodies, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86340
LABCORP	500757	Islet Cell Dysfunction Group 1 Container:Red-top (tube), gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 6 hours Refrigerated up to 1 day Frozen up to 200 days	83525 84206
LABCORP	500759	Islet Cell Dysfunction Grp II Container:Gel-barrier tube, red-top tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 6 hours Refrigerated up to 1 day Frozen up to 200 days	82947 84206 83525
LABCORP	910627	Isopropyl Alcohol	80320
LABCORP	139340	JC Virus DNA, PCR, Cerebrospinal Fluid Container:Sterile container for CSF Temperature:Room temperature or refrigerated for up to 7 days. Frozen up to 90 days.	87798
LABCORP	139380	JC Virus DNA, PCR, Urine Container:Sterile urine container, no preservative Temperature:FROZEN (preferred) OR refrigerate	87798
LABCORP	139370	JC Virus DNA, PCR, Whole Blood Container:Lavender-top (EDTA) tube	87798
LABCORP	064675	K072-IgE Ispaghula Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602660	K072-IgE Ispaghula Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602661	K074-IgE Silk Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602662	K075-IgE Isocyanate TDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650036	K075-IgE Isocyanate TDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602663	K076-IgE Isocyanate MDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650044	K076-IgE Isocyanate MDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602665	K077-IgE Isocyanate HDI	86003

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Red-top tube or gel-barrier tube Temperature:Room temperature	
LABCORP	650051	K077-IgE Isocyanate HDI Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602666	K078-IgE Ethylene Oxide Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650069	K078-IgE Ethylene Oxide Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602667	K079-IgE Phthalic anhydride Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650077	K079-IgE Phthalic Anhydride Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602668	K080-IgE Formaldehyde Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	650267	K080-IgE Formaldehyde Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602963	K081-IgE Ficus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602669	K082-IgE Latex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605018	K082-IgG Latex Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602747	K083-IgE Cottonseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605102	K083-IgG Cottonseed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602766	K084-IgE Sunflower Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605112	K084-IgG Sunflower Seed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	615013	K086-IgE Trimellitic Anhydrid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602670	K086-IgE Trimellitic anhydride Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602671	K087-IgE Alpha-Amylase Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602865	K201-IgE Papain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	500128	Kaolin Clotting Time (KCT) Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 4 hours	85347
LABCORP	910616	Ketamine Confirm	80357

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	113110	Ketones	81003
LABCORP	168141	Killer Immunoglobulin-like Rec Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	114058	Kleihauer-Betke Container:Lavender-stopper (EDTA) tube Temperature:Refrigerate	85460
LABCORP	180018	KOH Prep Container:Sterile leakproof container or swab Temperature:Maintain specimen at room temperature.	87220
LABCORP	620044	Lactate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	83605
LABCORP	122408	Lactic Acid, CSF Container:Clean sterile tube Temperature:Refrigerate for up to 15 days or freeze. Stable at room temperature up to 3 days.	83605
LABCORP	120543	Lactic/Pyruvic Ratio Container:Gray-Top (Sodium Fluoride) Tube	84210 83605
LABCORP	650390	Latex-specific IgE Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	038171	Lead Standard Profile Container:Royal Blue-Top (EDTA) Tube Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	84202 83655
LABCORP	500716	Leptin Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 2 days Refrigerated up to 2 days Frozen up to 200 days	83520
LABCORP	146712	Leptin, Serum or Plasma Container:Red-top tube, gel-barrier tube OR lavender-top (EDTA) tube Temperature:Room temperature	83520
LABCORP	817820	LHON mtDNA Mutation Container:Lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature - Do NOT freeze blood.	NOCPT
LABCORP	363676	Lipid Cascade w/Rflx to ApoliB Container:Gel-barrier tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Maintain specimen at room temperature	80061
LABCORP	123836	Lipid Cascade With Reflex to Lipoprotein Particle Assessmentby NMR (With Graph) Container:LIPID PROFILE: Gel-barrier transport, green-top (heparin), OR lavender-top (EDTA) tube. LIPOPROTEIN REFLEX: One of the following: NMR LipoTube (black-and-yellow-top tube), preferred, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. TWO SPECIMENS MUST BE SUBMITTED WITH THIS PROFILE, ONE FOR THE LIPID PROFILE AND ANOTHER FOR THE LIPOPROTEIN REFLEX TESTING. Temperature:LIPID PROFILE: Room temperature: Gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube. Stable at room temperature for six hours or refrigerated for 10 days. Frozen is NOT acceptable. LIPOPROTEIN REFLEX: Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061
LABCORP	361946	Lipid Cascade With Reflex to Lipoprotein Particle Assessmentby NMR (Without Graph) Container:LIPID PROFILE: Gel-barrier transport, green-top (heparin), OR lavender-top (EDTA) tube. LIPOPROTEIN REFLEX: One of the following: NMR LipoTube (black-and-yellow-top tube), preferred, plain red-top tube, lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube. TWO SPECIMENS MUST BE SUBMITTED WITH THIS PROFILE, ONE FOR THE LIPID PROFILE AND ANOTHER FOR THE LIPOPROTEIN REFLEX TESTING. Temperature:LIPID PROFILE: Room temperature: Gel-barrier tube, green-top (heparin) tube, or lavender-top (EDTA) tube. Stable at room temperature for six hours or refrigerated for 10 days. Frozen is NOT acceptable. LIPOPROTEIN REFLEX: Refrigerate all acceptable tube types as soon as possible after centrifugation and within 24 hours of collection. Keep refrigerated prior to shipment, and SHIP ON FROZEN COOL PACKS. Do NOT store at room temperature. Do NOT freeze the sample. Sample is stable refrigerated for six days.	80061



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	337877	Lipid Panel	80061
LABCORP	123544	Lipid Panel With Apolipoprotein B (ApoB) Container:Spun NMR LipoTube (preferred); serum from a plain red-top tube, plasma from a lavender-top (EDTA-no gel), OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate to 26 degrees Celsius, 6 days in heparin plasma tubes and 5 days in plain serum tubes. All analytes are stable refrigerated for 14 days and frozen at -80 degrees Celsius for up to 14 days. NOTE: Triglyceride values in frozen samples with high values >400 mg/dL may be decreased more than 10% when frozen. All analytes are stable for 5 freeze-thaw cycles, except ApoB which is stable for 4 freeze-thaw cycles in plain serum tubes and 1 cycle in NMR LipoTubes.	82172 80061
LABCORP	123567	Lipid Panel With Apolipoprotein B (ApoB), GlycA(Inflammation), Diabetes Risk Index (DRI) Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate	82172 80061 81599 0024U
LABCORP	123525	Lipid Panel With Diabetes Risk Index (DRI) Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate	80061 81599
LABCORP	123510	Lipid Panel With GlycA (Inflammation) Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate	80061 0024U
LABCORP	123559	Lipid Panel With GlycA (Inflammation) and Diabetes RiskIndex (DRI) Container:Plain red-top tube (preferred); NMR LipoTube (black-and- yellow-top tube), lavender-top (EDTA-no gel) tube, OR green-top (heparin-no gel) tube is acceptable Temperature:Refrigerate	80061 81599 0024U
LABCORP	272685	Listeria Abs, CSF Container:Sterile capped tube Temperature:Room temperature	86723
LABCORP	163980	Liver-Kidney Microsomal (LKM) Antibodies Container:Red-top tube or serum gel tube Temperature:Room temperature hours. Sample can be refrigerated for up to 48 hours. For longer storage, freeze sample at -20 (degrees) C or lower.	86376
LABCORP	824580	Liver-Kidney Microsome Ab,IgG Container:Serum Separator (Gel) Tube Temperature:Refrigerated	NOCPT
LABCORP	330731	LP Container:Gel Barrier Tube	80061
LABCORP	220772	LP without VLDL+Chol/HDL+LDL... Container:Gel-Barrier Tube Temperature:Room Temperature	80061
LABCORP	324419	LP+Ch/HDL Ratio	80061
LABCORP	098657	LP+Chol/HDL+LDL/HDL	80061
LABCORP	236942	LP+Glu+CRP C+Homocy Container:Gel-Barrier Tube; Plasma from Lavender (EDTA) Transfer Tube	80061 83090 82947 86141
LABCORP	343002	LP+LDL Direct	83721 80061
LABCORP	229400	LP+LDLDir	83721 80061
LABCORP	324505	LP+LDLDir	83721 80061
LABCORP	809488	LSD (Lysergide), Urine Container:Urine transfer tube without preservative Temperature:Maintain specimen at room temperature	NOCPT
LABCORP	520195	Lupus Activity Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86160 x2 86225
LABCORP	117892	Lupus Anticoagulant Reflex Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85613 85732
LABCORP	520203	Lupus Renal Activity Profile (RDL) Container:Red-top tube or gel-barrier tube	86160 x2 86225 83520

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Refrigerate or FREEZE	
LABCORP	138685	Lyme Disease (Borrelia burgdorferi), Real-time PCR Container: Sterile plastic container (CSF, synovial fluid), lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature: CSF and synovial fluid are STABLE at room temperature or refrigerated for up to seven days, frozen for up to 90 days. Whole blood is STABLE at room temperature or refrigerated for up to seven days; do NOT freeze.	87476
LABCORP	308703	LymeAb(IgG/M)+Babesi+Ehrlic Container: Gel Barrier Tube	86618 x2 86753 x2 86666 x4
LABCORP	402300	Lysosomal Acid Lipase (LAL) Deficiency Container: Lavender top (EDTA) tube (whole blood) OR Whatman Protein Saver Card 903 (dried blood spot) Temperature: WHOLE BLOOD: Refrigerated transport must arrive at testing facility within 4 days of collection. DRIED BLOOD SPOT: Maintain specimen at room temperature.	82657
LABCORP	602502	M001-IgE Penicillium chrysogen Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605213	M001-IgG Penicillium chrysogen Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602462	M002-IgE Cladosporium herbarum Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605214	M002-IgG Cladosporium herbarum Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	605215	M003-IgG Aspergillus fumigatus Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602562	M004-IgE Mucor racemosus Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605216	M004-IgG Mucor racemosus Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602548	M005-IgE Candida albicans Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605217	M005-IgG Candida albican Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602455	M006-IgE Alternaria alternata Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605218	M006-IgG Alternaria alternata Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602556	M007-IgE Botrytis cinerea Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605219	M007-IgG Botrytis cinerea Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602561	M008-IgE Setomelanomma rostrat Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003
LABCORP	605221	M008-IgG Setomelanomma rostart Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86001
LABCORP	602560	M009-IgE Fusarium proliferatum Container: Red-top tube or gel-barrier tube Temperature: Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602899	M010-IgE Stemphylium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605223	M010-IgG Stemphylium herbarum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605224	M011-IgG Rhizopus nigricans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602900	M012-IgE Aureobasidi pullulans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605225	M012-IgG Aureobasidi pullulans Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602552	M013-IgE Phoma betae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605226	M013-IgG Phoma betae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602559	M014-IgE Epicoccum purpur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605227	M014-IgG Epicoccum purpur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602566	M015-IgE Trichoderma viridae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605228	M015-IgG Trichoderma viridae Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	605229	M016-IgG Curvularia lunata Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602918	M024-IgE Stachybotrys atra Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605242	M024-IgG Stachybotryus atra Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602909	M046-IgE Bipolaris Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602563	M070-IgE Pityrosp. orbiculare Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602675	M080-IgE Staph enterotoxin A Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602915	M201-IgE Tilletia Tritici Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602558	M202-IgE Acremonium kiliense Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605239	M205-IgG Trichophyton rubrum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605240	M207-IgG Aspergillus niger Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602917	M208-IgE Chaetomium globosum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605241	M208-IgG Chaetomium globosum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602906	M210-IgE Trichophyton mentagro Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605232	M210-IgG Trichophyton mentagro Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	500324	Macroprolactin Container:Gel-barrier tube, red-top tube, lavender-top (EDTA) tube, serum transfer tube, OR green-top (heparin) tube Temperature:FREEZE	84146 x2
LABCORP	004900	Mannose-binding Lectin (MBL) Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days Freeze/thaw cycle: stable x3	83520
LABCORP	819414	Maternal Cell Contamination, B Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Room temperature; refrigerated is also acceptable.	81265
LABCORP	452104	MaterniT21 Genome Add On Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479
LABCORP	452114	MaterniT21 Genome Add On Redraw Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479
LABCORP	452106	MaterniT21 Genome No Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81422 81479 81420
LABCORP	452122	MaterniT21 PLUS Core + ESS + SCA, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit. Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen: Do Not Freeze	81420
LABCORP	452136	MaterniT21 PLUS Core + ESS, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit.	81420
LABCORP	452112	MaterniT21 PLUS Core + SCA, NO Gender Container:Black-and-tan-top (Streck) tube (whole blood). Sequenom collection kits are available, (PeopleSoft #116373 379551G-CS-LCA.SEQUENOM-LCA ONLY KIT EA=1/KIT and PeopleSoft #116374 549403G-CS-LCA.SEQUENOM-LCA TEST REG STICKERS ST=3/SET) Temperature:Room temperature. Do NOT refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in a Sequenom collection kit. Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen: Do Not Freeze	81420

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	504603	Maturity-Onset Diabetes of the Young (MODY) Genetic Profile Container:Lavender (EDTA) Tube Temperature:Room Temperature	81406 x2 81405 x2 81404
LABCORP	825561	MCC Studies Container:Two Lavender top (EDTA) tubes.	81265
LABCORP	701734	Medication Assisted Treatment (MAT) Amphetamines, MSConfirm, Urine Container:Urine Bottle Temperature:Ambient	80359 80324
LABCORP	701732	Medication Assisted Treatment (MAT) Barbiturates, MSConfirm, Urine Container:Urine Bottle Temperature:Ambient	80345
LABCORP	701279	Medication Assisted Treatment (MAT) Buprenorphine,Norbuprenorphine, and Naloxone MS Confirmation, Urine Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80362 80348
LABCORP	701736	Medication Assisted Treatment (MAT) Carisoprodol,MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80369
LABCORP	701739	Medication Assisted Treatment (MAT) Cocaine Metabolite,MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80353
LABCORP	701992	Medication Assisted Treatment (MAT) D,L-Methamphetaminesomer, MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	NOCPT
LABCORP	701737	Medication Assisted Treatment (MAT) Ethyl Glucuronide/EthylSulfate MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80321
LABCORP	701735	Medication Assisted Treatment (MAT) ExpandedBenzodiazepines, MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80346
LABCORP	701740	Medication Assisted Treatment (MAT) Fentanyl, MS Confirm,Urine Container:Urine Bottle Temperature:Ambient	80354
LABCORP	701731	Medication Assisted Treatment (MAT) Heroin Metabolite(6-Acetylmorphine), MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80356
LABCORP	701747	Medication Assisted Treatment (MAT) Marijuana Metabolite(Carboxy-THC), MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	80349
LABCORP	701738	Medication Assisted Treatment (MAT) Methadone, MS Confirm,Urine Container:Urine Bottle Temperature:Ambient	80358
LABCORP	701742	Medication Assisted Treatment (MAT) Opiates, MS Confirm,Urine Container:Urine Bottle Temperature:Ambient	80361
LABCORP	701745	Medication Assisted Treatment (MAT) Oxycodone, MS Confirm,Urine Container:Urine Bottle Temperature:Ambient	80365
LABCORP	701743	Medication Assisted Treatment (MAT) Phencyclidine,MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	83992
LABCORP	701746	Medication Assisted Treatment (MAT) Propoxyphene,MS Confirm, Urine Container:Urine Bottle Temperature:Ambient	NOCPT
LABCORP	701744	Medication Assisted Treatment (MAT) Tapentadol, MS Confirm,Urine Container:Urine Bottle Temperature:Ambient	80372
LABCORP	701781	Medication Assisted Treatment (MAT) Tramadol, MS Confirm,Urine Container:Urine Bottle	80373



LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Ambient	
LABCORP	010421	Melanocyte-stimulating Hormone (MSH) Container:Lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	910628	Meperidine Screen Rflx	NOCPT
LABCORP	910631	Meperidine(GCMS)	80362
LABCORP	910632	Meprobamate, Urine	NOCPT
LABCORP	501533	Metanephrines, Fract. Urine Container:Plastic urine container with/or without 6N HCL preservative Temperature:Refrigerate Stability: Room temperature up to 3 days Refrigerated up to 14 days Frozen up to 14 years Freeze/Thaw Cycle: Stable x3	83835 82570
LABCORP	910636	Methadone and Metab (GCMS)	80358
LABCORP	712885	Methadone Confirmation, Urine Container:Use plastic urine drug bottle and evidence tape or tamper- evident container for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80358
LABCORP	910633	Methadone Rflx	80307
LABCORP	809756	Methadone Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910637	Methamphetamine D/L Isomers	80324
LABCORP	721600	Methamphetamines D and L, Urine (LabCorp MedWatch(R)) Container:Plastic urine container Temperature:Maintain specimen at room temperature Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80324
LABCORP	910650	Methyl Alcohol	80320
LABCORP	511997	Microarray-Products of Conception (POC) Reveal(R) FFPE Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	512029	Microarray-Products of Conception (POC) Reveal(R) FFPE,Data Transfer Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	512014	Microarray-Tumor Reveal(R) FFPE Container:Paraffin block transport pouch Temperature:Room temperature	81229
LABCORP	823460	Milk Cow IgG4 Container:Red-top tube Temperature:Room temperature	86001
LABCORP	620108	Mitochondrial DNA Depletion Testing (Leukocyte) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. DNA - ship at room temperature after extraction	81479
LABCORP	620094	Mitochondrial DNA Depletion Testing (Muscle) Container:Sterile screw capped vial Temperature:DNA - ship at room temperature after extraction; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479
LABCORP	512031	MLH1 Promoter Methylation Analysis Container:Tissue block and slide container Temperature:Room temperature	88381 81288
LABCORP	500124	MMP-9 (Matrix metalloproteinase-9) Container:Gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 30 minutes	83520
LABCORP	723138	Monitor Screen 14 Drug Class Profile (LabCorp Med/Watch(R)) Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	183131	MRSA-SA Skin-Soft Tissue PCR Container:Bacterial culture transport swab w/media, bacterial culture transport swab w/liquid Stuart's medium, or Cepheid sample collection device Temperature:Refrigerate Stability: Room Temperature: 1 Day Refrigerate: 5 Days	87641 87640
LABCORP	086120	Myasthenia Gravis Panel I Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83519 x2
LABCORP	086121	Myasthenia Gravis Panel II Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	86255 83519
LABCORP	086122	Myasthenia Gravis Panel III Container:Gel-barrier tube is preferred. Red top tube is acceptable. Temperature:Refrigerate	83519 x2 86255
LABCORP	165600	Myasthenia Gravis Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	NOOPT
LABCORP	115005	MYD88 Mutation Detection PCR Container:EDTA lavender top tube, Heparin (green top) tube, sterile container Temperature:If a specimen is unsuitable or is suspected of being contaminated by another specimen, the specimen is rejected. Unsuitable specimens include, but are not limited to: sample >48 hours old; frozen whole blood, serum or marrow; a leaking tube; clotted blood or marrow; a grossly hemolyzed specimen or otherwise visibly degraded or unsuitable; and specimens containing suspicious foreign material.	81305
LABCORP	140120	Myelin Associated Glycoprotein (MAG) IgM Autoantibodies Container:Gel-barrier tube or red-top tube Temperature:FREEZE	83520
LABCORP	830361	Myeloperoxidase Container:Lavender-top (EDTA) tube Temperature:Refrigerate	83876
LABCORP	003079	Myoglobin, Quantitative, Random Urine Container:Plastic urine container, no preservative Temperature:Refrigerate	83874
LABCORP	830371	Myositis Panel VI	83516 x10 86235 x7
LABCORP	620084	Myotonic Dystrophy 1 (DMPK) Genetic Testing (RepeatExpansion) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE.	81234
LABCORP	620087	Myotonic Dystrophy 2 (ZNF9_CNBP) Genetic Testing (RepeatExpansion) Container:Lavender-Top (EDTA) Tube Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE.	81187
LABCORP	830794	N-Methylhistamine, 24 Hr, U Container:Plastic Urine Container Temperature:Refrigerate	82542
LABCORP	830889	N-Methylhistamine,Random,U Container:Urine Bottle Temperature:Refrigerated	NOOPT
LABCORP	140830	N-Telopeptide Cross-Links (NTx), Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	82523
LABCORP	141093	N-Telopeptide Cross-Links (NTx), Urine Container:Transfer tube, no preservative Temperature:Refrigerate	82570 82523
LABCORP	511097	N-Telopeptide Cross-Links (NTx), Urine (Serial Monitor) Container:Transfer tube, no preservative Temperature:Refrigerate	82570 82523
LABCORP	183624	N. gonorrhoeae NAA, Confirm Container:Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport; ThinPrep(R) or SurePath(TM) liquid cytology vials Temperature:Maintain specimen at room temperature or refrigerate (2 degrees C to 30 degrees C)	87591
LABCORP	205914	Na U+Cl U+K U Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84300 84133 82436

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	222000	Na U+Cl U+K U Container:Plastic urine container, no preservative Temperature:Maintain specimen at room temperature.	84300 84133 82436
LABCORP	807502	Natural Killer Cell Function* Container:Yellow-top (ACD) tube Temperature:Refrigerate	86849
LABCORP	140335	Neopterin, Serum Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube Temperature:Refrigerate. Protect from exposure to ultraviolet light and sunlight.	83520
LABCORP	140343	Neopterin, Urine Container:Plastic urine container Temperature:Refrigerate	83520
LABCORP	004210	Neuromyelitis Optical, IgG Autoantibodies Container:Red-top tube OR gel-barrier tube Temperature:Refrigerate	83520
LABCORP	140624	Neuron-specific Enolase (NSE), Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86316
LABCORP	480137	Neuron-specific Enolase (NSE), Serum (Serial Monitor) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86316
LABCORP	620008	NeuroSURE Metabolites: 5-Methyltetrahydrofolate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620037	NeuroSURE Metabolites: Alpha Aminoacidic Semialdehyde,Cerebrospinal Fluid (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620009	NeuroSURE Metabolites: Neopterin (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620010	NeuroSURE Metabolites: Neopterin/Tetrahydrobiopterin (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection at -80 C	82542
LABCORP	620034	NeuroSURE Metabolites: Pyridoxal 5'-phosphate,Cerebrospinal Fluid (CSF) Container:Sterile screw capped vial Temperature:Freeze Immediately	84207
LABCORP	620036	NeuroSURE Metabolites: Sialic Acid,Cerebrospinal Fluid (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	84275
LABCORP	620035	NeuroSURE Metabolites: Succinyladenosine,Cerebrospinal Fluid (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	82542
LABCORP	620038	NeuroSURE Metabolites: Thymidine Phosphorylase EnzymeAnalysis (Blood) Container:Yellow-Top (ACD) Tube Temperature:Ship within 24 hours	82657
LABCORP	620011	NeuroSURE Metabolites:Neurotransmitter Metabolites(5 HIAA, HVA, 30MD) (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible	82542 83150 83497 82131
LABCORP	630288	NeuroSURE(R) Metabolites: Aromatic L-amino AcidDecarboxylase Enzyme Analysis (Plasma) Container:Lavender-Top (EDTA) tube, Green-Top (Sodium Heparin) tube Temperature:Freeze ASAP after collection at -80 degree Celsius; Ship within 24 hours.	82542
LABCORP	481518	NeuroSURE(SM): Epilepsy Gene Panel Container:Lavender-top (EDTA) tube OR yellow-top (ACD) tube Temperature:Room temperature	81407 x2 81406 x11 81405 x3 81404 x5 81189 81403 x2 81479
LABCORP	402205	Non-Alcoholic Fatty Liver Disease Advanced FibrosisRule-Out Cascade Container:Gel-barrier tube OR red-top tube AND lavender-top (EDTA) tube Temperature:Serum sample for initial testing and whole blood can be stored room temperature. Serum sample for possible reflex can be stored refrigerated at 2(degrees)C to 8(degrees)C for 72 hours.	84450 85049
LABCORP	911154	Nortriptyline	80335

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	180069	NuSwab BV+Candida 6sp Container:Aptima Vaginal/Multitest Swab (Orange)	87801 87798 x3
LABCORP	374457	NuSwab VG+Mycoplasmas, NAA Container:Aptima Vaginal/Multitest Swab (Orange)	87801 87661 87798 x5 87563
LABCORP	602673	O001-IgE Cotton Lint Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602674	O070-IgE Seminal Fluid Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605613	O201-IgE Tobacco Dust Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	809731	Opiate Class Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	910651	Opiate Screen Rflx	80307
LABCORP	735106	Opiate/Opioid Confirmation, UR Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80372 80348 80361 80358 80354 80365 80373
LABCORP	824136	Opiates - Free and Total, S/P Container:Red-top tube, Lavender-top (EDTA) Tube Temperature:Refrigerated	80356 80365 80361
LABCORP	827695	Organic Acids, Urine, Quant Container:Plastic urine container Temperature:FREEZE	83918
LABCORP	120063	Osmolality, Body Fluid Container:Plastic transport tube Temperature:FREEZE	84999
LABCORP	120071	Osmolality, Fecal Container:Small plastic container; do NOT use large paint can. Temperature:FREEZE	84999
LABCORP	010249	Osteocalcin, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83937
LABCORP	140045	Ovarian Malignancy Risk (ROMA(R)) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	81500
LABCORP	123023	Oxidized Low-density Lipoprotein (OxLDL) Container:Lavender-top (EDTA) tube (preferred) or gel-barrier tube Temperature:Refrigerate	83721
LABCORP	910652	Oxycodone Screen	80307
LABCORP	809749	Oxycodone Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	737641	Oxycodone/Oxymorphone Confirmation, Urine Container:Use plastic urine drug bottle and tamper-evident seal for forensic specimen. Collection kits are available by request from the laboratory. Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80365
LABCORP	602923	P001-IgE Ascaris Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	115601	P2Y12 Platelet Inhibition Container:Greiner Bio-One 13x75 2 mL draw tube containing 3.2% sodium citrate Temperature:Room temperature or refrigerated Stability: Room temperature up to 4 hours after collection Refrigerate up to 4 hours after collection	85576

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	489590	p53 Mutation Analysis by Sequencing Container:Lavender-top (EDTA) tube OR green-top (heparin) Temperature:Refrigerate	81404
LABCORP	910483	PAIN MANAGEMENT ACETAMINOPHEN	80307
LABCORP	910511	PAIN MANAGEMENT ALCOHOL RFLX	80307
LABCORP	910238	PAIN MANAGEMENT ALT AMP RFLX	80307
LABCORP	910512	PAIN MANAGEMENT BARB CONFIRM	80345
LABCORP	910486	PAIN MANAGEMENT BUP RFLX	80307
LABCORP	910518	PAIN MANAGEMENT BUPRE CONFIRM	80348
LABCORP	910487	PAIN MANAGEMENT ETG/ETS RFLX	80307
LABCORP	911127	PAIN MANAGEMENT FENTANYL CONF	80354
LABCORP	911138	PAIN MANAGEMENT OPIATES	80356 80365 80361
LABCORP	910509	PAIN MANAGEMENT PANEL 1 RFLX	80307 80361 80356 80365
LABCORP	910502	PAIN MANAGEMENT PANEL 2 RFLX	80365 80307 80361 80356
LABCORP	910496	PAIN MANAGEMENT PANEL 3 RFLX	80361 80356 80365 80307
LABCORP	910493	PAIN MANAGEMENT PANEL 4 RFLX	80365 80307 80361 80356
LABCORP	910608	PAIN MANAGEMENT PROPOXY CONF	80367
LABCORP	910782	PAIN MANAGEMENT THC CONFIRM	80349
LABCORP	910783	PAIN MANAGEMENT TRAMADOL RFLX	80307
LABCORP	910790	PAIN MGMT AMPHETAMINE CONFIRM	80325
LABCORP	910975	PAIN MGMT BENZODIAZEPINES RFLX	80307
LABCORP	910792	PAIN MGMT PHENCYCLIDINE	83992
LABCORP	123111	Pancreatic Amylase Container:Red-top tube, gel-barrier tube, or green-top (heparin) tube Temperature:Room temperature Stability: Room temperature for 7 days Refrigerated for 1 month	82150
LABCORP	146704	Pancreatic Polypeptide Container:Red-top tube or gel-barrier tube Temperature:FREEZE within four hours of collection.	83519
LABCORP	480704	Pancreatic Polypeptide, Serial Monitor Container:Red-top tube or gel-barrier tube Temperature:FREEZE within 4 hours of collection.	83519
LABCORP	139681	Panel 139681 Container:Red Top Tube, Lavender-Top (EDTA) Tube	86790 86780 87801 86704 86803 86644 86703 87340 87662 86753 87798
LABCORP	139683	Panel 139683 Container:Red Top Tube, Lavender-Top (EDTA) Tube	87662 87798 86780 87801 87340
LABCORP	139684	Panel 139684 Container:Red Top Tube, Lavender-Top (EDTA) Tube	86780 87801 86704 86803 86644 86703 87340 86753 87798
LABCORP	139685	Panel 139685 Container:Red Top Tube, Lavender-Top (EDTA) Tube	87801 86704 86803 86703 87340 86753 87798 86780
LABCORP	139686	Panel 139686 Container:Red Top Tube, Lavender-Top (EDTA) Tube	86790 86780 87801 86704 86803 86644 86703 87340 86753 87798

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	188664	Parasite Identification, Arthropod Container: Sterile screw-cap container containing 70% ethanol or ParaPak - pink vial containing formalin. (Use 70% ethanol for ticks when additional testing by PCR is requested.) Temperature: Maintain specimen at room temperature.	87168
LABCORP	008219	Parasite Identification, Worm Container: Worms, or portions of them, MUST be submitted in formalin; the ova & parasite vial may be used (Para Pak - Pink). Temperature: Maintain specimen at room temperature.	87169
LABCORP	176160	Parentage/Relationship Testing Container: Lavender Top (EDTA) Tube Temperature: Maintain specimen at room temperature and keep dry.	NOOPT
LABCORP	139326	Parvovirus B19 Quantitative, PCR Container: Lavender-top (EDTA) tube, red-top tube OR gel-barrier tube Temperature: FREEZE (preferred) OR refrigerate	87799
LABCORP	138644	Parvovirus B19, DNA PCR Container: Lavender-top (EDTA) tube Temperature: Room Temperature	87798
LABCORP	308764	Pb U+As U+Hg U+Cd U+Cr U+Zn...	82300 83885 84630 82570 83825 82175 83655 83018 82495 82525
LABCORP	370504	PBG24U+Porphyrins, Qn, 24Hr Ur	84110 84120
LABCORP	337394	PC Fun+PS Fun	85303 85306
LABCORP	452108	PD-L1 IHC, Keytruda(R) Cervical Container: Paraffin block OR unstained positive charged slides Temperature: Refrigerate, Protect from light	NOOPT
LABCORP	452909	PD-L1 IHC, TECENTRIQ (TM) TNB Container: Paraffin block OR unstained positive charged slides Temperature: Refrigerate	NOOPT
LABCORP	452208	PD-L1 Keytruda Urothelial Carc Container: Paraffin block OR unstained positive charged slides Temperature: Refrigerate, Protect from light	NOOPT
LABCORP	452072	PD-L1, 22C3 pharmDx(TM) Immunohistochemistry Analysis (for KEYTRUDA(R)) Container: Paraffin block OR unstained positive charged slides Temperature: Tissue sections, once mounted on slides, should be held in the dark at 2-8 degrees Celsius and stained within six months of sectioning.	NOOPT
LABCORP	343818	PE U+IFE U+Kappa/Lambda Qn U Container: Urine Bottle Temperature: Room temperature	84156 86335 84166 83883 x2
LABCORP	A20064	PE+Interp, Random Urine	84156 84166
LABCORP	823628	Pemphigus Antibody Panel Container: Serum Separator (Gel) Tube or Red Top tube Temperature: Refrigerated	86256 x2 83520 x2
LABCORP	722181	Phencyclidine Container: Urine container Temperature: Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	910796	Phencyclidine Confirmation	83992
LABCORP	910793	Phencyclidine Reflex	80307
LABCORP	809632	Phencyclidine Screen with Reflex Confirmation, Meconium Container: Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container. Temperature: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	738610	Phentermine, Urinary Container: Urine transfer tube without preservative Temperature: Room temperature is acceptable for shipping for shipping and/or short-term storage (up to 3 days), specimen may also be refrigerated or frozen.	80324
LABCORP	323334	Phenylalanine+Tyrosine, Qn, PI	82136 x2



LAB	CODE	TEST NAME	CPT4 CODE
		Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	
LABCORP	700205	Phenylalanine, Quantitative, Plasma Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	335271	Phosphatidylserine(IgG/M) Container:Serum gel tube Temperature:Refrigerate	86148 x2
LABCORP	141330	Phospholipase A2 Receptor Autoantibodies Container:Red-top tube or gel-barrier tube Temperature:Room temperature	83516
LABCORP	500458	Plasma Renin Activity Container:Lavender-top (EDTA) tube Temperature:Freeze Stability: Room temperature up to 6 hours Frozen up to 21 days	84244
LABCORP	146790	Plasminogen Act Inhibitor-1, Ag Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerated: 2 hours Frozen : 14 days Freeze/Thaw Cycle: Stable x4	85415
LABCORP	146787	Plasminogen Activator Inhibitor 1 (PAI-1) Activity Container:Light blue-top (sodium citrate) tube Temperature:FREEZE	85415
LABCORP	500057	Plasminogen Activator Inhibitor Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerate up to 2 hours Acceptable freeze/thaw up to 4 cycles	85415
LABCORP	500309	Plasminogen Activator Inhibitor-1 (PAI-1) 4G/5G Polymorphism Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days	81400
LABCORP	117713	Plasminogen Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze	85420
LABCORP	501186	Plasminogen Activity Container:Blue-top (sodium citrate) tube Temperature:Frozen	85420
LABCORP	500209	Plasminogen Antigen Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Refrigerate up to 8 days Acceptable freeze/thaw up to 5 cycles	85421
LABCORP	630446	Plasminogen Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	139475	Plasmodium Species, PCR Container:Lavender-top (EDTA) tube or yellow-top (ACD) tube Temperature:Refrigerate	87798
LABCORP	117150	Platelet Antibody Profile Container:Red-top tube or gel-barrier tube Temperature:Refrigerate for up to 48 hours, freeze if longer storage is needed.	86022
LABCORP	500126	Platelet Factor 4 Container:CTAD (citrate, theophylline, adenosine, dipyridamole) tube (Diatube-H(R)) Temperature:Freeze Stability: Room temperature up to 4 hours Refrigerate up to 24 hours Acceptable freeze/thaw up to 3 cycles	83520
LABCORP	630452	Platelet Function Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after	81479 81408 81406 81404



LAB	CODE	TEST NAME	CPT4 CODE
		extraction.	
LABCORP	500050	Platelet Neutralization Container:Blue-top (sodium citrate) tubes Temperature:Freeze Stability: Room temperature up to 4 hours	85597
LABCORP	620081	PMP22 MLPA Deletion/Duplication Analysis Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81324
LABCORP	808586	PO (Protein Zero) Container:Red-top tube Temperature:Refrigerate	84182
LABCORP	489187	POC Microarray Reflex MCC Container:Microarray: Sterile container containing sterile Ringer's lactate OR Hanks' balanced salt solution OR transport medium provided by the cytogenetics laboratory. (Do NOT use isotonic saline as a transport medium or urine containers for shipping.) Specialized kits are now available for POC microarray testing. To order, please contact your local LabCorp representative. PS:89063, Catalogue item ID:39025G. MCC: Lavendar-top (EDTA) or yellow-top (ACD) tube or LabCorp buccal swab kit. Temperature:Room temperature	81229
LABCORP	451830	Pompe Disease Enzyme Analysis Temperature:Refrigerate after collection. Transport to the testing laboratory using cool packs. Do not allow the sample to freeze. Time-sensitive; specimens must be received within 4 days of collection; please collect/ship Monday-Thursday only.	82657
LABCORP	504474	Porcine FVIII Nijmegen Bethesda Assay Container:Blue-Top (Sodium Citrate) Tube Temperature:FREEZE	85335
LABCORP	519180	Postvasectomy Sperm Count Container:Sterile screw-capped container Temperature:Room temperature. Testing MUST begin within 72 hours of semen collection.	89321
LABCORP	144441	Pre-Biologic Screening Profile Container:Two 10-mL gel-barrier tubes AND one serum transfer tube AND QuantiFERON-TB Gold Plus kit Temperature:Refrigerate 1 gel-barrier tube; maintain 1 gel-barrier tube at room temperature; freeze 4.5 mL serum in transfer tube; maintain QuantiFERON-TB Gold Plus kit at room temperature (MUST be incubated within 16 hours of collection).	86704 86803 86317 87340 86480
LABCORP	245438	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Female, Monitor Container:Gel-barrier tube AND Gen-Probe(R) APTIMA(R) swab or APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes-Refrigerate up to 14 days APTIMA(R) SWAB OR URINE: Maintain at room temperature or refrigerate at (2 degrees Celsius to 30 degrees Celsius)	87491 86780 87389 87591 82565 84702
LABCORP	245450	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Female,Baseline Container:Gel-barrier tube AND Gen-Probe(R) APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days PCR test-Frozen up to six weeks APTIMA SWAB OR URINE: Maintain at room temperature or refrigerate at (2 degrees Celsius to 30 degrees Celsius)	82565 84702 86706 87491 86780 87389 86704 86803 87591 87340
LABCORP	245476	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Male, Baseline Container:Gel-barrier tube AND APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days PCR test-Frozen up to six weeks APTIMA URINE: Maintain at room temperature or refrigerate (2 degrees Celsius to 30 degrees Celsius)	86780 87389 86704 86803 87591 87340 82565 86706 87491
LABCORP	245488	Pre-Exposure Prophylaxis (PrEP) HIV Profile, Male, Monitor Container:Gel-barrier tube AND APTIMA(R) urine specimen transport Temperature:SERUM: Gel-barrier tubes refrigerated up to 14 days APTIMA URINE: Maintain at room temperature or refrigerate (2 degrees Celsius to 30 degrees Celsius)	87389 87591 82565 87491 86780
LABCORP	724774	Pregnancy Drug Profile, Urine, 10 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	724775	Pregnancy Drug Profile, Urine, 16 Drugs Container:Urine container Temperature:Maintain specimen at room temperature Stability: If arrival will extend beyond 7 days then refrigerate.	80307
LABCORP	140707	Pregnenolone, Mass Spectrometry Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84140

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500773	Pregnenolone, Pre- and Post-ACTH Stimulation Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE	84140 x2
LABCORP	500194	Prekallikrein (Fletcher Factor) Assay Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours	85292
LABCORP	038164	Prenatal Infectious Disease Antibodies, Qualitative, IgGwith reflex to Supplemental HSV-2 Testing Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86777 86644 86762 86696 86695
LABCORP	452140	Prenatal Spinal Muscular Atrophy (SMA) Testing Container:Amniotic fluid: T-25 flasks CVS: T-25 flasks Temperature:Maintain specimen at room temperature.	81329
LABCORP	910475	Prescribed Drugs	NOCPT
LABCORP	520192	Primary Biliary Cirrhosis (PBC) Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86038 83520 x2 83516 86256
LABCORP	018713	Primidone, Serum	80188
LABCORP	209502	Prog+hCG Qt	84144 84702
LABCORP	503658	Progesterone, Free with Total Progesterone, LC/MS-MS Container:Red-top tube, gel-barrier tube, lavender-top (EDTA) tube or green-top (Na Heparin) tube Temperature:Freeze (preferred), or refrigerated	84144 84999
LABCORP	140533	Proinsulin Container:Red-top tube or gel-barrier tube Temperature:FREEZE	84206
LABCORP	500557	Prolactin, Serum (ICMA) Container:Gel-barrier tube, red-top tube or lavender-top (EDTA) tube Temperature:FREEZE Stability: Room temperature up to 1 day Refrigerated up to 1 day Frozen up to 200 days	84146
LABCORP	910797	Propox/Norpropox Confirmation	80367
LABCORP	711994	Propoxyphene Confirmation, Ur Container:Plastic urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80367
LABCORP	910798	Propoxyphene Reflex	NOCPT
LABCORP	489160	Prostate Cancer Gene 3 (PCA3) Container:Gen-Probe(R) PROGENSA(R) Urine Specimen Transport Kit (LabCorp PeopleSoft #97836, PK=10) Temperature:Processed urine specimens must be shipped at 30(degrees)C or below (may be frozen) and should be received by the testing facility within five days of collection. FREEZE sample and ship frozen if specimen storage will be greater than five days.	81313
LABCORP	500607	Protein C Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours	85302
LABCORP	117705	Protein C, Functional Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85303
LABCORP	501484	Protein S Ag, Total and Free Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 2 hours Refrigerated up to 4 hours Frozen up to 1 month	85305 85306
LABCORP	500630	Protein S Antigen, Total Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Acceptable freeze/thaw up to 3 cycles	85305
LABCORP	336028	Protein S Functional W/Rflx	85306
LABCORP	164519	Protein S, Free Container:Blue-top (sodium citrate) tube Temperature:Freeze	85306

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	164518	Protein S, Total Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85305
LABCORP	117065	Prothrombin Antibody, IgG Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86849
LABCORP	117028	Prothrombin Time (PT) Mixing Study Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85611 85610
LABCORP	500681	PT Mixing Studies Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 24 hours Acceptable freeze/thaw up to 4 cycles	85611 x2 85610
LABCORP	504074	PT+aPTTMx+Beta 2(IgA/G/M)+C... Container:Blue-top (sodium citrate) tube AND lavender-top (EDTA) or yellow-top (ACD) tube AND red-top tube Temperature:Plasma/serum: FREEZE Whole blood: Maintain specimen at room temperature.	85732 x2 80500 85306 86146 x3 86147 x2 85610 85303 85613 x2 85670 81240 81241 85598 85730 85240
LABCORP	239710	PT+Beta 2(IgA/G/M)+Card(IgA... Container:Blue Top (Sodium Citrate) Tube, Gel-Barrier Tube	85732 86146 x3 86147 x3 85610 85613 85670
LABCORP	251249	PTT+PT+Fibrin+Plt+TT Container:Blue Top (Sodium Citrate) Tube, Lavender Top (EDTA) Tube, Plasma Transfer Tube	85670 85049 85730 85384 85610
LABCORP	824717	Pumpkin Seed IgE Container:Red-top tube or gel-barrier tube Temperature:Maintain specimen at room temperature	86003
LABCORP	620045	Pyruvate (CSF) Container:Sterile screw capped vial Temperature:Freeze as soon as possible after collection	84210
LABCORP	520201	QIG Quantitative Immunoglobulins IgG, IgA and IgM byTurbidimetry (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	82784 x3
LABCORP	791462	Quetiapine, Ur Container:Urine transfer tube Temperature:Maintain specimen at room temperature up to three days. Specimens may also be refrigerated or frozen.	80342
LABCORP	520091	RAdx5 Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86200 86431 83520 x3
LABCORP	163316	Rash Profile B with reflex to Supplemental HSV-2 Testing Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86787 86696 86695
LABCORP	818987	RBC Band 3 Protein Reduction Container:Lavender-top (EDTA) tube or green-top (heparin) tube AND a Wright stained slide Temperature:Refrigerate	88184
LABCORP	006096	Red Blood Cell (RBC) Antigen Typing: k (Cellano) Container:Lavender-Top (EDTA) tube Temperature:Specimens should be tested as soon as possible or within 72 hours of collection. Samples that cannot be tested immediately should be stored at 2 degrees Celsius to 8 degrees Celsius. Do NOT freeze red cells.	86905
LABCORP	830811	Reducing Substances - Fecal Container:Sterile Container Temperature:Frozen	84376
LABCORP	002006	Renin Activity, Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	84244
LABCORP	117180	Reptilase Time Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85635
LABCORP	500448	Reptilase Time Container:Blue top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours	85635

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	830697	Resolution ctDx-Lung (TM) Assay (Liquid Biopsy) Container:Only the Integrated Oncology Liquid Biopsy Kit (PS#127647) can be used for collection. Temperature:Room temperature. Do not refrigerate or freeze. Keep out of direct sunlight. Samples must be shipped to LabCorp in an Integrated Oncology Liquid Biopsy Kit.	0179U
LABCORP	005284	Retic+Retic Hgb Container:Lavender-Top (EDTA) Tube	85045 85046
LABCORP	503663	Reverse T3, LCMS Endo Sci Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (Na heparin) tube Temperature:FREEZE Stability: Room temperature up to 14 days Refrigerated up to 14 days Frozen up to 14 days	84482
LABCORP	005322	Rh+ABO+Ab Scr Container:(1) 5 mL Lavender-stopper (EDTA) tube Temperature:Refrigerate	86850 86900 86901
LABCORP	341156	Rh+ABO+Coombs Container:Lavender-Top (EDTA) Tube	86900 86880 86901
LABCORP	167418	Rheumatoid Arthritis HLA Association Container:Lavender-top (EDTA) Tube Temperature:Maintain specimen at ambient temperature; protect from extreme heat or cold. Do NOT freeze.	81382
LABCORP	520164	Rheumatoid Factor by Turbidimetry, Body Fluid (RDL) Container:Body Fluid Temperature:Store frozen or refrigerated.	86431
LABCORP	520129	Rheumatoid Factor by Turbidimetry (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	86431
LABCORP	520099	Rheumatoid Factor, IgG by EIA (RDL) Container:Red-top tube or gel-barrier tube Temperature:Store frozen or refrigerated.	86431
LABCORP	117050	Rivaroxaban Container:Light blue-top (citrate) tube (preferred), lavender-top (EDTA) tube, or green-top (heparin) tube Temperature:Room Temperature	80375
LABCORP	816845	RNP Container:Gel-barrier tube Temperature:Maintain specimen at room temperature.	86235
LABCORP	372398	RPR Qn+TP Abs Container:Gel-Barrier Tube Temperature:Room temperature	86780 86593
LABCORP	240897	Rub(IgG/M)+ToxoAb(IgG/M)+CM... Container:Gel-Barrier Tube	86777 86694 86644 86778 86645 86762 x2 86696 86695
LABCORP	817448	S-100B Protein, Serum Container:Gel-barrier tube or red-top tube Temperature:Refrigerate	86316
LABCORP	823562	S-Phenylmercapturic Acid, Ur Container:Urine bottle Temperature:Refrigerate	82570 83921
LABCORP	504855	Salivary Cortisol x8, Timed Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. PS # 123724 Temperature:Frozen	82533 x8
LABCORP	500179	Salivary Cortisol, MS (Endocrine Sciences) Container:Salivette collection device: Specialized kits are now available for salivary testing. To order, please contact your local LabCorp representative. Catalog #378155G Temperature:Refrigerate	82533
LABCORP	817485	Salmonella typhi/paratyphi Abs Container:Gel-barrier tube Temperature:Refrigerate	86768
LABCORP	164068	SARS-CoV-2 Antibodies Container:Gel Barrier Tube, Red-Top Tube, Serum Transfer Tube Temperature:Room temperature	86769
LABCORP	164072	SARS-CoV-2 Antibody, IgA	86769

LAB	CODE	TEST NAME	CPT4 CODE
		Container:Gel-barrier Tube or Serum from Red-top Tube or Serum Transfer Tube Temperature:Room temperature	
LABCORP	164055	SARS-CoV-2 Antibody, IgG Container:Gel-barrier Tube or Serum from Red-top Tube or Serum Transfer Tube Temperature:Room temperature	86769
LABCORP	164034	SARS-CoV-2 Antibody, IgM Container:Gel-barrier Tube or Serum from Red-top Tube or Serum Transfer Tube Temperature:Room temperature	86769
LABCORP	620114	SCA1 (ATXN1) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81178
LABCORP	620140	SCA10 (ATXN10) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81183
LABCORP	620144	SCA12 (PPP2R2B) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81343
LABCORP	620149	SCA17 (TBP) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81344
LABCORP	620118	SCA2 (ATXN2) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81179
LABCORP	620123	SCA3 (ATXN3) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81180
LABCORP	620154	SCA36 (NOP56) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81479
LABCORP	620127	SCA6 (CACNA1A) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81184
LABCORP	620131	SCA7 (ATXN7) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction; Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81181
LABCORP	620135	SCA8 (ATXN8) Genetic Testing (Repeat Expansion) Container:Lavender-Top (EDTA) Tube T25 flask Temperature:Ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 day post-collection room temperature stability; DNA - ship at room temperature after extraction;	81182



LAB	CODE	TEST NAME	CPT4 CODE
		Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	
LABCORP	348018	Scl 70+Anti Centromere B Abs Container:Gel Barrier Tube	86235 x2
LABCORP	520130	Scleroderma Comprehensive Plus Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86038 83516 86235 x6 86256
LABCORP	520128	Scleroderma Comprehensive Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate or FREEZE	83516 86235 x5 86256 86038
LABCORP	520209	SeroNeg RAdx3 Profile (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83520 x3
LABCORP	500848	Sex Hormone Binding Globulin Container:Gel-barrier tube or red-top tube Temperature:Freeze (preferred) or refrigerate Stability: Room temperature up to 14 days Refrigerate up to 14 days Frozen up to 14 days Freeze/thaw cycle: Stable x6	84270
LABCORP	520196	Sjogren's Profile Plus (RDL) Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	86235 x2 83520 x2
LABCORP	820425	Soluble Fibrin Monomer Container:Blue-top (sodium citrate) tube Temperature:Frozen	85362
LABCORP	007441	Soluble Liver Antigen IgG Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516
LABCORP	143305	Soluble Transferrin Receptor Container:Red-top tube or green-top (heparin) tube or lavender-top (EDTA) tube Temperature:Refrigerate	84238
LABCORP	788901	Specific Gravity	NOOPT
LABCORP	823463	Stachybotrys Panel II Container:Red-top tube Temperature:Room temperature	86001 83520 86003
LABCORP	188433	Stool + Yersinia Culture Container:Clean screw-capped plastic vial with no preservatives, Para Pak-Orange	87046 x2 87045 87427
LABCORP	378482	Stool Culture+Vibrio Culture Container:Para Pak-Orange	87045 87427 87046 x2
LABCORP	182477	Stool Culture, Aeromonas/Plesiomonas Only Container:Fecal transport system is required. Diapers are not acceptable. Culture collection swab may be used to collect rectal swabs or a swab of fecal material, then swab should be placed in C&S vial (fecal transport system) Temperature:Maintain specimen at room temperature.	87081
LABCORP	817733	Sulfatide Autoantibody Test Container:Red-top tube Temperature:Refrigerate Stability: Room Temperature: 72 hours Refrigerated: 21 days Frozen: 1 year	NOOPT
LABCORP	602489	T001-IgE Maple/Box Elder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605526	T001-IgG4 Maple/Box Elder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602545	T002-IgE Alder, Grey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605607	T002-IgG Alder, Grey Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602936	T003-IgE Common Silver Birch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	605545	T003-IgG4 Common Silver Birch Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602925	T004-IgE Hazelnut Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602926	T005-IgE Beech (American) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602491	T006-IgE Cedar, Mountain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605243	T006-IgG Cedar, Mountain Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602480	T007-IgE Oak, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605244	T007-IgG Oak, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602476	T008-IgE Elm, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605245	T008-IgG Elm, American Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602527	T009-IgE Olive Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602494	T010-IgE Walnut Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602948	T011-IgE Maple Leaf Sycamore Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602937	T012-IgE Willow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602518	T014-IgE Cottonwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605247	T014-IgG Cottonwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602927	T015-IgE Ash, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605248	T015-IgG Ash, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602928	T016-IgE Pine, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602929	T017-IgE Japanese Cedar Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602930	T018-IgE Eucalyptus Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602931	T019-IgE Mimosa/Acacia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602932	T020-IgE Mesquite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605249	T020-IgG Mesquite Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602933	T021-IgE Melaleuca Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602533	T022-IgE Pecan, Hickory Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602934	T023-IgE Cypress, Italian Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	603194	T037-IgE Bald Cypress Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602941	T041-IgE Hickory, White Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602943	T044-IgE Hackberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	604519	T045-IgE Elm Cedar Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602935	T054-IgE Olive, Russian Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602959	T056-IgE Bayberry/Sweet Gale Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605616	T057-IgE Cedar, Red Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602569	T070-IgE White Mulberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605250	T070-IgG White Mulberry Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602949	T072-IgE Palm, Queen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602950	T201-IgE Spruce Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602952	T207-IgE Fir, Douglas Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602954	T208-IgE Lime Tree/Linden Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602955	T209-IgE Hop-Hornsbeam Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602956	T210-IgE Privet, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605251	T210-IgG Privet, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86001
LABCORP	602957	T211-IgE Sweet Gum Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	605621	T217-IgE Pepper Tree Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602535	T218-IgE Oak, Live/Virginia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	001156	T3 Uptake Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84479
LABCORP	703003	Tapentadol, Scr w/Conf, SE Container:Serum from Red Top Tube or Serum Transfer Tube Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	703000	Tapentadol, Scr w/Conf, WB Container:Gray-top (sodium fluoride/potassium oxalate) tube, green-top (heparin) tube, OR lavender-top (EDTA) tube Temperature:Submission/transport (<3 days): Room temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80307
LABCORP	768329	Tapentadol, Urine Container:Urine container Temperature:Maintain specimen at room temperature. Stability: If arrival at lab will extend beyond 7 days then refrigerate.	80307
LABCORP	451840	Tartrate Resistant Acid Phosphatase (TRAP) Container:Gel-barrier tube. Temperature:Refrigerated	84060
LABCORP	511246	Tay-Sachs Disease, Biochemical, Leukocytes Container:Yellow-top (ACD) tube Temperature:Refrigerate	83080
LABCORP	510412	Tay-Sachs Disease, Biochemical, Serum Container:Red-top tube Temperature:FREEZE	83080
LABCORP	500650	Testost., Bioavailable w/SHBG Container:Gel-barrier tube Temperature:FREEZE	84270 84410
LABCORP	143255	Testosterone, Free and Weakly Bound Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84410
LABCORP	144980	Testosterone, Free, Direct Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84402
LABCORP	236949	TestT+17OHP+Andros+DHEA Container:Gel-Barrier Tube, Serum Transfer Tube	82157 82626 84403 83498
LABCORP	098210	TestT+SHBG+TestF	84270 84402 84403
LABCORP	379810	TestT+SHBG+TestFW Container:Gel-Barrier Tube Temperature:Room temperature	84270 84410
LABCORP	220486	TestT+TestF+SHBG Container:Gel-barrier tube	84270 84402 84403
LABCORP	328244	TestT+TestF+SHBG	84270 84402 84403
LABCORP	379394	TestT+TestF+SHBG	84270 84402 84403

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	163691	Tetanus Antitoxoid Antibodies Container:Gel-barrier tube or red-top tube Temperature:Room temperature; do NOT freeze.	86317
LABCORP	163253	Tetanus/Diphtheria Antibody Profile Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86317 x2
LABCORP	700854	Tetrahydrocannabinol (THC) Confirmation, Whole Blood Container:Lavender-top (EDTA) tube, gray-top (sodium fluoride) tube, OR green-top (heparin) tube Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Stability: Room Temperature 6 days Refrigerated 6 days Frozen 12 days	80349
LABCORP	235851	TgAb+Thyrog IMA reflex if Neg Container:Gel-Barrier Tube Temperature:Room Temperature	86800
LABCORP	504142	Thiopurine Methyltransferase (TPMT) Genotyping Container:Lavender-top (EDTA) tube, yellow-top (ACD) tube, green-top (heparin) tube or LabCorp buccal swab from kit Temperature:Room temperature	81335
LABCORP	510750	Thiopurine Methyltransferase (TPMT), Enzyme Activity,Erythrocytes Container:Green-top (sodium heparin) tube or lavender-top (EDTA) tube Temperature:Refrigerate	82657
LABCORP	117170	Thrombin Mixing Study Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85670
LABCORP	501687	Thrombin Time Container:Blue-top (sodium citrate) tube Temperature:Freeze	85670
LABCORP	500012	Thrombin-Antithrombin Complex Container:Blue-top (sodium citrate) tube Temperature:FREEZE Stability: Room temperature up to 4 hours Refrigerated up to 4 hours Acceptable freeze/thaw up to 5 cycles	83520
LABCORP	630461	Thrombocytopenia Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81408 81406 x2
LABCORP	630360	Thrombotic Microangiopathy (TMA) Comprehensive GeneticAnalysis, Includes TTP and aHUS Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81404 81479
LABCORP	630313	Thrombotic Thrombocytopenic Purpura (TTP)/ADAMTS13 GeneticAnalysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479
LABCORP	824826	ThyGeNext w/ Rfx to ThyraMir Container:RNA Retain(R) vial, available in LabCorp FNA kits. (Catalog# LCA210 Peoplesoft #100708) Temperature:Room temperature Stability: Room Temperature: 6 weeks Refrigerated: 6 weeks	81445
LABCORP	620173	Thymidine and Deoxyuridine Analytes (Plasma) Container:Green-top (Heparin) tube; Lavender-top (EDTA) tube Temperature:Remove plasma and freeze at -20 degrees Celsius. Store frozen at -20 degrees Celsius and ship frozen.	82542
LABCORP	820417	Thyroglobulin (TG)+TGAB Container:Gel-barrier tube Temperature:Room temperature	86800 84432
LABCORP	500001	Thyroglobulin (TG-RIA) Container:Red-top tube or gel-barrier tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 4.2 years Freeze/thaw cycle: Stable x7	84432

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	500477	Thyroid Stimulating Hormone Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	84443
LABCORP	010314	Thyrotropin Receptor Antibody, Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate Stability: Refrigerated up to 3 days Frozen up to 1 month Freeze/Thaw: x1	83520
LABCORP	500348	Thyroxine (T-4), Automated Container:Gel-barrier tube OR red-top tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	84436
LABCORP	001735	Thyroxine-Binding Globulin (TBG), Serum Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	84442
LABCORP	180787	Tissue Culture Container:Sterile screw capped vial; Anaerobic Culture Transport; Bacterial Culture transport swab with media; Sterile Cup Temperature:Maintain specimen at room temperature	87070
LABCORP	500029	Tissue Plasminogen Activator (tPA) Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Acceptable freeze/thaw up to 6 cycles	85415
LABCORP	500146	Tissue Thromboplastin Inhibition Test (TTIT) Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 24 hours	85705
LABCORP	123413	TMAO (Trimethylamine N-oxide) Container:NMR LipoTube (black-and-yellow-top tube) Temperature:Refrigerate	84999
LABCORP	702378	Toluene, as o-Cresol, Occupational Exposure, Urine Container:Plastic urine container without preservative Temperature:Refrigerate; specimen may also be frozen	82570 84600
LABCORP	369483	Total Protein+IFE S+IgA/G/M Container:Gel-Barrier Tube	84155 86334 82784 x3
LABCORP	701092	ToxASSURE(R) Comprehensive Profile (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOCPPT
LABCORP	700318	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	80353 80348 80361 80358 80359 80347 80324 80354 80365 80307 80373 80372
LABCORP	701093	ToxASSURE(R) Select (LabCorp MedWatch(R)) Container:Plastic urine container without preservative Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	NOCPPT
LABCORP	830293	Toxoplasma Preg PI (<= 16 wks) Container:Red Top Tube OR Gel Barrier Tube Temperature:Refrigerated Preferred	86777 x2 86778
LABCORP	830287	Toxoplasma Preg PI (>16 weeks) Container:Red Top Tube OR Gel Barrier Tube Temperature:Refrigerated Preferred	86406 x2 86777 86778
LABCORP	333417	TP+TSH+T3+T4F+T3Free+T3Reve...	84439 84443 84482 84436 84481 86376 84480 86800 84479
LABCORP	501254	TPA Ag. Post Occlusion Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Refrigerated up to 4 hours Frozen up to 2 years	85415
LABCORP	910801	Tramadol Confirmation	80373
LABCORP	910809	Tramadol Screen Reflex	80307
LABCORP	809966	Tramadol Screen with Reflex Confirmation, Meconium Container:Meconium Collection Kit (PeopleSoft#96663) OR clean, leakproof polypropylene container.	80307

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen.	
LABCORP	811192	Trihexyphenidyl, Serum/Plasma Container:Red-top tube or lavender-top (EDTA) tube Temperature:Refrigerate	80375
LABCORP	500563	Triiodothyronine (T-3), Serum Container:Red-top tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 200 days	84480
LABCORP	263285	Triiodothyronine (Total/Free) Container:Gel-barrier tube is preferred. Red top tube is acceptable.	84481 84480
LABCORP	823556	Trimethoprim, Serum/Plasma Container:Red-top tube or Lavender-top (EDTA) tube Temperature:Refrigerate	80299
LABCORP	820624	Tropheryma whipplei PCR Container:Lavender-top (EDTA) tube, serum separator tube or sterile container Temperature:FREEZE	87798
LABCORP	010355	Trypsin Container:Red-top tube or gel-barrier tube lavender-top (EDTA) tube Temperature:FREEZE	83519
LABCORP	004280	Tryptase Container:Gel-barrier, lavender-top (EDTA) tube OR green-top (heparin) tube Temperature:Refrigerate	83520
LABCORP	700192	Tryptophan, Qn, P Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	500538	TSH Receptor Antibody (TBII) Container:Gel-barrier tube or red-top tube green-top (heparin) tube Temperature:Freeze Stability: Room temperature up to 24 hours Refrigerated up to 7 days Frozen up to 200 days	83519
LABCORP	316487	TSH reflex to T4F Container:Gel-barrier tube Temperature:Room temperature	84443
LABCORP	334757	TSH w/Reflex	84443
LABCORP	229401	TSH+T3+T4F	84480 84439 84443
LABCORP	366778	TSH+T3Free	84443 84481
LABCORP	322700	TSH+TestT+DHEA-S+Cort+E2+E1...	82627 84403 82677 84443 82533 82679 82670
LABCORP	219117	TSH+ThyAbs	84443 86376 86800
LABCORP	140673	Tumor Necrosis Factor-Alpha Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	186204	Tv Prequot, NAA Container:Gen-Probe(R) APTIMA(R) swab transport or Gen-Probe(R) APTIMA(R) specimen transfer kit with 1 mL of PreservCyt(R) fluid (do NOT use swabs provided with APTIMA(R) kit) Temperature:Maintain specimen at room temperature or refrigerate 2(degrees)C to 30(degrees)C. Aliquots must be transferred to the APTIMA(R) tube within seven days of collection.	87661
LABCORP	700198	Tyrosine, Qn, P Container:PREFERRED: Frozen plasma from green-top (sodium heparin) tube. frozen plasma from lavender-top (EDTA) tube OR frozen ACCEPTABLE: Frozen plasma from lavender-top (EDTA) tube or frozen plasma from PPT(TM). Frozen serum from serum separator tube (SST) or frozen serum from red-top tube will not be rejected. NOTE: Plasma reference ranges will be applied to all specimen types. Temperature:Centrifuge, remove plasma from cells, and FREEZE immediately.	82131
LABCORP	470115	Uniparental Disomy (UPD) Parent, DNA Analysis Container:Lavender-Top (EDTA) Tube, Yellow-top (ACD) tube Temperature:Room temperature. Maintain specimen at room temperature. Do not freeze.	NOcpt



LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	236937	Uric A+ANA w/Rflx+RA Qn+CRP... Container:Gel-Barrier Tube	86038 84550 86200 86431 86140
LABCORP	236939	Uric A+ESR Wes+RA Qn+CCP(Ig... Container:Gel-Barrier Tube, Lavender Top (EDTA) Tube	85652 84550 86200 86431
LABCORP	003921	Urinalysis (No Micro) Waived Container:Plastic urine container Temperature:Refrigerate	81002
LABCORP	910669	Urine Alcohol Confirm	NOCPT
LABCORP	504594	Ustekinumab and Anti-Ustekinumab Antibody, DoseASSURE(TM)JUST Container:Red-top tube, gel-barrier tube, plasma EDTA tube, OR plasma heparin tube Temperature:Refrigerate or Freeze Long term storage: frozen, acceptable to transport in refrigerated temperature (cold pack)	82397 80299
LABCORP	117006	Vascular Endothelial Growth Factor, Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	83520
LABCORP	117021	Vascular Endothelial Growth Factor, Serum Container:Red-top tube or gel-barrier tube Temperature:FREEZE	83520
LABCORP	010397	Vasoactive Intestinal Polypeptide (VIP), Plasma Container:Lavender-top (EDTA) tube Temperature:FREEZE	84586
LABCORP	819091	Venison IgE* Container:Serum transfer tube Temperature:Maintain specimen at room temperature	86003
LABCORP	183033	Veritor Flu A/B Waived Container:Swab supplied in kit. Swab should be stored in a clean, dry container. Temperature:Specimens must be tested within one hour of collection.	87804 x2
LABCORP	830814	VGKC Container:Serum Separator (Gel) Tube Temperature:Refrigerate Stability: Room temperature: 72 hours Refrigerated: 2 weeks Frozen: 1 month	83519
LABCORP	818535	VHL DNA Sequencing Test Container:Lavender-top (EDTA) tube or yellow-top tube Temperature:Maintain specimen at room temperature.	NOCPT
LABCORP	275809	Virus, Influenza A+B Ag, DFA Container:Plain glass slide, no fixative Temperature:Refrigerate or maintain specimen at room temperature.	87275 87276
LABCORP	237839	Vitamin B12 Container:Gel-Barrier Tube	82607
LABCORP	141503	Vitamin B12 Deficiency Cascade Container:Red-top tube or gel-barrier tube Temperature:Store specimen at room temperature	82607
LABCORP	081869	Vitamin B12 Unsaturated Binding Capacity Container:Red-top tube, gel-barrier tube or lavender-top (EDTA) tube. Temperature:Refrigerate	82608
LABCORP	361413	Vitamin B12 w reflex <400	82607
LABCORP	379196	Vitamin B12 w reflex MMA	82607
LABCORP	070086	Vitamin B5 Container:Red-top tube OR lavender-top (EDTA) tube Temperature:Room Temperature	84591
LABCORP	123420	Vitamin C (with dilution) Container:Green-top (Lithium Heparin)tube; amber plastic transport tube with amber-top. (If amber tubes are unavailable, cover standard transport tube completely, top and bottom, with aluminum foil. Identify specimen with patient name directly on the container and on the outside of the aluminum foil. Secure with tape.) For amber plastic transport tube and amber-top, order LabCorp No. 23594. Temperature:FREEZE IMMEDIATELY and protect from light.	82180
LABCORP	500510	Vitamin D, 25-Hydroxy, Total Container:Gel-barrier tube, lavender-top (EDTA) tube or green-top (heparin) tube Temperature:FREEZE Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 34 months	82306

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	070140	Vitamin E (Alpha and Gamma Tocopherol) Container:Red-top tube or gel-barrier tube Temperature:Room temperature	84446
LABCORP	140640	Voltage-Gated Calcium Channel Antibody Container:Red-top tube or gel-barrier tube Temperature:Refrigerate	83516
LABCORP	630468	von Willebrand Disease Genetic Analysis Container:Whole blood: Lavender-Top (EDTA) Tube; Oral swab: OCD-100 DNA Genotek device ONLY; Extracted DNA: Sterile screw capped vial Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	81479 81408
LABCORP	504808	Von Willebrand Disease Reflexive Profile Container:Blue-Top (Sodium Citrate) Tube Temperature:FREEZE	85245 85240 80500 85246
LABCORP	500670	von Willebrand Factor Activity Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 6 hours Acceptable freeze/thaw up to 4 cycles	85245
LABCORP	500667	von Willebrand Factor Antigen Container:Blue-top (sodium citrate) tube Temperature:Freeze Stability: Room temperature up to 8 hours Refrigerate up to 24 hours Acceptable freeze/thaw up to 4 cycles	85246
LABCORP	500148	von Willebrand Factor Multimers Container:Blue-top (sodium citrate) tube Temperature:FREEZE	85247
LABCORP	602463	W001-IgE Ragweed, Short Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602544	W002-IgE Ragweed, Western Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602964	W003-IgE Ragweed, Giant Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602965	W004-IgE Ragweed, False Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602966	W005-IgE Wormwood Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602531	W006-IgE Mugwort Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602967	W007-IgE Oxeye Daisy Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602968	W008-IgE Dandelion Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602536	W009-IgE Plantain, English Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602537	W010-IgE Lamb's Quarters Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602515	W011-IgE Thistle, Russian Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602969	W012-IgE Goldenrod Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003

LAB	CODE	TEST NAME	CPT4 CODE
LABCORP	602970	W013-IgE Cocklebur Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602484	W014-IgE Pigweed, Common Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602971	W015-IgE Lenscale Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602570	W016-IgE Rough Marshelder Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602972	W017-IgE Kochia Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602542	W018-IgE Sheep Sorrel Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602626	W019-IgE Wall Pellitory Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602973	W020-IgE Nettle Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602974	W023-IgE Dockweed, Yellow Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602975	W045-IgE Alfalfa Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602976	W046-IgE Fennel, Dog Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602977	W082-IgE Careless Weed Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	602978	W204-IgE Sunflower Pollen Container:Red-top tube or gel-barrier tube Temperature:Room temperature	86003
LABCORP	824687	Weak RhD Analysis Container:Lavender-top (EDTA) tube Temperature:Room temperature	86901
LABCORP	620023	Whole Exome Sequencing - DUO (Proband) Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, T25 flask Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81415 81416
LABCORP	620024	Whole Exome Sequencing - Proband Only Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, T25 flask Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81415
LABCORP	620022	Whole Exome Sequencing - TRIO (Proband) Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction. Fibroblasts - ship flask in insulated container at room temperature or refrigerated; Muscle - ship in insulated container with 5-7 lbs of dry ice	81416 x2 81415
LABCORP	620194	Whole Exome Sequencing Comparator - Additional FM Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial.	NOcpt

LAB	CODE	TEST NAME	CPT4 CODE
		Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	
LABCORP	620197	Whole Exome Sequencing Comparator - Father Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	NOCPT
LABCORP	620192	Whole Exome Sequencing Comparator - Mother Container:Lavender-Top (EDTA) Tube, OCD-100 DNA Genotek device ONLY, Sterile crew capped vial. Temperature:Blood - ship ASAP, but stable up to 5 days post-collection at room temperature. DO NOT FREEZE. Swab - 60 days post-collection room temperature stability. DNA - ship at room temperature after extraction.	NOCPT
LABCORP	183710	Yeast Culture W/Reflex Suscep Container:Sterile container for fluid or tissue or green-stopper (heparin) tube, blood culture bottle, or swab Temperature:Maintain specimen at room temperature.	87101
LABCORP	489000	ZAP-70 in B-CLL Container:Green-top (heparin) tube OR lavender-top (EDTA) tube Temperature:Store and ship whole blood at ambient temperature. Ship bone marrow at ambient temperature.	88187 88184 88185 x3
LABCORP	163084	Zika Virus Antibody, IgM Container:Gel-barrier tube OR Red-Top tube OR Serum Transfer tube Temperature:Refrigerate	86794
LABCORP	010180	Zinc Protoporphyrin (ZPP), Workplace Container:Royal blue-top (EDTA) tube OR tan-top lead-free tube; submit original tube. Temperature:Room temperature. Stable for five days at room temperature or for seven days when refrigerated.	84202
LABCORP	503995	ZNT8 Antibodies Container:Red-top tube, gel-barrier tube or green-top(heparin) tube Temperature:Frozen Stability: Room temperature up to 7 days Refrigerated up to 7 days Frozen up to 7 days Freeze/Thaw Cycle: Stable x6	86341